

राज्य शिक्षा केन्द्र

पुस्तक भवन, बी-विंग, अरेरा हिल्स, भोपाल--462 011

दूरभाष : (0755) 2768390, 91, 92, 94, 95 फैक्स : 2582363, 2760561

क्र./राशिके/स्टार्स/2024/ 4164

भोपाल, दिनांक 09/09/2024

प्रति,

कलेक्टर सह जिला मिशन संचालक,
समस्त जिले (म.प्र.) ।

विषय:- कस्तूरबा गाँधी बालिका विद्यालय में 'फिजिकल लाइब्रेरी विथ डिजिटल कैपेसिटी' की स्थापना के सम्बन्ध में दिशा निर्देश।

सन्दर्भ:- 1. भारत सरकार शिक्षा मंत्रालय, स्कूल शिक्षा एवं साक्षरता विभाग का F.No.15-1/2024-IS.1 दिनांक 5 मार्च 2024।

2. राज्य कार्यकारिणी समिति की बैठक दिनांक 31/07/2024

भारत सरकार शिक्षा मंत्रालय, स्कूल शिक्षा एवं साक्षरता विभाग द्वारा संदर्भित पत्र के माध्यम से विश्व बैंक पोषित स्टार्स परियोजना अंतर्गत प्रदेश के 207 कस्तूरबा गाँधी बालिका विद्यालयों में 'फिजिकल लाइब्रेरी विथ डिजिटल कैपेसिटी' की स्थापना हेतु स्वीकृति प्राप्त हुई है। स्वीकृति अनुसार प्रत्येक कस्तूरबा गाँधी बालिका विद्यालय में निम्नानुसार सामग्री का क्रय किया जाना है:

1. कम्प्यूटर आइटम जिनका क्रय कलेक्टर की अध्यक्षता वाली समिति द्वारा GEM के माध्यम से किया जाना है:

S.No.	Items	Units	Unit Cost (in Rs.) Approximate	Final Cost (In Rs.)Maximum
1.1	All In One Desktop Computer	3	85000	255000
1.2	Multi-Functional Printer (with scanner)	1	20000	20000
1.3	UPS (with 30 minutes backup)	3	6000	18000
1.4	Headphones	3	2000	6000
1.5	Speakers Bluetooth	3	3000	9000
	Total			308000

उक्त आइटम्स के क्रय हेतु स्पेसिफिकेशन परिशिष्ट -1 तथा GEM पोर्टल से क्रय हेतु एडिशनल टर्म्स एंड कंडीशंस (ATC) परिशिष्ट -2 पर संलग्न हैं।

2. फर्नीचर आइटम जिनका क्रय किया जाना है:

S.No.	Items	Units	Unit Cost (in Rs.) Approximate	Final Cost (In Rs.)Maximum
2.1	Computer Tables & Chairs (Set)	3	10000	30000
2.2	Bookshelf (5 shelves)	4	10250	41000
2.3	Almirah	1	18000	18000
2.4	Reading Table (3'X8')	1	30000	30000
2.5	Chairs for Reading Table	8	3000	24000
2.6	Pin Up Board	2	6000	12000
	Total			155000

उक्त आइटम्स के क्रय हेतु स्पेसिफिकेशन परिशिष्ट-3 तथा GEM पोर्टल से क्रय हेतु एडिशनल टर्म्स एंड कंडीशंस (ATC) परिशिष्ट-4 पर संलग्न हैं।

9/9/24


3. अन्य सामग्री/कार्य जिनसे सम्बंधित समस्त कार्यवाही छात्रावास प्रबंधन समिति द्वारा भण्डार क्रय नियमों के अनुरूप की जाएगी:

S.No.	Items	Units	Unit Cost (In Rs.) Approximate	Final Cost (In Rs.) Maximum
3.1	Magazines, News Papers, etc. (for 12 months)	12	3000	36000
3.2	Electrifications	1	30000	30000
3.3	Wi-Fi (Installation)	1	5000	5000
3.4	Others (Contingency, Monthly Rental of Wi-Fi, Toner for Printer, Stationary, etc. for 12 months)	12	3000	36000
	Total			107000

संदर्भित पत्र क्र. 2 अनुसार राज्य कार्यकारिणी समिति की बैठक में लिए गए निर्णय अनुसार बिंदु क्र.1 तथा 2 पर अंकित आइटम्स का क्रय राज्य स्तरीय क्रय समिति द्वारा निर्धारित किये गए संलग्न स्पेसिफिकेशन अनुसार क्रय की समस्त प्रक्रिया, क्रय आदेश एवं भुगतान आदि की समस्त कार्यवाही जिला कलेक्टर की अध्यक्षता वाली समिति द्वारा GEM के माध्यम से भण्डार क्रय नियमों के अनुरूप क्रय किया जायेगा। उपरोक्त बिंदु क्र. 3 पर अंकित सामग्री/कार्य सम्बंधित समस्त कार्यवाही छात्रावास प्रबंधन समिति द्वारा भण्डार क्रय नियमों के अनुरूप की जाएगी।

उपरोक्त समस्त सामग्री का क्रय तीन माह में अनिवार्य रूप से किया जाये एवं जिला स्तर पर सामग्री की गुणवत्ता का सत्यापन एवं भुगतान की कार्यवाही समय सीमा में सुनिश्चित की जाये।

संलग्न: उपरोक्तानुसार।




(हरजिंदर सिंह)
संचालक
राज्य शिक्षा केंद्र

पृ.क्र./राशिके/स्टार्स/2024/4165

भोपाल, दिनांक 09/09/2024

प्रतिलिपि:-

1. प्रमुख सचिव म.प्र. शासन, स्कूल शिक्षा विभाग, मंत्रालय भोपाल की ओर सूचनार्थ।
2. मुख्य कार्यपालन अधिकारी सह जिला परियोजना संचालक, जिला पंचायक, समस्त जिले।
3. अपर संचालक (वित्त) राज्य शिक्षा केंद्र, भोपाल की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
4. नियंत्रक स्टार्स, राज्य शिक्षा केंद्र, भोपाल की ओर सूचनार्थ।
5. जिला परियोजना समन्वयक, जिला शिक्षा केंद्र, समस्त जिले की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
6. एजुकेशन पोर्टल पर अपलोड करने हेतु।



संचालक
राज्य शिक्षा केंद्र

Scope of Work Document & ATC








GEM bid for Supply of Furniture Items Under "Physical Library With Digital Capacity" Established In Kasturba Gandhi Balika Vidyalaya's of Distt. Sagar

**ZILA SHIKSHA KENDRA
District- Sagar, Madhya Pradesh**

December, 2024

Physical Library with Digital Capacity in 207 KGBVs

Sno.	Particular	Item Specification
1	Computer Table with key board drawer and tabletop.	
	Type of Computer Table:	Computer cum Printer table with key board pullout tray and table top
	Construction of Computer/Printer Table:	Gable end and modesty panel
	Colour of Top:	brown
	Material of table top, keyboard and drawer:	Three layer prelaminated particle board (Wood Product) of grade II type II of IS 12823/Latest
	Gable end and Modesty panel material:	Three Layer prelaminated particles board (wood product) of grade II type III of IS 12823/Latest
	Leg Material:	NO LEGS
	Tabletop thickness $\pm 2\text{mm}$:	12 millimeter
	Thickness of gable end and modesty panel $\pm 2\text{mm}$:	19
	Dimension of leg(mmXmm) $\pm 5\text{mm}$:	No legs
	Length of table in mm ($\pm 15\text{ mm}$):	1200 millimeter
	Depth of table in mm ($\pm 10\text{mm}$):	610 millimeters
	Height of table in mm ($\pm 10\text{mm}$):	760 millimeters
	Type of keyboard tray:	Prelaminated particle board keyboard tray
	Material of footrest:	Three layer prelaminated particles board (wood product) conforming to grade II type III of IS 12823/Latest
	Material thickness of footrest $\pm 2\text{mm}$:	19mm
	Warranty period in number of years:	1
	Product having BIFMA certification:	NO
	OEM of offered product is ISO 9001:2015 certified:	NO
	OEM of offered product is ISO 14001:2015 certified:	NO
OEM of offered product is ISO 18001:2007/45001:2018 certified:	NO	
2	Computer Chairs	

Sno.	Particular	Item Specification
	Revolving Chair with Swivel tilt mechanism	
	Tilt mechanism:	Swivel tilt mechanism
	Locking mechanism:	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Without armrests
	Backrest type:	Tilting type
	Pedestal Base :	Glass Fiber Nylon
	Armrest Material:	No armrest
	Minimum density of foam used in seat:	30 kg per cubic meter
	Minimum thickness of PU foam used in seat:	30 mm
	Seat upholstery material:	Leatherette
	Backrest base frame material:	Hot pressed plywood
	Padding at backrest:	Memory foam
	The minimum density of foam used in the backrest:	NA
	Minimum thickness of PU foam used in backrest:	NA
	Backrest upholstery material:	Leatherette
	Upholstery material thickness /Fabric substance used in seat/Backrest:	0.7 to 1.5 mm (for leather leatherette)
	Minimum width of seat:	400 mm
	Minimum depth of seat:	400 mm
	Minimum width of backrest:	400 mm
	Backrest height Mid back:	(451 to 550 mm)
	Minimum thickness of MS Plate Joining the understructure with Seat:	2 mm
	Minimum pedestal size (diameter):	650 mm
	Upholstered material seat color:	Grey
	Upholstered material backrest:	Grey
3	Book Shelf	
	Bookshelf features:	Ornamentation

cmh

- ①
- ②
- ③
- ④
- ⑤
- ⑥
- ⑦

[Handwritten Signature]

Sno.	Particular	Item Specification
	No of shelves:	5
	Material:	Iron
	Product Dimensions:	
	Length:	175 cm
	Width:	55 cm
	Depth:	35 cm
	Mounting type:	Floor Mount
	Door Style	Open Frame
	Surface Finish	Paint Coated
	Shelf Shutter Material	Glass
4	Almirah	
	Technical specification of Almirah steel:	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel:	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required:	No Drawer
	Number of shelves:	5
	Colour of finish:	Silver Grey
	Steel sheet material:	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats:	N.A
	Almirah height(excluding the height of pedestal) \pm 5 mm:	1855 mm
	Almirah width \pm 5 mm:	910 mm
	Almirah depth \pm 5 mm:	470 mm
	Side sheet thickness:	0.9 mm
	Back sheet thickness:	0.8 mm
	Top sheet thickness:	0.9 mm
	Bottom sheet thickness:	0.9 mm
	Shelves sheet thickness:	0.6 mm
	Shelves supporting bracket thickness:	1.6 mm
	Hinges sheet thickness:	2 mm
	Hanging rod wall thickness:	N.A
	Mirror frame sheet thickness:	N.A
	Mirror frame border width:	N.A
	Width of stiffener:	115 mm
	Stiffener sheet thickness:	0.6 mm
	Number of glass sheet fixed:	N.A
	Handle size:	12 cm
	Steel Almirah lock/locker lock:	Six lever lock
	Material of lock:	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle
	Finish coat with enamels:	N.A

CRB

①

②

③

④

⑤

⑥

⑦

⑧









Sno.

Sno.	Particular	Item Specification
	Powder coating: Conforming to IS:	13871
5	Reading Table	
	Seating capacity (number of seating):	8 seaters
	The shape of tabletop:	Oval
	Wire management:	Without
	Number of the socket box:	NA
	In-built sockets for LAN / INTERNET:	NA
	Type of understructure:	Leg type
	Material of tabletop:	Three layer prelaminated particle boards of grade II type II of IS:12823/latest
	Material of legs /Gable end:	MS pipes with powder coated
	Material of modesty panel:	NA
	Length/Diameter/Major axis of tabletop	2400 mm
	Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm):	1200 mm
	Thickness of top ±2(mm):	25 mm
	Table height in mm (±5 mm);	750 mm
	Height of modesty panel ±5(mm):	NA
	Thickness of modesty panel (in mm) ± 5%	NA
	Thickness of Gable end:	NA
	Size/Diameter of legs (± 0[dot]5 mm):	50 mm x 50 mm
	Thickness of legs material: 1.6 mm	
	Type of table top finish:	PVC Laminate
	The thickness of the table top finish:	1.0 mm
	Type of Leg(s) /gable end finish:	No finish
	The thickness of the leg(s) /gable end finish:	NA
	Type of modesty panel finish:	No finish
The thickness of the modesty panel finish:	NA	
Colour:	Oxford cherry	
Packing:	Gutta packing	
Warranty period:	1 Year	
Test reports to be furnished to buyer on demand:	No	
6	Chairs for Reading Table	
	Chair Type:	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type:	Legs
Armrest type:	Moulded armrest continuously fitted with seat bottom to backrest	

ad

① ② ③ ④ ⑤ ⑥ ⑦

Sno.	Particular	Item Specification
	Seat type:	Padded
	Backrest type:	Padded
	Frame Material Configuration:	Two Piece
	Frame material:	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
	Seat material:	Moulded Plywood
	Seat material thickness:	18 mm
	Density of Polyurethane foam used in seat (\$2 Kg/Cub Meter) :	40
	Seat upholstered with:	Leatherette
	GSM of seat cover (= 3 GSM) :	250 GSM
	Backrest material:	Moulded Plywood
	Density of Polyurethane foam used in Backrest (\$2 Kg/Cub Meter) :	40
	Backrest upholstered with: Leatherette	
	Seat Depth (= 5 mm) :	450 mm
	Seat Width (\leq 5 mm) :	460 mm
	Seat height from floor surface (5n m) :	475 mm
	Backrest width (= 5 mm) :	410 mm
	Backrest width (= 5 mm) :	410 mm
	Backrest width (= 5 mm) :	410 mm
	Backrest width (= 5 mm) :	410 mm
	Backrest width (= 5 mm) :	410 mm
	Backrest width (= 5 mm) :	410 mm
	Backrest width (= 5 mm) :	410 mm
7	Pin Up Board	
	Width of Board in mm:	1500 mm or above
	Colour(Front/ Display layer):	Any color
	Height of Board in mm:	1200 mm or above
	Front cover material of Board:	Acrylic (minimum 2 mm thickness)
	Rear panel material of Board:	Galvanised iron sheet
	Overall pinability depth of Board in mm:	9 millimeter
	Core material thickness in mm(N \geq 9):	9 millimeter
	Orientation:	Portrait/ Landscape
	Type of Front Cover:	Without front cover
	Warranty in years:	2
	Availability of test reports from Central Government /NABL / ILAC accredited Lab covering all the parameters:	No

SPECIAL ATC CONDITIONS

परिशिष्ट-4

Sr. No.	ELIGIBILITY OF MANUFACTURER/BIDDERS FOR FURNITURE SUPPLY
1	The Readymade furniture items that have to be supplied as per BOQ should be of Reputed Brand only bearing Quality and important approvals certificates relevant to Furniture of product item in tender such as: (All below ISO certifications should be from NABCB approved accredited certifier agency :- ISO 9001 :2015 Quality management Systems ISO 14001:2015 Environmental Management System ISO 45001:2018 Occupation health and Safety management System ISO 50001:2018 Energy Management System
2	Manufacturer/Bidder should be submitted :- PAN, GSTIN Company Registration, ESIC EPF,
3	Manufacturer should be a <u>member of BIFMA certificate</u> (Business and Institutional Furniture manufacturers Association) for 3 consecutive years. Should be verified on bifma.org
4	Manufacturer should have <u>AIOTA Certificate</u> Issue by (All India Occupational Therapists Association) for Educational Range of Furniture and for Office Furniture Range. Should be verified on AIOTA Website https://aiota.org
5	<u>Third Party Feasibility report</u> to be mandatory like SGS/RITES/NSIC/Central GOVT. ENGG COLLEGE, IRCLASS OR Equivalent as a proof of Machinery Installed in the manufacturing plant and for product Quality Check.
6	The OEM Manufacturer should be Indian Green Building Council (IGBC) member certificate.
7	The manufacturer should supply product which are certified, and products meet rigorous emissions standards and bear Green Pro certificate to be eco-friendly and user friendly.
8	OEM should have experience in successfully executing one single order of similar work Rs 80.00 Lakh. During the last 03 financial years in any Central / State Govt Organization. Note: Copy of completion certificate to be enclosed as a proof of supplies along with the order copies.
9	The Average Annual Turnover of the OEM should be minimum 500.00 Lakh. in last 03 consecutive years and should have Positive Net worth in last year. CA Certificate in Support to same duly Signed by CA with valid UDIN number to be submitted. Net worth of 2020-2021, 2021-2022 and 2022-23 will be considered.
10	Net worth of the bidder should be Positive in the last financial year and this is mandatory condition. Certificate Enclosed.

① ② ③ ④ ⑤ ⑥ ⑦

crh

SPECIAL ATC CONDITIONS

Sr. No.	ELIGIBILITY OF MANUFACTURER/BIDDERS FOR FURNITURE SUPPLY
11	Undertaking should be given on letter head that the product /item supplied against this tender by the contractor /Bidder is Make in India Products and up to 90% of Raw material /Man/Machinery is involved and produced within India.
12	The OEM/Manufacturer/ should be in Indian Market since last 10 Years. One order copy prior 10 Years to be submitted
13	It is mandatory for the OEM to attach the Green Co certificate
14	It is mandatory for the OEM to attach the GRIHA certificate
15	Authorised dealer of oem can also participate.
16	The following Machineries need to be mandatory for the Suppliers or Its OEM. a) Mechanical Power Press b) Power Shearing M/c Minimum 8 ft Length c) Hydraulic /Manual Operated Pipe Bending Machine d) Panel Saw Machine e) Laser/Turret Punch for Sheet Metal Processing Machine f) Pneumatic Tools for fixing of Fasteners, Screws etc. g) Spot Welding & MIG welding machine h) 7 Tank Anti rust Treatment Unit with Hostile Facilities and Powder Coating unit i) Quality Equipment's such as Vernier Calipers, Hardness Thicker Checking of Powder Coating Duly Calibrated etc.

Approved by State Government Committee

Only
①

②

③

④ ~~⑤~~ ⑤

⑥

⑦

जिला शिक्षा केन्द्र सागर

क्र	जिला	विकासखंड	छात्रावास का नाम	पता
1	सागर	रहली	कस्तूरबा गांधी बालिका विद्यालय गढाकोटा	गढाकोटा
2	सागर	बण्डा	कस्तूरबा गांधी बालिका विद्यालय कंदवा	कंदवा
3	सागर	बीना	कस्तूरबा गांधी बालिका विद्यालय भानगढ	भानगढ
4	सागर	केसली	कस्तूरबा गांधी बालिका विद्यालय केसली	केसली
5	सागर	खुरई	कस्तूरबा गांधी बालिका विद्यालय खुरई	खुरई
6	सागर	मालथौन	कस्तूरबा गांधी बालिका विद्यालय बेसरा	बेसरा
7	सागर	शाहगढ	कस्तूरबा गांधी बालिका विद्यालय शाहगढ	शाहगढ