

ADDITIONAL TERMS AND CONDITIONS (ATC)

**RESURFACING OF BASKETBALL COURT
FROM QD SPORTS GRANT**

1. **SCHEDULE OF REQUIREMENT**

SL NO	DETAILS OF WORK	
a.	Earth work	Excavation 150 mm depth by hydraulic excavator Dressing of sides and ramming of bottoms Levelling with road roller 8-12-ton capacity Disposal of surplus excavated soil
b.	Laying of PCC flooring	Providing and laying damp-proof course 150 mm thick (1 cement :2 coarse :4 graded stone 20mm)
c.	Chemical and marking of area	Marking of Basketball court

2. The bidder is required to give confirmation of their acceptance of the Additional Terms and Conditions (ATC) and technical specifications which will automatically be considered as part of the contract concluded with the successful bidder (i.e. Seller in the contract). Failure to do so may result in rejection of the bid submitted by the bidder. Clarification regarding contents of the ATC: A prospective bidder who requires clarification regarding the contents of the ATC may contact telephonically on 9637513539.

3. CRAC will be generated after inspection of the item by the competent authorities only.

4. **SPECIAL TERMS AND CONDITIONS**

- (a) Seller shall fulfill all technical specifications while casting the item.
- (b) Seller shall undertake the resurfacing work on the location intimated by the buyer (Air Force Station Maharajpur, Gwalior).
- (c) Warranty : 01 Yrs
- (d) Repair within warranty period is to be carried out at priority and is to be born by seller itself.
- (e) Resurfacing and any other equipment required is to be born by the seller
- (f) Buyer added ATC is to be accepted by the seller by ink signed and rubber seal of the firm. Same is to be uploaded in respective bid.

5. **WORK REQUIRED:** The following works are required to be undertaken and specifications clause will for part of the contract placed on successful bidder.

SL NO	DETAILS OF WORK	
a.	Earth work	Excavation 150 mm depth by hydraulic excavator Dressing of sides and ramming of bottoms Levelling with road roller 8-12-ton capacity Disposal of surplus excavated soil
b.	Laying of PCC flooring	Providing and laying damp-proof course 150 mm thick (1 cement :2 coarse :4 graded stone 20mm)
c.	Chemical and marking of area	Marking of Basketball court

6. **JURISDICTION OF COURTS:** The court at Gwalior or within the jurisdiction of Gwalior and no other court shall have the jurisdiction to try all suits in respect of any claims, or disputes arising out of or under this contract or in any way relating to the same.