

### Bid Document

Bid Details	
Bid End Date/Time	12-01-2019 20:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	15 (Days)
Ministry/State Name	Maharashtra
Department Name	Medical Education And Drugs Department Maharashtra
Organisation Name	N/a
Office Name	425001
Total Quantity	6
Item Category	revolving chair
MSE Exemption For Years Of Experience And Turnover	No

### Revolving Chair ( 6 )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
GENERAL	<b>Chair Type</b>	central tilt	*
	Tilt Tension Adjustment	Yes	*
	<b>Height Adjustment <math>\pm</math> 5(mm)</b>	up to 100 mm	up to 100 mm, up to 120 mm, N.A, up to 90 mm, up to 65 mm
	<b>Arm</b>	With	With, Without
	<b>Type of backrest support</b>	backrest symmetrical lumber support	backrest with lumber support of polypropylene at multilevel across back, backrest symmetrical lumber support, Backrest With Adjustable Lumber Support

<b>Arm Type</b>	Fixed	Adjustable, Fixed, NA
Colour of Fabric for Seat and Backrest	black	*
<b>Ergonomic Seat Design</b>	Yes	Yes, No
<b>Back type</b>	push back	push back, fixed, height adjustable
Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
<b>backrest has separate adjustable headrest</b>	No	Yes, No
<b>Seat type</b>	fixed	fixed, sliding
Seat is curved	Yes	*
Locking mechanism	Yes	*
Type of locking	tilt limiter	*
<b>Number of arm movement</b>	N.A	2(up & down), 4(up & down end left & right), 6(Up & Down,Left & Right And Swivel), 8(Up & Down,Left & Right,Swivel And Front & Back), N.A
<b>Lumber support</b>	integrated	integrated, external & fixed, external & adjustable, N.A
MATERIAL	<b>Pedestal Base</b>	<p>Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size</p> <p>Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size, ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of</p>

		50-70 Mm Diameter, , Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Aluminium Alloy With Nylon Twin Caster Wheels Minimum Of 50-70 Diameter, Wooden Cladded With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Chrome finish with 5 wheels
<b>Arm Material</b>	pu foam bonded chrome coted	steel covered with polyurethane, pu foam bonded chrome coted, aluminium covered with pu, CRCA pipe with foam, 19 mm (+/- 2 mm ) ROUND pipe with cushion, 19 mm (+/- 2 mm) round SS pipe with cushion, Proppylene, Steel covered with polypropelene, Steel Covered with Wooden Cladding, WITHOUT ARM
<b>seat material</b>	PU Foam covered with Fabric	pressed and moulded plywood with polypropylene cover, PU foam covered with mesh fabric, PU Foam covered with Fabric, PU Foam Covered With pure leather, PU Foam Covered With pure leatherite
Density of PU foam used in seat KG per Cu Meter (+/- 3)	35	*
Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	35	*
<b>Material of Fabric Back Cover</b>	100% polyester fabric	mesh fabric, Inner frame Upholstered with Mesh fabric and mounted on main assembly, pure leather, 100% polyester fabric, nylon with poly olefin elastomer, Leatherite, N.A

	<b>Material of Fabric of Seat Cover</b>	N.A	foam laminated mesh fabrics, Mesh Fabrics, pure leather, leatherite, 100% polyester fabric, N.A
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	N.A	*
DIMENSION	<b>Overall Chair Height <math>\pm 15\text{mm}</math></b>	1025	*
	<b>Backrest Height <math>\pm 15\text{mm}</math></b>	600	*
	<b>Backrest Width <math>\pm 10\text{mm}</math></b>	520	*
	<b>Seat Height <math>\pm 15\text{ mm}</math></b>	450	420, 450, 480, 500, 520
	<b>Seat Width <math>\pm 10\text{ mm}</math></b>	520	440, 480, 500, 520, 550, 460, 360
	<b>Seat Depth <math>\pm 10\text{ mm}</math></b>	500	400, 460, 480, 500, 520, 550, 420, 440, 540, 360
	<b>Thickness of M S Plate Joining the under structure with Seat</b>	1	*
	<b>Thickness of Plywood used in Seat <math>\pm 1(\text{mm})</math></b>	N.A	12 mm, 15 mm, 18 mm, N.A
	<b>Thickness of Plywood used in Backrest <math>\pm 1(\text{mm})</math></b>	N.A	12 mm, 15 mm, 18 mm, N.A
	Padestal Size (Diameter in mm) +/- 10 mm	600	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	N.A	*
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	N.A	*
WARANTEE	<b>Warrantee period in number of years</b>	1-year	1-year, 2-year, 3-year, 4-year, 5-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES	YES, NO
	<b>BIFMA Certification</b>	YES	YES, NO

<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES, NO
<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES, NO
<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES, NO
<b>Green guard certification</b>	NO	YES, NO
<b>Aiota</b>	-	YES, NO

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Narendra Kashinath Wagh	425001,m.j college street	6	15

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Buyer Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) :** Only supply of Goods
- 2. Procurement under this bid is reserved for purchase from :** Local Supplier as defined in Public Procurement (Preference to Make in India), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---