

**Bid Document**

<b>Bid Details</b>	
Bid End Date/Time	04-02-2019 13:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	15 (Days)
Ministry/State Name	Maharashtra
Department Name	Revenue And Forest Department Maharashtra
Organisation Name	N/a
Office Name	Collector Office Raigad
Total Quantity	891
Item Category	Correction pens- white fluid , self adhesive flags , tag fastener , Lever Arch File , tag fastener , glue stick , paint markers-permanent-ink , Ink for Stamp Pads , stamp pads , poker or awl
MSE Exemption For Years Of Experience And Turnover	Yes

**Correction Pens- White Fluid ( 25 )**

**Technical Specifications**

[\\* As per GeM Category Specification](#)

<b>Specification</b>	<b>Specification Name</b>	<b>Values</b>	<b>Allowed Values</b>
Certification	Conformity to IS 11992 : latest	Yes	*
Type	<b>Type of Correction Fluid</b>	Type-1 Solvent Based	Type-1 Solvent Based, Type-2 Water Based
	Correction Media	White in colour and should conceal typed errors	*
Quantity and Physical Characteristics	<b>Fluid Quantity (ml)</b>	8.0	7, 8, 9, 10, 12 Or higher
	Correction metal Tip size (mm)	5.5	*
Shelf Life	Minimum Shelf life of correction fluid (Year)	1.0	*

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	25	15

### Self Adhesive Flags ( 207 )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Size and GSM	Size of Flag (L X W) (mm X mm)	25 X 75	*
	<b>GSM of Paper (gsm)</b>	70.0	70, 75, 80, 85, 90 Or higher
Glued Portion	Glued portion of flag (Lengthwise) (mm)	12.0	*
Colour and Arrangement of Flags	Colour of Flags in a Pack	Different Colour	*
	<b>Number of Colour</b>	4	1, 2, 3, 4, 5
	Arrangement of flags of different colors in a pack	Side by side	*
Packing	<b>Number of Sheets of Each Colour in a pack (Nos)</b>	50.0	40, 50, 100
	Number of Packs in a bundle (Nos)	10.0	*

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	207	15

### Tag Fastener ( 383 )

## Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Allowed Values
Certification	Conforming to Indian Standard IS 8499:Latest	Yes	*
Colour and Type	<b>Colour</b>	Red	White, Green, Red
	Tag type	Tags at both the ends of metallic sheet with Chromium over Nickel plating	*
Dimensions	<b>Tag length (mm)</b>	100	100, 125, 150, 175, 900
	Length of Piercers (Minimum) (mm)	25	*
	Diameter of Piercers (Maximum) (mm)	3	*
Physical Characteristics	<b>Edge cut of Piercers</b>	Straight ends at both the edges at both the sides	Straight ends at both the edges at both the sides, Tapering end at one edge at single side, Tapering end at one edge at both sides
	Linear density of lace (Minimum) (g/meter)	0.65	*
	Breaking load of lace (Minimum) (Kgf)	6	*
	Slip resistance of lace (Minimum) (Kgf)	1.5	*
	Gripping Strength of Piercers (Minimum) (Kgf)	5	*
Packing	Packing size	Bundle of 100 pieces	*

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	383	15

### Lever Arch File ( 21 )

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Size	<b>Paper size to which file is suitable</b>	A4	A4, Foolscap
Material and Colour	<b>Material and minimum thickness of material (mm)</b>	Card board 2.5 mm thick with 0.19mm PP and both side PVC coated	Polypropylene 1.0 mm thick, Card board 2.5 mm thick with 0.19mm PP and both side PVC coated
	Colour of Lever arch file	MULTI COLOURS	*
Dimension	<b>Length (mm)</b>	320	320, 350
	<b>Width (mm)</b>	280	265, 280
	Ring height (mm)	50	*
	Gap between rings (mm)	80	*
	Maximum ring wire dia (mm)	5	*
File accessories	01 Number SS clip with 02 Numbers SS rings with SS lever & SS stopper	YES	*

\* Bold specifications are the golden parameters.

## Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	21	15

## Tag Fastener ( 77 )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Certification	Conforming to Indian Standard IS 8499:Latest	Yes	*
Colour and Type	<b>Colour</b>	White	White, Green, Red

	Tag type	Tags at both the ends of metallic sheet with Chromium over Nickel plating	*
Dimensions	<b>Tag length (mm)</b>	900	100, 125, 150, 175, 900
	Length of Piercers (Minimum) (mm)	25	*
	Diameter of Piercers (Maximum) (mm)	3	*
Physical Characteristics	<b>Edge cut of Piercers</b>	Tapering end at one edge at both sides	Straight ends at both the edges at both the sides, Tapering end at one edge at single side, Tapering end at one edge at both sides
	Linear density of lace (Minimum) (g/meter)	0.65	*
	Breaking load of lace (Minimum) (Kgf)	6	*
	Slip resistance of lace (Minimum) (Kgf)	1.5	*
	Gripping Strength of Piercers (Minimum) (Kgf)	5	*
Packing	Packing size	Bundle of 100 pieces	*

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	77	15

### Glue Stick ( 85 )

#### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Type	Type of Glue	Soft paste, non toxic, quick drying for paper etc.	*
Applicator	Applicator	By rotational	*

		movement of the bottom of the stick	
Net Content and Shelf Life	<b>Net content of the stick (Grams)</b>	15	8, 15, 25, 35, 40, 50 Or higher
	<b>Shelf life</b>	24	12 - 24
Packing	<b>Enclosure</b>	ABS plastic with lid	Plastic with lid, ABS plastic with lid
	<b>No of sticks in a pack (Nos.)</b>	Pack of 10	Pack of 5, Pack of 10, Pack of 20

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	85	15

### Paint Markers-permanent-ink ( 24 )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Type	<b>Type of Marker</b>	Water-based Paint	Oil-based Paint, Alcohol-based Paint, Water-based Paint
Colour	Paint Colour	Black	*
Dimension	Tip Size (mm)	1	*
	<b>Paint Volume (m<sup>3</sup>)</b>	25	Any applicable numeric value
	<b>Overall Pen Length (mm)</b>	137	Any applicable numeric value
Cap	<b>Cap</b>	With Clip	With Clip, Without Clip
Material	<b>Body Material</b>	plastic	Any applicable text(s)
Physical Characteristics	<b>Refillable</b>	Yes (Refillable)	Yes (Refillable), No (Fixed)
	<b>Water and Ultra Violet Resistant</b>	Yes	Yes, No
	<b>Toxic Compound Free</b>	Yes	Yes, No
	<b>Surface Suitability</b>	yes	Any applicable text(s)

\* Bold specifications are the golden parameters.

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	24	15

**Ink For Stamp Pads ( 15 )****Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Certification	BIS Specification	IS:393 Latest	*
	<b>BIS Marked</b>	NO	YES, NO
	CM/L Licence Number	No	*
Material and Colour	<b>Container Material</b>	Plastic	Plastic, Glass
	Colour of Ink	Blue	*
Packing	<b>Packing Size (ml)</b>	120	120

\* Bold specifications are the golden parameters.

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	15	15

**Stamp Pads ( 19 )****Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Material	<b>Material of Pad</b>	Cotton	Cotton, Others
	<b>Material of Box</b>	Metal	Metal
Colour	Color of Ink	Blue	*
Physical Charecteristics	Length of Pad (mm)	85	*

Width of Pad (mm)	55	*
Thickness of Pad (mm)	10	*

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201,Collector Office, Raigad Near Hirakot Lake, Alibag 402201	19	15

### Poker Or Awl ( 35 )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Certificaton	Poker (Awls) Generally conforms to IS:10375 latest	Yes	*
	Piercing Capacity as per IS:10375 latest	200 sheets of 70 g/sq. m	*
Test report Details	<b>Availability of Test Reports from Central Govt/NABL/ILAC accredited Lab covering all the declared parameters as per IS specification</b>	Yes	Yes, No
	Test Report Number	6575677	*
	Test Report Date	030517	*
	Name of the Lab	NKT PVT.LT	*
	Address of the Lab	DELHI	*
Material	<b>Material of Handle</b>	Wood	Mild Steel, Wood, Plastic
	Material of Blade (Working portion of Poker, 45 HRC)	Spring Steel wire as per IS:4454-Part-1 latest	*
	<b>Minimum Hardness of Blade Material (HRC)</b>	45	45 - 65
	Anti-corrosive treatment on Blade	Yes	*



	plating Material		
Dimensions	<b>Diameter of Handle (mm)</b>	20	Any applicable numeric value
	<b>Length of Blade (mm)</b>	116	115 - 250
	<b>Nominal Blade Diameter (mm)</b>	3.8	3.8 - 8
	<b>Nominal pointed Diameter (5 mm before tip) (mm)</b>	1.9	1.9 - 4
	<b>Overall Length of Poker (mm)</b>	200	200 - 380

\* Bold specifications are the golden parameters.

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kashinath Nadekar	402201, Collector Office, Raigad Near Hirakot Lake, Alibag 402201	35	15

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

## Buyer Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) :** Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Procurement under this bid is reserved for purchase from :** Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---