

Bid Document

Bid Details	
Bid End Date/Time	12-02-2019 15:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Petroleum And Natural Gas
Department Name	Indian Oil Corporation Limited
Organisation Name	locl-rhq
Office Name	locl-rhq
Total Quantity	7
Item Category	wheel chairs
MSE Exemption For Years Of Experience And Turnover	No

Wheel Chairs (7)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Allowed Values
Ungrouped	Hand Rim Outside Dia. (mm)	15	*
	Low voltage Alarm	Yes	*
	Material of Seat	Polyester with canvas	*
	Total weight of Wheel Chair (Kg.)	16	0 - 9999999
	Foot rest Material	Moulded Plastic	*
	Product Code No,	N/A	*
	Range of Seat Height Adjustment (mm)	0	*
	Battery Charger output current rating (Amps)	N/A	*
	Density of Cushoin material on armrest,seat and	0	*

Backrest (Kg/m3)		
Leg Guard Width (mm)	100	*
Back rest with Cushion	No	Yes, No
Hardness of Axle (HRC)	25	*
Hand rim Tube thickness (mm)	1	*
Front castor Dia (mm)	200	*
Cushion on Seat	Without	With, Without
Front castor Swivel Type	Yes	*
Overall Width in unfolded condition of wheel chair (mm)	650	*
Leg guard type	Fixed	Swinging and detachable, Swinging, detachable and elevating, Fixed
Slope of Seat (Degree)	40	0 - 9999999
Type of Back rest	Fixed	Fixed, Removable, Foldable
Overall Length (mm)	1100	1100
Type of Wheel Hub	Moulded	*
Hand Rim material	Stainless Steel	*
Foldable	Yes	Yes, No
Overall Width in folded condition of the wheelchair (mm)	300	*
Leg Guard Thickness (mm)	1.2	*
Types of Wheel chairs	Non powered Direct drive -on rear wheels bimanual	Attendant controlled Non powered, Non powered Direct drive -on rear wheels bimanual, Attendant controlled powered, Electromotor for drive manual steering
Material of Handle	Plastic	*
Frame tube thickness (mm)	1.2	0 - 9999999
Material of arm rest	Plastic Moulded	*
Material of hand grip	PVC	*
Material of Cushion on	PVC / Polyester	*

armrest,seat and Backrest		
Clearnce of frame from floor (mm)	125	0 - 9999999
Battety Voltage Rating (Volts)	N/A	*
Dia of Axle (mm)	12	*
Overall Height (mm)	920	920
Drawing available on web	No	*
Range of Width Adjustment (mm)	0	*
Length of Foot Rest (mm)	200	*
Loading Capacity (Kg.)	150	0 - 9999999
Rear wheel rim Material	Mag Wheel	*
Thickness of Arm rest (mm)	25	*
Battery Charger Input Supply Voltage (Volts)	N/A	*
Battery type	Sealed Maintenance Free	*
Drawing No.	N/A	*
Battery Capacity Rating (AH)	N/A	*
Rear wheel tyre tread width (mm)	22	*
Material of Axle	MS	*
Arm rest Type	Fixed	Fixed, Detachable
Cushion Material Thickness (mm)	10	0 - 9999999
Seat Depth (mm)	440	0 - 9999999
Material of Folding Mechanism	MS	*
Diameter of Tube/ thickness of flat of folding mechnism (mm)	25	*
Type of Braking System	Manual	*
Rear wheel rim thickness (mm)	2.5	*
Distance between seat and foot rest (mm)	350	0 - 9999999

Foot rest surface finish anti slip type	Yes	*
Clearance of footrest from floor (mm)	125	0 - 9999999
Seat Cushion Material	Polyester with canvas	*
Motor power rating (Watts)	N/A	*
Finish of Aluminium casts	Buffing	Anodized, Buffing
Hand Rim	With	With, Without
Handle for push/pull action of Wheel Chair	yes	yes
Product code available on web	No	*
Thickness of Seat (mm)	10	0 - 9999999
Slope of the backrest with respect to floor (Degree)	30	0 - 9999999
Foot rest thickness (mm)	1.5	*
Width of foot rest (mm)	150	*
Rear wheel tyre type	Solid	Solid, pneumatic
Battery Charger output voltage rating (Volts)	N/A	*
Arm rest height from seat (mm)	250	0 - 9999999
Cushion on Arm rest	Without	With, Without
No. of Speeds (No.)	1	*
Greadability (Degree)	N/A	*
Material of Back rest	FOAM WITH REXINE	*
Thickness of Cushion material of Arm rest (mm)	moulded 1.5	*
Material of frame	MS POWDER COATED	*
Types of foot rest	Swinging without height adjustment	Swinging without height adjustment, Swinging with height adjustment
Speed max (Kmph)	N/A	*
Warranty (Years)	1	0 - 9999999
Frame tube Dia	22	0 - 9999999

(mm)		
Width of wheel chair	Fixed.	Fixed., Adjustable
Seat Height	Fixed	Fixed, Adjustable
Seat hight from floor at the front (mm)	505	0 - 9999999
Speed Selector	Yes	*
Thickness of back rest (mm)	10	0 - 9999999
Leg guard Material	Powder Coated	*
Painting of mild steel components	Powdrer coated	Stove enamelled, Powdrer coated, Chrome Plating

* Bold specifications are the golden parameters.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Chander Mohan	110003,Scope Complex, Core-2, 7, Institutional Area, Lodhi Road	7	60

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) :** Only supply of Goods
- 2. Purchase preference will be given to MSME and Startup (Local supplier) :** (if L-1 is not from selected category and 4 / 5 Seller (s) from selected category has/have quoted price within L-1 + Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%) % of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and award contract for percentage of total value as defined/ decided in relevant policy) Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%)

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---