



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5290008
Dated/दिनांक : 13-09-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-10-2024 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-10-2024 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
Total Quantity/कुल मात्रा	4074
Item Category/मद केटेगरी	Desktop Computers (Q2) , Layer 2 Access Switch (V2) (Q2) , Server (Q2) , HDMI Cable (Q3) , VGA Cable (Q4) , Cat 6 Cable for Indoor Use (Q2) , Connector Mounting Hardware - Multi Plug (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	10 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	20 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Desktop Computers
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	1995290
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	59900

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है।

एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

CO

1 Air Fmn Sig Regt Air Force Station Palam, Department of Military Affairs, Indian Army, Ministry of Defence
(Commanding Officer)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating

to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Desktop Computers (20 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

*** जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification**

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Make	Intel
	Processor Generation	12.0 Or higher
	Number of Cores per Processor	6, 8, 10, 12, 16, 14, 24, 22 Or higher
	Processor Description	Intel Core i5, Intel Core i7, Intel Core i9 Or higher
	Processor Number	Intel Core i5 12500, Intel Core i5 12600K, Intel Core i5 12600KF, Intel Core i5 12600, Intel Core i7 12700, Intel Core i7 12700F, Intel Core i7 12700KF, Intel Core i7 12700K, Intel Core i9 12900F, Intel Core i9 12900, Intel Core i9 12900KF, Intel Core i9 12900K Or higher
	Out of Band Management	Intel vPro, AMD DASH, NA Or higher
	Cache (MB)	18.0 - 96.0 Or higher
Motherboard	Chipset Series	Intel H Series, Intel B Series, Intel Q Series, Intel Z Series Or higher
	Chipset Number	Intel Q 250, Intel Q 270, Intel Q 370, Intel B 365, Intel H 470, Intel B 460, Intel Z 490, Intel Q 470, Intel Q570, Intel B560, Intel H570, Intel H670, Intel Q670, Intel H660, Intel B660 Or higher
	Expansion Slots (PCIe x 16) (Number)	1, 2, 3 Or higher
Graphics	Graphics Type	Integrated
	Size of Memory in Case of Dedicated Graphic Card (GB)	0, 1, 2, 3, 4, 6, 8 Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 11 Professional
Memory	RAM Size (GB)	8, 16, 32, 64, 128 Or higher
	RAM Expandability up to(using spare DIMM Slots in GB)	64, 128 Or higher
Storage	Type of Drives used to populate the Internal Bays	SSD
	Total HDD Capacity (GB)	500, 1000, 1500, 2000, 2500, 3000, 0, 4000 Or higher
	Total SSD Capacity (GB)	512, 768, 1024, 2048, 4096 Or higher
	Total SSHD Capacity in addition to 8 GB Flash (GB)	500, 1000, 2000, 0 Or higher
	Optane Memory (GB)	8, 16, 32, 0, 64 Or higher
Cabinet	Cabinet Form Factor	SFF (7 to 13 Litres)
	Optical Drive	DVD R/W
Monitor	Monitor Technology	IPS, TN, VA Or higher
	LED Backlit Monitor Size (INCHES)	21.5, 22, 23, 24, 27, 23.8, 32 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Monitor Resolution (PIXELS)	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1440 Or higher
	Availability of Webcam integrated with Monitor	No
	If Yes, Resolution of Webcam	HD, FHD, NA Or higher
	Availability of Speakers integrated with Monitor	No
	If Yes, Number of Speakers available	0, 1, 2 Or higher
Input Devices	Mouse Connectivity	Wired, Wireless Or higher
	Keyboard Connectivity	Wired, Wireless Or higher
Warranty	On Site OEM Warranty (Year)	3, 5, 4 Or higher

Additional Specification Parameters - Desktop Computers (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
OEM Authorization	All bidders should have bid specific OEM Authorization for all products

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	20	45

Layer 2 Access Switch (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specification	Type of Switch	Web Managed
	Technology	Non PoE
	Number of 1G Copper Ports	24
	Number of 10G Copper Ports	0.0 Or higher
	Number of 1 G SFP Port (Uplink)	4.0 Or higher
	Number of 10 G SFP+ Port (Uplink)	0.0 Or higher
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not Available
	Console Port	Available
	Switching Capacity-Non Blocking (Gbps)	56.0 Or higher
	Throughput (MPPS)	41.6 Or higher
	Dedicated Stacking Port/Slot (from day one)	Not Available
	Stacking Bandwidth (Gbps)	0.0 Or higher
	On Site OEM Warranty	1 Year

Additional Specification Parameters - Layer 2 Access Switch (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
OEM Authorization	All bidders should have bid specific OEM Authorization for all products

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	1	45

Server (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Chassis	Form Factor	Rack, Tower Or higher
	Size (RU)	4
Processor	Processor Architecture	CISC(X86), RISC, EPIC Or higher
	Processor Make	Intel
	Number of Cores per Processor	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 11, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher
	Processor Base Frequency (GHz)	3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 3.55, 3.85, 4.05, 4.1 Or higher
	Processor Description/ Number	Intel Xeon Silver 4112, Intel Xeon Gold 5122, Intel Xeon Gold 6126, Intel Xeon Gold 6126T, Intel Xeon Gold 6128, Intel Xeon Gold 6134, Intel Xeon Gold 6138, Intel Xeon Gold 6138F, Intel Xeon Gold 6138P, Intel Xeon Gold 6138T, Intel Xeon Gold 6144, Intel Xeon Gold 6146, Intel Xeon Gold 6154, Intel Xeon Platinum 8156, Intel Xeon Platinum 8158, Intel Xeon Silver 4215, Intel Xeon Gold 5215L, Intel Xeon Gold 5215M, Intel Xeon Gold 5217, Intel Xeon Gold 5222, Intel Xeon Gold 6234, Intel Xeon Gold 6240Y, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6246, Intel Xeon Gold 6254, Intel Xeon Platinum 8256, Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Pentium G5420, Intel Core i3-9100, Intel Xeon E-2224, Intel Xeon Silver 4210T, Intel Xeon Silver 4215R, Intel Xeon Silver 4210R, Intel Xeon Silver 4214R, Intel Xeon Gold 6250, Intel Xeon Gold 6256, Intel Xeon Gold 5218R, Intel Xeon Gold 6226R, Intel Xeon Gold 6246R, Intel Xeon Gold 5220R, Intel Xeon Gold 6242R, Intel Xeon Gold 6230R, Intel Xeon Gold 6240R, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 8380HL, Intel Xeon Platinum 8380H, Intel Xeon Platinum 8376HL, Intel Xeon Platinum 8376H, Intel Xeon Platinum 8360HL, Intel Xeon Platinum 8360H, Intel Xeon Platinum 8354H, Intel Xeon Gold 6348H, Intel Xeon Gold 6330H, Intel Xeon Gold 5320H, Intel Xeon Gold 6328HL, Intel Xeon Gold 6328H, Intel Xeon Platinum 8353H, Intel Xeon Gold 5318H, Intel Xeon Platinum 8356H, Intel Xeon Platinum 8368Q, Intel Xeon Platinum 8380, Intel Xeon Platinum 8368, Intel Xeon Platinum 8360Y, Intel Xeon Platinum 8358, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8352Y, Intel Xeon Platinum 8352V, Intel Xeon Platinum 8352S, Intel Xeon Gold 6348, Intel Xeon Gold 6338, Intel Xeon Gold 6338N, Intel Xeon Gold 6342, Intel Xeon Gold 6330, Intel Xeon Gold 5320, Intel Xeon Gold 6330N, Intel Xeon Gold 6354, Intel Xeon Gold

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिडिंग का आवश्यक मान (Allowed Values)/अनुमत मूल्य
		<p>6346, Intel Xeon Gold 6334, Intel Xeon Gold 6209U, Intel Xeon Silver 4309Y, Intel Xeon Gold 5315Y, Intel Xeon Silver 4310T, Intel Xeon Gold 5317, Intel Xeon Silver 4314, Intel Xeon Gold 6326, Intel Xeon Silver 4316, Intel Xeon Gold 5320T, Intel Xeon Gold 5318N, Intel Xeon Gold 5318Y, Intel Xeon Platinum 8352M, Intel Xeon Platinum 8362, Intel Xeon Platinum 8490H, Intel Xeon Platinum 8480+, Intel Xeon Platinum 8470, Intel Xeon Platinum 8468, Intel Xeon Platinum 8470Q, Intel Xeon Platinum 8468H, Intel Xeon Platinum 8470N, Intel Xeon Platinum 8468V, Intel Xeon Platinum 8458P, Intel Xeon MAX 9480, Intel Xeon MAX 9470, Intel Xeon Platinum 8460H, Intel Xeon MAX 9468, Intel Xeon Platinum 8460Y+, Intel Xeon Gold 6458Q, Intel Xeon MAX 9460, Intel Xeon Platinum 8462Y+, Intel Xeon Gold 6448H, Intel Xeon MAX 9462, Intel Xeon Gold 6448Y, Intel Xeon Gold 6454S, Intel Xeon Platinum 8454H, Intel Xeon Gold 6438Y+, Intel Xeon Gold 6438M, Intel Xeon Gold 6438N, Intel Xeon Gold 6430, Intel Xeon Gold 6442Y, Intel Xeon Gold 6428N, Intel Xeon Platinum 8450H, Intel Xeon Gold 5420+, Intel Xeon Gold 6418H, Intel Xeon Gold 5418Y, Intel Xeon Gold 6444Y, Intel Xeon Gold 5418N, Intel Xeon Silver 4416+, Intel Xeon Gold 6416H, Intel Xeon Platinum 8444H, Intel Xeon Gold 6426Y, Intel Xeon Gold 5416S, Intel Xeon Silver 4410Y, Intel Xeon Silver 4410T, Intel Xeon Gold 6434H, Intel Xeon Gold 6434, Intel Xeon Gold 5415+, Intel Xeon Platinum 8592+ (320M Cache, 64C, 1.9GHz/2.9GHz) 350W, Intel Xeon Platinum 8593Q (320M Cache, 64C, 2.2GHz/3.0GHz) 385W, Intel Xeon Platinum 8580 (300M Cache, 60C, 2.0GHz/2.9GHz) 350W, Intel Xeon Platinum 8592V (320M Cache, 64C, 2.0GHz/2.9GHz) 330W, Intel Xeon Platinum 8570 (300M Cache, 56C, 2.1GHz/3.0GHz) 350W, Intel Xeon Platinum 8568Y+ (300M Cache, 48C, 2.3GHz/3.2GHz) 350W, Intel Xeon Gold 6558Q (60M Cache, 32C, 3.2GHz/4.1GHz) 350W, Intel Xeon Platinum 8562Y+ (60M Cache, 32C, 2.8GHz/3.8GHz) 300W, Intel Xeon Gold 6548Y+ (60M Cache, 32C, 2.5GHz/3.5GHz) 250W, Intel Xeon Platinum 8558P (260M Cache, 48C, 2.7GHz/3.2GHz) 350W, Intel Xeon Gold 6548N (60M Cache, 32C, 2.8GHz/3.5GHz) 250W, Intel Xeon Platinum 8558 (260M Cache, 48C, 2.1GHz/3.0GHz) 330W, Intel Xeon Gold 6538Y+ (60M Cache, 32C, 2.2GHz/3.3GHz) 225W, Intel Xeon Gold 6538N (60M Cache, 32C, 2.1GHz/2.9GHz) 205W, Intel Xeon Gold 6542Y (60M Cache, 24C, 2.9GHz/3.6GHz) 250W, Intel Xeon Gold 5520+ (52.5M Cache, 28C, 2.2GHz/3.0GHz) 205W, Intel Xeon Gold 6554S (180M Cache, 36C, 2.2GHz/3.0GHz) 270W, Intel Xeon Gold 6530 (160M Cache, 32C, 2.1GHz/2.7GHz) 270W, Intel Xeon Silver 4516Y+ (45M Cache, 24C, 2.2GHz/2.9GHz) 185W, Intel Xeon Gold 6544Y (45M Cache, 16C, 3.6GHz/4.1GHz) 270W, Intel Xeon Gold 6526Y (37.5M Cache, 16C, 2.8GHz/3.5GHz) 195W, Intel Xeon Silver 4514Y (30M Cache, 16C, 2.0GHz/2.6GHz) 150W, Intel Xeon Gold 5512U, Intel Xeon Silver 4510 (30M Cache, 12C, 2.4GHz/3.3GHz) 150W, Intel Xeon Silver 4510T (30M Cache, 12C, 2.0GHz/2.8GHz) 115W, Intel Xeon Gold 6534 (22.5M Cache, 8C, 3.9GHz/4.2GHz) 195W, Intel Xeon Gold 5515+ (22.5M Cache, 8C, 3.2GHz/3.6GHz) 165W, Intel Xeon Silver 4509Y (22.5M Cache, 8C, 2.6GHz/3.6GHz) 125W, Intel Pentium G7400T, Intel</p>

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)मान्य
		Pentium G7400, Intel Xeon E-2414 (12M Cache, 4C, 2.60GHz/4.50GHz) 35W, Intel Xeon E-2488 (24M Cache, 8C, 3.20GHz/5.20GHz) 95W, Intel Xeon E-2478 (24M Cache, 8C, 2.80GHz/4.50GHz) 80W, Intel Xeon E-2468 (24M Cache, 8C, 2.60GHz/4.4GHz) 65W, Intel Xeon E-2486 (18M Cache, 6C, 3.50GHz/5.20GHz) 95W, Intel Xeon E-2456 (18M Cache, 6C, 3.30GHz/5.10GHz) 80W, Intel Xeon E-2436 (18M Cache, 6C, 2.90GHz/5.0GHz) 65W, Intel Xeon E-2434 (12M Cache, 4C, 3.40GHz/5.0GHz) 55W, Intel Xeon MAX 9480 (112.5M Cache, 56C, 1.9GHz/2.6GHz) 350W, Intel Xeon Platinum 8452Y (67.5M Cache, 36C, 2GHz/2.8GHz) 300W Or higher
Motherboard	Expansion Slots Gen 3 (PCIe x1)	0, 1, 2, 3, 4, 5, 6 Or higher
	Expansion Slots Gen 3 (PCIe x4)	0, 1, 2, 3, 4, 5 Or higher
	Expansion Slots Gen 3 (PCIe x8)	2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Expansion Slots Gen 3 (PCIe x16)	2
	Maximum number of Sockets available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
	If Yes, Maximum Number of Slots available for Co-Processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	If Yes, Maximum Number of slots populated with Co processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 8 Or higher
	If Yes, Co Processor /GPU Description	NVIDIA Tesla P4 8GB, NVIDIA Tesla P40 24GB, NVIDIA Tesla V100 PCI-E 16GB, NVIDIA Tesla V100 SXM2 16GB, NVIDIA Tesla V100 PCI-E 32GB, NVIDIA Tesla V100 SXM2 32GB, NA, NVIDIA(R) Tesla(TM) T4 16GB, NVIDIA Tesla M10 Quad GPU Module, NVIDIA Quadro P6000 Graphics Accelerator, NVIDIA Quadro P4000 Graphics Accelerator, NVIDIA Tesla P40 24GB Computational Accelerator, NVIDIA Quadro RTX 6000 Graphics Accelerator, NVIDIA Tesla T4 16GB Computational Accelerator, NVIDIA Quadro RTX 4000 Graphics Accelerator, NVIDIA Quadro RTX 8000 Graphics Accelerator, NVIDIA Quadro P2200 Graphics Accelerator, NVIDIA Tesla V100S 32GB Computational Accelerator, NVIDIA Quadro RTX 5000 16GB Graphics Accelerator, NVIDIA Tesla A100 40GB PCIe based Accelerator, NVIDIA Tesla A100 40GB NVlink based Accelerator Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC
	DDR SDRAM Size(GB)	16.0 - 6144.0 Or higher
	DDR NVRAM Size (GB)	0.0 - 1600.0 Or higher
SSD Storage	Type of Interface for SSD	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of SATA SSD	NA
	SATA SSD Hot Swappable	Yes, No, NA Or higher
	Capacity offered per SATA SSD (GB)	0
	Total Capacity Offered with SATA SSD (GB)	0.0 Or higher
	Type of SAS SSD	NA
	SAS SSD Hot Swappable	Yes, No, NA Or higher
	Capacity Offered per SAS SSD (GB)	0.0 Or higher
	Total Capacity Offered with SAS SSD (GB)	0.0 Or higher
	Type of NVMe SSD	NA
	NVMe SSD Hot Swappable	Yes, No, NA Or higher
	Capacity Offered per NVMe SSD (GB)	480
	Total Capacity Offered with NVMe SSD (GB)	0.0 Or higher
HDD Storage	Type of Interface for Hard Disk Drive	SATA
	Capacity offered per SATA Drive (GB)	1000
	SATA drive speed (hot plug or better) (RPM)	7200
	Total Storage Capacity offered with SATA Drive (GB)	1000.0 Or higher
	Capacity offered per SAS Drive (GB)	0
	SAS drive Speed (Hot plug or better) (RPM)	NA
	Total Storage Capacity offered with SAS Drive (GB)	0.0 Or higher
	Capacity offered per NL SAS Drive	0
	NL SAS drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with NL SAS Drive (GB)	0.0 Or higher
RAID	RAID level	1, 5, 0
	No of RAID Controller Ports	2, 3, 4, 5, 6, 7, 8, 0 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Speed of RAID Controller Ports (Gbps)	6, 12 Or higher
	RAID Controller Cache (GB)	0, 1, 2, 4, 6, 8 Or higher
Ports & Interfaces	Network Card Supported	1G
	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8, 1 Or higher
	Whether Network Interface Card Embedded	Yes Or higher
	Total Number of Ethernet Ports required in Server	2x1G
	Networking Interface Card Features	Asset Feature Tracking, Security Management, Remote Wake up
	Server Network Ports should Support SR-IOV Feature	Yes, No Or higher
	Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	Yes, No Or higher
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	vHBA Card Features Supported	Yes, No Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
	Length of Twinax Breakout Cables per Port (meter)	5, 10, 15, 0 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Video Controller (support VGA or above resolution)	Yes Or higher
	Keyboard Port	Yes, No Or higher
	Mouse Port	Yes, No Or higher
	DVD ROM (Internal/Exrternal)	Yes, No Or higher
	USB Ports (version 2point0/3point0)	6, 7, 8, 9, 10 Or higher
	Total number of Spare Bays Available for Future Upgradation (Internal)	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS, Debian, AIX
	Certification/Compliance (Virtualization/Cloud Platform)	VM ware
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platfrom inventory and helath status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware complatibilty test, Real-time out-of-band hardware performance monitoring & alerting
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hyperviser/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Server scalability to be achieved within the box & without adding nodes	Yes, NA Or higher
	support for high availability clustering and virtualization	Yes, No Or higher
Generic	Redundant Power Supply	Yes, No Or higher
	Hot Swappable (Redundant Power Supply)	Yes, No Or higher
	Power Supply Efficiency	Platinum, Titanium, Bronze Or higher
	Redundant Fan	Yes, No Or higher
	Hot Swappable (Redundant Fan)	Yes, No Or higher
	Server Main Supply	230 +/- 10%Vac
Miscellaneous	BIS Registration under CRS of MeitY	Yes
	Availability of the type test report from Central Government / NABL / ILAC accredited laboratory covering verification of all features & functional parameters & environmental tests sequence	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Additional Specification Parameters - Server (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
OEM Authorization	All bidders should have bid specific OEM Authorization for all products

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	1	45

HDMI Cable (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CONSTRUCTION	Resolution support	Up to 4K
GENERIC	Description of stores	HDMI cable transferring both high definition audio and video over a single cable
	Standard length of HDMI Cable (in metre)	15 Or higher
	HDMI cable connector type	HDMI (19 Pin) Male to Male
CERTIFICATION	Warranty (in Years)	3 Or higher
	Availability of test reports from Central Govt Lab/ NABL/ILAC accreditate lab to prove confirmity of the specification	Yes, No
	Agreed to furnish all the test reports to buyer on demand	Yes, No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	1	45

VGA Cable (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Technical Properties	Input Type	Male
	Output Type	Male
	No of Pins	15
	Length	20.0 - 20.0 Or higher (meter)
General	Weight	1490.0 (gram)
Warranty/Services	Warranty	12, 18, 24, 36, 48 Or higher (month)
Test Report/Certification	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Certification	ISO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	1	45

Cat 6 Cable For Indoor Use (3050 meter)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair	CAT6 U/UTP
	Cable colour	Grey
	Conductor diameter	0.57 mm (23 AWG)
	Length of cable in a bundle (Mtrs)	305 mtrs.
CONSTRUCTIONAL	Cable jacket material	Fire retardant PVC
CERTIFICATIONS	UL Marking on Cable	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	3050	45

Connector Mounting Hardware - Multi Plug (1000 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Input pin Rating (AMP)	6 A
CONSTRUCTIONAL	Power on indication	Yes, No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****NEW DELHI	1000	45

Special terms and conditions-Version:3 effective from 28-10-2023 for category Desktop Computers

1. 'Local content means the amount of value added in India which shall, unless otherwise Prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value and percent.

'Class-I local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50% as defined under this Order

'Class-II local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

SPECIAL TERMS AND CONDITIONS FOR DESKTOP COMPUTERS**SI.No.****1 OPERATING SYSTEM**

- (i) There is no requirement that the OEM of the Desktop computer systems should be a device partner of Microsoft and hold a Microsoft Authorization form

- (ii) Microsoft OS may be sourced directly from Microsoft by the OEMs holding device partner status and those not holding device partner status may source from authorized distributors i.e., M/s. Ingram or M/s. Redington and their authorized channel partners.

- (iii) Buyers may ensure that MAF shall not be made a mandatory requirement in bids.

(iv) If the supplies are made as per brands of OEMs who are global device partners, then the serial no of the machine supplied can be used to check the details of the product from the website of the OEM.

(v) In the case of local device partners of Microsoft OS details such as digital key no., should be produced with supplies and the buyer may verify from Microsoft.

(vi) In case of other OEMs who are sourcing from authorized National distributors of Microsoft Reddington or Ingram copy of the Invoice which contains the relevant serial no of Windows OS shall be submitted along with supplies and the buyer/consignee can verify the same from the OS server website or by telephone, or both

(vii) In case the product offered is with DOS or Linux Operating system such verification of OS shall not be applicable

2 REQUIREMENT OF OEM LOGO

(i) Buyers are advised to note that the incorporation of the condition stipulating the OEM logo on the motherboard is restrictive and may not be incorporated in the bids

3 CHANGING OR ALTERING THE CONFIGURATION

(i) The seller must refrain from changing or altering the configuration of the factory pre-loaded machine. The machine should be delivered to the purchaser in its original, factory-approved configuration.

4 WARRANTY

- (i) The seller shall furnish a valid warranty Certificate/Tag from the OEM to the purchaser, guaranteeing the product's coverage under the specified warranty terms

The warranty certificate should be verifiable through the OEM website/Customer care center. Buyer/consignee may ensure that as soon as supplies are received, they log to the OEM website/call center and verify the warranty certificate.

- (ii)

5 CHECKPOINTS DURING ACCEPTANCE OF SUPPLIES

- (i) Before generating the Consignee Receipt and Acceptance Certificate (CRAC), the consignee may inspect the system condition and verify that it complies with the agreed specifications and configurations and to ensure that there is no scope for the supply of refurbished products.

- (ii) In the case of a large number of units procured or complex installations buyer may opt for bidding and accordingly stipulate conditions regarding installation, inspection by consignees/inspection agency specifying verification of configuration, warranty applicability, checking for refurbished /altered configurations, and checking other relevant details through OEMs website.

At the time of receiving supplies, the consignee may ensure the following to ensure that any discrepancies are there in supplies can be flagged and reflected and taken into account while generating CRAC. (i) Packing should be checked properly

- (iv) (ii) Warranty certificate from OEM should be insisted and checked.
- (iii) Instruction manuals, and OS installed should be checked
- (iv) The machine serial no should also be checked.

- (v) The above points are for guidance and the buyer/consignee may take steps considered suitable by them for checking at the consignee end before acceptance of the systems

6 COMPLIANCE OF EXTENDED PRODUCER'S RESPONSIBILITY

- (i) With effect from 01.04.23 as per E-waste rules 2022 EPR registration is mandatory for manufacturing entities shall ensure compliance.

7 MANDATORY / STATUTORY REQUIREMENTS AS APPLICABLE

- (ii) OEMs shall have to ensure the mandatory/statutory requirements such as BIS-CRS, ISI Mark, Eco Mark, etc., as per the Government of India Notification issued from time to time for hardware components including monitor, keyboard, mouse, etc., as applicable.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

6. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

7. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

9. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---