



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5399141  
Dated/दिनांक : 13-09-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	23-09-2024 21:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	23-09-2024 21:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Odisha
Department Name/विभाग का नाम	Agriculture And Farmers Empowerment Department Odisha
Organisation Name/संगठन का नाम	Odisha University Of Agriculture And Technology (ouat)
Office Name/कार्यालय का नाम	Directorate Of Pme Ouat Bbsr 751003
Total Quantity/कुल मात्रा	71
Item Category/मद केटेगरी	Executive Table (V2) (Q3) , Revolving Chair (V4) (Q2) , Sofas (V2) (Q3) , Office Chair (V3) (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	10 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	10 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

<b>Bid Details/बिड विवरण</b>	
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	10 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Sofas (V2)
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or

through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25 % of total quantity as defined/ decided in relevant policy.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

7. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## **Executive Table (V2) ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

## **Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Two legs with modesty panel
	<b>The type of Storage provided</b>	One side pedestal unit and E.R.U
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	<b>Thickness of table top material (± 1 mm)</b>	25 mm
	<b>Gable end material</b>	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the gable end</b>	18 mm
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	18 mm
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	NA
DIMENSION	<b>Width of tabletop ±10 mm</b>	2400 mm
	<b>Depth of table ±10 mm</b>	1350 mm
	<b>Height of table ±10 mm</b>	750 mm
	<b>Size (L x W) /diameter of leg material ± 5 mm</b>	NA
EXTENDED RETURN UNIT	<b>ERU unit consists of</b>	No ERU
PEDESTAL UNIT	<b>Total Number of drawers /storage in Pedestal units</b>	Three drawers
COLOUR AND FINISH	<b>Table top finish</b>	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	<b>Tabletop shade</b>	As per Buyer's choice
	<b>Table /ERU /Pedestal Panel Plain Side</b>	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue
WARRANTY	<b>Warranty period</b>	1 Year

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	1	45

**Revolving Chair (V4) ( 27 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Seat depth adjustment</b>	Adjustable, Fixed type Or higher
	<b>Revolving mechanism</b>	Designed with 360 degree-revolving type
	<b>Pedestal base</b>	Glass filled nylon
	<b>Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair</b>	2.0 - 6.0 Or higher <b>(millimeter)</b>
SEAT	<b>Seat material</b>	Moulded PU
	<b>Density of PU used in seat (kg per cubic meter)</b>	<=30
	<b>Thickness of PU used in seat (mm)</b>	>50
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	>450<=500
	<b>Depth of seat (mm)</b>	>450<=500
	<b>Seat upholstery material</b>	Leatherette
BACKREST	<b>Backrest type</b>	Flexi back Or higher
	<b>Backrest height</b>	Fixed, Adjustable Or higher
	<b>Backrest support type</b>	Contoured back / Without lumber support
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Density of PU used in backrest (kg per cubic meter)</b>	<=30
	<b>Thickness of PU used in backrest (mm)</b>	>50
	<b>Width of backrest (mm)</b>	>400<=450
	<b>Backrest height from the seat level</b>	>450<=550
	<b>Backrest upholstery material</b>	Leatherette
ARMREST	<b>Armrest type and arm movement</b>	Fixed
WARRANTY	<b>Warranty period in number of years</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	27	45

**Sofas (V2) ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Total Number of Seats in the Sofa Set</b>	2
	<b>Number of Single Seater Units (Nos)</b>	No Single Seater Unit
	<b>Number of Two Seater Units (Nos)</b>	1
	<b>Number of Three Seater Units (Nos)</b>	No Three Seater Unit
	<b>Number of Four Seater Units (Nos)</b>	No Four Seater Unit
	<b>Frame Covering</b>	Fully Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No
	<b>Backrest Cushion Material</b>	Foam
	<b>Density of Cushion of Backrest Material (Kg/Cubic M)</b>	40

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Covering Material for Seat and Backrest</b>	Leatherite
MATERIAL	<b>Frame Structure Material and size (<math>\pm 1</math> mm)</b>	19mm thick Commercial Block Board BWP grade Conforming to IS 1659
	<b>Seat Cushion Material</b>	Foam
	<b>Density of Cushion of Seat Material <math>\pm 3</math> (Kg/Cubic M)</b>	40
	<b>Type of Spring in the Base / Seating</b>	Zig Zag spring
DIMENSION	<b>Length of Single Seater Units in mm (<math>\pm 5</math> mm)</b>	N.A
	<b>Length of Two Seater Units in mm (<math>\pm 10</math> mm)</b>	1340
	<b>Length of Three Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Length of Four Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Depth of Sofa Units in mm (<math>\pm 10</math> mm)</b>	760
	<b>Sofa Height (Without Back Cushion) <math>\pm 5</math> (mm)</b>	400.0 (millimeter)
	<b>Sofa Height (With Back Cushion) <math>\pm 5</math> mm</b>	750.0 (millimeter)
	<b>Seat Cushion Length <math>\pm 5</math> (mm)</b>	N.A
	<b>Seat Cushion Width <math>\pm 5</math> (mm)</b>	380
	<b>Seat Cushion Thickness <math>\pm 3</math> (mm)</b>	90
	<b>Backrest Cushion Length <math>\pm 5</math> (mm)</b>	N.A
	<b>Backrest Cushion Width <math>\pm 5</math> (mm)</b>	335
WARRANTY	<b>Warranty</b>	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	1	45

### Sofas (V2) ( 2 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1
	Number of Single Seater Units (Nos)	1
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	19 mm thick Commercial board

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M)	30
	Type of Spring in the Base / Seating	Web suspension
DIMENSION	Length of Single Seater Units in mm ( $\pm 5$ mm)	800
	Length of Two Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Three Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Four Seater Units in mm ( $\pm 10$ mm)	N.A
	Depth of Sofa Units in mm ( $\pm 10$ mm)	760
	Sofa Height (Without Back Cushion) $\pm 5$ (mm)	255.0 (millimeter)
	Sofa Height (With Back Cushion) $\pm 5$ mm	775.0 (millimeter)
	Seat Cushion Length $\pm 5$ (mm)	N.A
	Seat Cushion Width $\pm 5$ (mm)	380
	Seat Cushion Thickness $\pm 3$ (mm)	65
	Backrest Cushion Length $\pm 5$ (mm)	N.A
	Backrest Cushion Width $\pm 5$ (mm)	335
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	2	45

### Sofas (V2) ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Total Number of Seats in the Sofa Set</b>	3
	<b>Number of Single Seater Units (Nos)</b>	No Single Seater Unit
	<b>Number of Two Seater Units (Nos)</b>	No Two Seater Unit
	<b>Number of Three Seater Units (Nos)</b>	1
	<b>Number of Four Seater Units (Nos)</b>	No Four Seater Unit
	<b>Frame Covering</b>	Fully Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No
	<b>Backrest Cushion Material</b>	Foam
	<b>Density of Cushion of Backrest Material (Kg/Cubic M)</b>	40
	<b>Covering Material for Seat and Backrest</b>	Leatherite
MATERIAL	<b>Frame Structure Material and size (±1 mm)</b>	19 mm thick Commercial board

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M)	40
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm ( $\pm 5$ mm)	N.A
	Length of Two Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Three Seater Units in mm ( $\pm 10$ mm)	1790
	Length of Four Seater Units in mm ( $\pm 10$ mm)	N.A
	Depth of Sofa Units in mm ( $\pm 10$ mm)	760
	Sofa Height (Without Back Cushion) $\pm 5$ (mm)	255.0 (millimeter)
	Sofa Height (With Back Cushion) $\pm 5$ mm	700.0 (millimeter)
	Seat Cushion Length $\pm 5$ (mm)	N.A
	Seat Cushion Width $\pm 5$ (mm)	380
	Seat Cushion Thickness $\pm 3$ (mm)	65
	Backrest Cushion Length $\pm 5$ (mm)	N.A
	Backrest Cushion Width $\pm 5$ (mm)	335
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	1	45

### Revolving Chair (V4) ( 3 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Mild steel chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	<=30
	Thickness of PU used in seat (mm)	>50
	Minimum seat height from floor surface (mm)	>400<=500

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30
	Thickness of PU used in backrest (mm)	>50
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	3	45

### Executive Table (V2) ( 3 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Two legs with modesty panel
	<b>The type of Storage provided</b>	One side pedestal unit and E.R.U
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	<b>Thickness of table top material (± 1 mm)</b>	36 mm
	<b>Gable end material</b>	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the gable end</b>	25 mm
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	18 mm
	<b>Leg Material</b>	NA
<b>The thickness of the Leg material</b>	NA	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Width of tabletop ±10 mm	2000 mm
	Depth of table ±10 mm	915 mm
	Height of table ±10 mm	760 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 storage unit with shutter
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	As per Buyer's choice
	Table /ERU /Pedestal Panel Plain Side	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	3	45

### Revolving Chair (V4) ( 9 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Mild steel chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	<=30
	Thickness of PU used in seat (mm)	<=30
	Minimum seat height from floor surface (mm)	>400<=500

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30
	Thickness of PU used in backrest (mm)	>50
	Width of backrest (mm)	>450<=500
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	9	45

### Revolving Chair (V4) ( 2 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	<=30
	Thickness of PU used in seat (mm)	>50
	Minimum seat height from floor surface (mm)	>400<=500

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30
	Thickness of PU used in backrest (mm)	>50
	Width of backrest (mm)	>450<=500
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	2	45

### Office Chair (V3) ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Chair type</b>	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	<b>Chair understructure type</b>	Cantilever
	<b>Understructure material</b>	Mild steel
	<b>The shape of tubular section of understructure</b>	Round
	<b>Section Size (Diameter/Sides) of understructure</b>	25 mm
	<b>Understructure wall thickness (mm)</b>	1.2
	<b>Castor</b>	No
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	<=30
	<b>Thickness of PU used in seat (mm)</b>	>50
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	>450

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of seat (mm)	>450
	Seat upholstery material	Leatherette
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	<=30
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type	Moulded T armrest fitted with seat bottom
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	4	45

## Revolving Chair (V4) ( 16 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Type of chair</b>	High Back
UNDERSTRUCTURE	<b>Tilt mechanism</b>	Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	<b>Locking mechanism</b>	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	<b>Seat depth adjustment</b>	Adjustable, Fixed type Or higher
	<b>Revolving mechanism</b>	Designed with 360 degree-revolving type
	<b>Pedestal base</b>	Glass filled nylon
	<b>Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair</b>	2.0 - 6.0 Or higher (millimeter)
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	<=30
	<b>Thickness of PU used in seat (mm)</b>	>50
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	>450<=500
	<b>Depth of seat (mm)</b>	>450<=500
	<b>Seat upholstery material</b>	Leatherette
BACKREST	<b>Backrest type</b>	Flexi back Or higher
	<b>Backrest height</b>	Fixed, Adjustable Or higher
	<b>Backrest support type</b>	Contoured back / Without lumber support
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Density of PU used in backrest (kg per cubic meter)</b>	<=30
	<b>Thickness of PU used in backrest (mm)</b>	>40<=50

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Adjustable (up and down)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	16	45

### Sofas (V2) ( 1 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size ( $\pm 1$ mm)	Mild Steel Structure
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M)	30
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm ( $\pm 5$ mm)	N.A
	Length of Two Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Three Seater Units in mm ( $\pm 10$ mm)	1710
	Length of Four Seater Units in mm ( $\pm 10$ mm)	N.A
	Depth of Sofa Units in mm ( $\pm 10$ mm)	700
	Sofa Height (Without Back Cushion) $\pm 5$ (mm)	255.0 (millimeter)
	Sofa Height (With Back Cushion) $\pm 5$ mm	750.0 (millimeter)
	Seat Cushion Length $\pm 5$ (mm)	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Width ±5 (mm)	380
	Seat Cushion Thickness ±3 (mm)	65
	Backrest Cushion Length ±5 (mm)	N.A
	Backrest Cushion Width ±5 (mm)	335
WARRANTY	Warranty	1 - Year

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	1	45

**Sofas (V2) ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Total Number of Seats in the Sofa Set</b>	1
	<b>Number of Single Seater Units (Nos)</b>	1
	<b>Number of Two Seater Units (Nos)</b>	No Two Seater Unit
	<b>Number of Three Seater Units (Nos)</b>	No Three Seater Unit
	<b>Number of Four Seater Units (Nos)</b>	No Four Seater Unit
	<b>Frame Covering</b>	Fully Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No
	<b>Backrest Cushion Material</b>	Foam
	<b>Density of Cushion of Backrest Material (Kg/Cubic M)</b>	32
	<b>Covering Material for Seat and Backrest</b>	Leatherite
	MATERIAL	<b>Frame Structure Material and size (<math>\pm 1</math> mm)</b>
<b>Seat Cushion Material</b>		Foam
<b>Density of Cushion of Seat Material <math>\pm 3</math> (Kg/Cubic M)</b>		30
<b>Type of Spring in the Base / Seating</b>		Zig Zag spring
DIMENSION	<b>Length of Single Seater Units in mm (<math>\pm 5</math> mm)</b>	800
	<b>Length of Two Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Length of Three Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Length of Four Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Depth of Sofa Units in mm (<math>\pm 10</math> mm)</b>	700
	<b>Sofa Height (Without Back Cushion) <math>\pm 5</math> (mm)</b>	255.0 (millimeter)
	<b>Sofa Height (With Back Cushion) <math>\pm 5</math> mm</b>	750.0 (millimeter)
	<b>Seat Cushion Length <math>\pm 5</math> (mm)</b>	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Width ±5 (mm)	380
	Seat Cushion Thickness ±3 (mm)	65
	Backrest Cushion Length ±5 (mm)	N.A
	Backrest Cushion Width ±5 (mm)	335
WARRANTY	Warranty	1 - Year

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hrusikesh Patro	751003,Dean, COLLEGE OF AGRICULTURE OUAT, BHUBANESWAR-751003 Mob: 9437163376 or Nodal Officer, OUAT Guest House, OUAT, Bhubaneswar-751003 Mob: 9437163376 or Principal Investigator, Capacity Building, Skilling, Agro-Enterprises and Entrepreneurship (CBSAE) Development Project, OUAT, Bhubaneswar-751003 Mob: 9437163376	1	45

**Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)**

1.

### Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional

- parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

### **Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)**

1.

#### **Special Terms and Conditions**

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

### **Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

#### **1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### **2. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### **3. OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### **4. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### **5. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**