



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5399191
Dated/दिनांक : 13-09-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	24-09-2024 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	24-09-2024 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Maharashtra
Department Name/विभाग का नाम	Department Of Panchayati Raj
Organisation Name/संगठन का नाम	Osmanabad District Panchayats
Office Name/कार्यालय का नाम	Ter Dharashiv
Total Quantity/कुल मात्रा	50
Item Category/मद केटेगरी	Classroom Desking and Seating (V2) (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण**Evaluation Method/मूल्यांकन पद्धति**

Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता

No

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता

No

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

No

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

No

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Classroom Desking And Seating (V2) (50 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Classroom desking and seating type	Three seater classroom desking drawing
	Style	Desking and seating (Integrated)
	Desking with shelf (under storage)	Yes, No
	Desking with modesty panel	In single piece, In two pieces, Not required
	Provision of PU foam	Seat, Backrest, Not required

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Desking under structure (support frame type)	Four legs support
	Seating under structure (support frame type)	C-Type frame, H-Type frame, Four legs support
MATERIAL	Desking under structure support and frame material	Steel tubes confirming to IS 7138 - 1973 (with latest amendment), Mild Steel ERW hollow section, Steel tubes confirming to IS 3074 - 2013 (with latest amendment), Cold reduced carbon steel "Grade CR2" sheet confirming to IS 513: PART 1: 2016 (with latest amendment)
	Thickness of desking under structure support and frame material (± 5%)	0.8 mm, 1.0 mm, 1.1 mm, 1.2 mm, 1.6 mm, 2.0 mm, 2.5 mm
	Seating under structure support and frame material	Steel tubes confirming to IS 7138 - 1973 (with latest amendment), Mild Steel ERW hollow section, Steel tubes confirming to IS 3074 - 2013 (with latest amendment), Cold reduced carbon steel "Grade CR2" sheet confirming to IS 513: PART 1: 2016 (with latest amendment)
	Thickness of seating under structure support and frame material (± 5%)	0.8 mm, 1.0 mm, 1.1 mm, 1.2 mm, 1.6 mm, 2 mm, 2.5 mm
	Shelf (under storage) material	Cold reduced carbon steel "Grade CR2" sheet, confirming to IS 513: PART 1: 2016 (with latest amendment), BWR Plywood confirming to IS 303 (with latest amendment), MDF board confirming to IS 12406 (with latest amendment), Prelaminated MDF board confirming to IS 14587 (with latest amendment), Prelaminated Particle board Grade I type II confirming to IS 12823 (with latest amendment), Prelaminated Particle board Grade II type II confirming to IS 12823 (with latest amendment), Metal wire mesh, Solid wood, Plastic, Not required
	Thickness /diameter of shelf (under storage) material (± 5 %)	0.5 mm, 0.6 mm, 0.8 mm, 1 mm, 1.2 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm, 5 mm, 6 mm, 10 mm, 12 mm, 15 mm, 16 mm, 18 mm, 19 mm, 20 mm, 25 mm, Not required
	Desking top material	Cold reduced carbon steel "Grade CR2" sheet, confirming to IS 513: PART 1: 2016 (with latest amendment), Prelaminated MDF board confirming to IS 14587 (with latest amendment), Prelaminated Particle board Grade I type II confirming to IS 12823 (with latest amendment), Prelaminated Particle board Grade II type II confirming to IS 12823 (with latest amendment), Decorative thermosetting synthetic resin bonded laminated confirming to IS 2046:1995 (with latest amendment), BWR Plywood confirming to IS 303 (with latest amendment), Teak wood, Mango wood, Plastic
	Thickness of desking top material (± 5 %)	0.5 mm, 0.8 mm, 1 mm, 1.2 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm, 5 mm, 10 mm, 11 mm, 12 mm, 15 mm, 16 mm, 18 mm, 19 mm, 20 mm, 25 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seating material	Cold reduced carbon steel "Grade CR2" sheet, confirming to IS 513: PART 1: 2016 (with latest amendment), Prelaminated MDF board confirming to IS 14587 (with latest amendment), Prelaminated Particle board Grade I type II confirming to IS 12823 (with latest amendment), Prelaminated Particle board Grade II type II confirming to IS 12823 (with latest amendment), Rubber wood board, Decorative thermosetting synthetic resin bonded laminated confirming to IS 2046:1995 (with latest amendment), BWR Plywood confirming to IS 303 (with latest amendment), Teak wood, Mango wood, Plastic
	Thickness of seating material (± 5 %)	0.5 mm, 0.8 mm, 1 mm, 1.2 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm, 5 mm, 10 mm, 11 mm, 12 mm, 15 mm, 16 mm, 18 mm, 19 mm, 20 mm, 22 mm, 25 mm
	Backrest material	Cold reduced carbon steel "Grade CR2" sheet, confirming to IS 513: PART 1: 2016 (with latest amendment), Prelaminated MDF board confirming to IS 14587 (with latest amendment), Prelaminated Particle board Grade I type II confirming to IS 12823 (with latest amendment), Prelaminated Particle board Grade II type II confirming to IS 12823 (with latest amendment), Rubber wood board, Decorative thermosetting synthetic resin bonded laminated confirming to IS 2046:1995 (with latest amendment), BWR Plywood confirming to IS 303 (with latest amendment), Plastic, Mango wood, Teak wood, Not required
	Thickness of backrest material (± 5 %)	0.5 mm, 0.6 mm, 0.8 mm, 1 mm, 1.2 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm, 5 mm, 10 mm, 11 mm, 12 mm, 15 mm, 16 mm, 18 mm, 19 mm, 20 mm, 25 mm, Not required
	Deskings /side material	Cold reduced carbon steel "Grade CR2" sheet, confirming to IS 513: PART 1: 2016 (with latest amendment), Prelaminated MDF board confirming to IS 14587 (with latest amendment), Prelaminated Particle board Grade I type II confirming to IS 12823 (with latest amendment), Prelaminated Particle board Grade II type II confirming to IS 12823 (with latest amendment), Rubber wood board, Decorative thermosetting synthetic resin bonded laminated confirming to IS 2046:1995 (with latest amendment), Cold reduced carbon steel "Grade CR2" sheet confirming to IS 513: PART 1: 2016 (with latest amendment), Solid wood, Plastic, Not required
	Thickness of deskings /side material (± 5 %)	0.5 mm, 0.6 mm, 0.8 mm, 1 mm, 1.2 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm, 5 mm, 10 mm, 11 mm, 12 mm, 15 mm, 16 mm, 18 mm, 19 mm, 20 mm, 25 mm, Not required

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seating side material	Perforated MS sheet, Plywood Confirming to IS 303, Flat single-layer Prelaminated MDF board confirming to having designation PLMDF-23 of IS 14587 (with latest amendment), Prelaminated Particles board (wood product) of grade II type III of IS 12823 (with latest amendment), Commercial Block Board BWP grade Confirming to IS 1659 (with latest amendment), Decorative Block Board BWP grade Confirming to IS 1659 (with latest amendment), Commercial Block Board MR Grade Confirming to IS 1659 (with latest amendment), Decorative Block Board MR Grade Confirming to IS 1659 (with latest amendment), Acrylic Sheet, Solid wood, Not required
DIMENSION	Length of Desking, Seating and Backrest (± 10 mm)	1400 mm, 1450 mm, 1500 mm, 1550 mm, 1600 mm, 1650 mm, 1700 mm, 1750 mm, 1800 mm, 1850 mm, 1900 mm, 1950 mm, 2000 mm
	Width of desk top material (± 5 mm)	300 mm, 325 mm, 350 mm, 380 mm, 400 mm, 450 mm, 520 mm, 600 mm, 650 mm, 700 mm, 750 mm, 800 mm
	Width of seat material (± 5 mm)	260 mm, 280 mm, 300 mm, 320 mm, 340 mm, 360 mm, 380 mm, 400 mm, 420 mm, 450 mm, 500 mm, 550 mm, 570 mm, 600 mm, 650 mm
	Width of the backrest material (± 5 mm)	130 mm, 140 mm, 150 mm, 160 mm, 170 mm, 200 mm, 220 mm, 240 mm, 260 mm, 270 mm, 280 mm, 300 mm, 325 mm, 370 mm, 430 mm, 470 mm, Not required
	Height of desk top from floor (± 5 mm)	500 mm, 520 mm, 550 mm, 580 mm, 600 mm, 650 mm, 700 mm, 710 mm, 730 mm, 750 mm, 770 mm, 810 mm, 850 mm, 875 mm, 900 mm, 920 mm, 940 mm, 1000 mm
	Width of uplift modesty panel	250 mm, 300 mm, 350 mm, 400 mm, 600 mm, Not required
	Height of Seat from floor (± 5 mm)	260 mm, 300 mm, 340 mm, 350 mm, 370 mm, 380 mm, 390 mm, 400 mm, 420 mm, 440 mm, 450 mm, 460 mm, 500 mm, 550 mm, 600 mm, 650 mm, 700 mm, 750 mm, 800 mm
	Size of desking under structure support and frame material (L x W /major axis x minor axis /diameter)	35 X 15 (mm), 50 X 25 (mm), 40 X 20 (mm), 60 X 35 (mm), 25 X 25 (mm), 30 X 30 (mm), 40 X 40 (mm), 20 X 40 (mm), 25 X 40 (mm), 20 X 60 (mm), 45 X 45 (mm), 60 X 30 (mm), 70 X 22 (mm), 95 x 25 (mm), 165 x 25 (mm), 22 mm, 25 mm, 30 mm, 32 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm
	Size of seating under structure support and frame material (L x W /major axis x minor axis /Diameter) (± 2 mm)	35 X 15 (mm), 50 X 25 (mm), 40 X 20 (mm), 60 X 35 (mm), 25 X 25 (mm), 30 X 30 (mm), 40 X 40 (mm), 20 X 40 (mm), 25 X 40 (mm), 20 X 60 (mm), 45 X 45 (mm), 60 X 30 (mm), 70 X 22 (mm), 95 x 25 (mm), 165 x 25 (mm), 22 mm, 25 mm, 30 mm, 32 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm
Distance between table top edge and seat edge (± 2 mm)	125 mm, 140 mm, 160 mm, 200 mm, 250 mm, 300 mm, 320 mm, 340 mm, 360 mm, 380 mm, 400 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
COLOUR AND FINISH	Material of Finish /Lamination (for other than metal)	Veneer, PU coat, Membrane, Compact Laminate, Paper based laminate, Type S, P or F confirming to IS 2046 (with latest amendment), Post forming lamination (one side decorative laminate and other side balancing), Not required
	Thickness of Finish /Lamination (for other than metal)	0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, Not required
	Edge Finish of Desk	PVC Edge banding, Teak wood batten, ABS plastic, PP moulded, Post formed, Not required
	Edge Finish of Seat and Backrest	PVC Edge banding, Teak wood batten, ABS plastic, PP moulded, Post formed, Not required
	Edge Finish of shelf /under storage	PVC Edge banding, Teak wood batten, ABS plastic, PP moulded, Post formed, Not required
	Edge banding thickness (desk /Seat and Backrest /shelf or under storage)	1 mm, 1.5 mm, 2 mm, 2.5 mm, 4 mm, 5 mm, Not required
WARRANTY	Warranty period	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes, No

Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	View
-----------------------------	----------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Babasaheb Bhagwat Khochare	413501,GRAMPANCHAYAT OFFICE TER TQ AND DIST DHARASHIV	50	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Bidder should include price of school bench including transport

Bidder should submit site survey report with geo tag photos with competent authority Gramsevak, up sarpanch, Sarpanch

For site survey report bidder should take permission from this office without permission of this office bidder is not allowed to do site survey report

Bidder should submit following document

GST Certificate

Shop Act

Income tax certificate

Balance sheet

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.

14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---