



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5399204
Dated/दिनांक : 13-09-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	24-09-2024 10:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	24-09-2024 10:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Maharashtra
Department Name/विभाग का नाम	Rural Development And Panchayat Raj Department Maharashtra
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Nashik
Total Quantity/कुल मात्रा	245
Item Category/मद केटेगरी	Public Place Seating Chair (Q3) , Steel Tables as per IS 8126 (Q3) , Apron Locker Cabinet (Q3) , Laboratory Steel Furniture (Q3) , Mobile Storage Compactors (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	150 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	500 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Laboratory Steel Furniture
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	300000

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लभार्थी :

CAFO

Nashik, Rural Development and Panchayat Raj Department Maharashtra, N/A,
(Cafo)**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Public Place Seating Chair (68 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Style	with arm and backrest, with arm and without backrest, without arm and with backrest, without arm and backrest, With arm and backrest supported by Base Circle (size 60 mm and 6 mm thick), With arm and backrest with electrical socket
	Seating Capacity (Nos)	2, 3, 4, 5
MATERIAL	Material of Main Frame	mild steel, M S ERW tube, SS 202, SS 304, 48 mm Dia SS 202, Aluminium
	Material of Seat and Backrest	Mild Steel, PU Foam reinforced with 2 mm M S sheet inserts, SS 202, SS 304, MS RECTANGULAR SECTION PIPE, Perforated MS sheet covered with 40 mm cushion cover., Seat 16 gauge SS 202 grade steel sheet and 48 mm back pipe
	Material of Arms	armrest are made up of powder coated high pressure aluminium dye cast, cold rolled steel, SS 202, SS 304, MS ERW TUBE, MS RECTANGULAR SECTION PIPE, SS 202(48 mm capsule pipe), N.A
	Material of Legs	cold rolled steel, POWDER COATED HIGH PRESSURE ALUMINIUM DYE CAST LEGS, SS 202, SS 304, MS ERW TUBE, MS RECTANGULAR SECTION PIPE, MS round pipe - 1.6 mm thick, SS 202 (diameter 48 mm)
	Material of Side Bar Bracket	made up of chrome plated solid steel, solid steel v-shaped powder coated, N.A
DIMENSION	Overall Length in mm (±10 mm)	800, 850, 900, 950, 1000, 1050, 1100, 1150, 1170, 1200, 1225, 1300, 1350, 1400, 1450, 1500, 1550, 1600, 1655, 1700, 1760, 1800, 1840, 1900, 1950, 2000, 2050, 2100, 2150, 2200, 1585, 1800 mm (with each seat width of 475 mm divided by 48 mm SS 202 Capsule pipe handle)
	Overall Depth in mm (±5 mm)	350, 400, 450, 500, 550, 610, 640, 665, 700, 750, 800, 430, 510
	Overall Height in mm (±5 mm)	400, 450, 500, 550, 600, 650, 700, 760, 800, 835, 870, 900, 950, 1000, 430, 815
CERTIFICATION	Conforming to International Standard for Public Seating (*BIFMA X 5 dot 4 or equivalent)	YES, NO
COLOUR & FINISH	All steel component to be epoxy powder coated	50 micron thick, 60 micron thick, NA
WARRANTY	WARRANTY PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Consignees/Reporting Officer/परिषदी/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषदी/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dhiraj Nemya Gavit	425412,Adminstrative Building, Zilla Parishad, Nandurbar Tokartalav Road, Nandurbar	68	45

Steel Tables As Per IS 8126 (64 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	one side, both side
	Total Number of Storage Units	single storage, double storage, triple storage, four storage, five storage, six storage
	Table Top Material and Thickness (+/-2 mm)	20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle Board (Not as per IS 8126), 20 mm multiplex board, 40 mm multiplex board, 50 mm multiplex board, 25 mm thick MDF Board., 11 mm thick compact laminate (BSL) IS 2046 -1995, 18 mm thick prelaminated Particle Board as per IS 12823
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126), Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm, Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick, MS rectangular section of 38 mm X 25 mm with thickness of 1.2 mm, M.S. Rectangular Pipe of 50mm X 25mm X 1.2mm, M.S. Rectangular Pipe of 40mm X 20mm X 1.2mm
	Table Top Length +/- 10(mm)	900, 1000, 1190, 1300, 1360, 1500, 1660, 1800, 2000, 750, 600, 1205 (millimeter)
	Table Top Width +/-10(mm)	470, 600, 690, 750, 800, 900, 705, 450, 580 (millimeter)
	Table Height +/-5(mm)	710, 735, 760, 800, 840, 850, 860, 750, 745, 725, 900, 1050 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126), 0.7 mm M S sheet, 0.8 mm M S sheet, 0.9 mm m s sheet, 1.0 mm m s sheet, 1.1 mm m s sheet, 1.2 mm m s sheet, 0.5 mm m s sheet, 0.6 mm MS sheet CRCA as per IS 513 latest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Depth of Storage Unit +/- 10(mm)	355, 600, 650, 700, 725, 575, 550 (millimeter)
	Width of Locker / Cupboard type Storage unit	450 mm, 500 mm, 560 mm, N.A, 350 mm, 355 mm
	Depth of Locker / Cupboard type Storage unit	600 mm, 650 mm, 700 mm, 725 mm, N.A, 560 MM, 550 mm
CERTIFICATION	ISI Marked	Yes, No
	Test reports to be furnished to buyer on demand	YES, NO
	BIFMA certification	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES, NO
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES, NO
	Green guard certification	YES, NO
WARRANTY	Warranty in number of years	1, 2, 3, 4, 5

Additional Specification Parameters - Steel Tables As Per IS 8126 (64 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
64 units of Sanitary Pad Dispensing And Vending machine	Specification attached in the bis

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhiraj Nemya Gavit	425412,Adminstrative Building, Zilla Parishad, Nandurbar Tokartalav Road, Nandurbar	64	45

Apron Locker Cabinet (64 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Lockers and Shelves	Number Of Lockers	2-4, 4-6, 6-8, 8-10, 10-12, 12-14, 14-16, 16-18, 18-20, 20-22, 22-24, 24-28, 28-30, NA
	Number Of Shelves	2, 3, 4, 5, 6, 7, 8, 9, 10
Generic	Type of Lock	Pad Lock, Cam Lock

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhiraj Nemya Gavit	425412,Adminstrative Building, Zilla Parishad, Nandurbar Tokartalav Road, Nandurbar	64	45

Laboratory Steel Furniture (34 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Lab furniture	Side bench without rack with table top, Side bench with rack and table top, Island bench with table top, Side sink with table top

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Provision of Electrical raceway	Yes, No
	Provision of Electrical points	Yes, No
	Provision of modular type reagent rack	Slideable type, Door type (two doors), Door type (single door), N.A
	Provision of Electrical service panels	Slideable type, Door type (two doors), Door type (single door), N.A
	Provision of Gas service panels	Slideable type, Door type (two doors), Door type (single door), N.A
	Provision of Verticals	Single, Double, N.A
	Verticals (single)	1 number, 2 numbers, 3 numbers, N.A
	Verticals (double)	1 number, 2 numbers, 3 numbers, N.A
	Mini Vertical Service channel connector	1 number, N.A
	Provision of blower (to remove airborne contaminants)	Yes, No
	Provision of ducting (for purpose of ventilation)	Yes, No
MATERIAL	Thickness of Frame	1.1 mm, 1.2 mm, 2 mm, 2.5 mm, 3 mm
	Thickness of Cabinet frame cover panel	1.1 mm, 1.2 mm, 2 mm
	Drawers support brackets shelves slides thickness	1.1 mm, 1.2 mm, 2 mm
	Side cover panels material	1.1 mm, 1.2 mm
	Side cover panels thickness	1.1 mm, 1.2 mm
	Handles thickness	1.1 mm, 1.2 mm, 2 mm
	Sandwich type metal shutters thickness	1.1 mm, 1.2 mm
	Rear panel material thickness	1.1 mm, 1.2 mm
	Glass for framed sliding and swinging doors	4 mm thick float glass, N.A
	Glass for reagent shelf's	6 mm thick wire glass, 6 mm compact laminate, N.A
	Legs made up of	2.5 mm thick EDD quality GI steel square having 2.5 mm wall thickness, N.A
	Leg size	50 mm x 50 mm, 75 mm x 75 mm, N.A
	Work tops	Acid resistant granite 18 mm thick, Acid resistant granite 20 mm thick

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Electrical points	Provided with one number of 3 Module Plate having 5/15Amps combined switch and 1 set of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 2 sets of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 3 sets of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 4 sets of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 6 sets of sockets, N.A
	Modular type reagent rack	One number rack with 2 Shelf of grade Aluminium and 6 mm thick wired glass (to fit the table), One number rack with 2 Shelf of grade Aluminium and 6 mm thick compact laminate (to fit the table), N.A
DIMENSION	Size of side benches/Island benches (LxWxH)	900 mm X 1500 mm X 900 mm, 1200 mm X 600 mm X 900 mm, 1200 mm X 750 mm X 900 mm, 1200 mm X 750 mm X 750 mm, 1260 mm X 600 mm X 900 mm, 1500 mm X 750 mm X 750 mm, 1500 mm X 750 mm X 900 mm, 1500 mm X 1500 mm X 900 mm, 1550 mm X 750 mm X 750 mm, 1800 mm X 1800 mm X 900 mm, N.A
	C Type Fixed Under Bench Cabinet size	500 mm x 500 mm x 540 mm (having one door, one drawer and one adjustable/removable shelf), 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf), N.A
	C Type Sliding Under Bench Cabinet size	500 mm x 500 mm x 540 mm (having one door, one drawer and one adjustable/removable shelf), 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf), N.A
	Electrical raceway size	150 mm(H) x 150 mm(W) x 900 mm, 150 mm(H) x 150 mm(W) x 1200 mm, 150 mm(H) x 150 mm(W) x 1260 mm, 150 mm(H) x 150 mm(W) x 1500 mm, 150 mm(H) x 150 mm(W) x 1550 mm, 150 mm(H) x 150 mm(W) x 1800 mm, N.A
	Electrical service panels slideable size	200 mm (H) x 150 mm(W) x 900 mm, 200 mm (H) x 150 mm(W) x 1200 mm, 200 mm (H) x 150 mm(W) x 1260 mm, 200 mm (H) x 150 mm(W) x 1500 mm, 200 mm (H) x 150 mm(W) x 1550 mm, 200 mm (H) x 150 mm(W) x 1800 mm, N.A
	Size of Verticals	150 mm x 25 mm thick x 1200 mm (H), N.A
SIDE SINK ACCESSORIES	Eye Wash fountain (table mounted)	One number (2-way), N.A
BLOWER	Motor	2 HP direct drive asynchronous 3 phase IP55 protection, N.A
LAB STEEL STOOL	Seat made up of	SS 202, SS 304, Cushioned, N.A
	Backrest made up of	SS 202, SS 304, Cushioned, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
TEST REPORT	Availability of Test certificate of the furniture system as per SEFA 8M duly certified by SEFA approved laboratory to prove conformity of products to the specification	Yes, No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhiraj Nemya Gavit	425412, Adminstrative Building, Zilla Parishad, Nandurbar Tokartalav Road, Nandurbar	34	45

Mobile Storage Compactors (15 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	1-Bay, 2-Bay, 3-Bay, 4-Bay, 5-Bay, 6 - Bay, 7 Bay
	Type of Drive	Push Pull Type, Mechanized Drive Type, Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	0, 1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	0, 1, 2, 3, 4, 5, 6, 7
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	0, 1, 2, 3, 4, 5, 6, 7, 8, 9
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	2 Shelves/ 3 Compartments, 3 Shelves/4 Compartments, 4 Shelves/5 Compartments, 5 Shelves/6 Compartments, 6 Shelves/7 Compartments, 7 Shelves/8 Compartments, 8 Shelves/9 Compartments, 9 Shelves/10 Compartments, NA
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	2 Shelves/ 3 Compartments, 3 Shelves/4 Compartments, 4 Shelves/5 Compartments, 5 Shelves/6 Compartments, 6 Shelves/7 Compartments, 7 Shelves/8 Compartments, 8 Shelves/9 Compartments, 9 Shelves/10 Compartments, NA
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	2 Shelves/ 3 Compartments, 3 Shelves/4 Compartments, 4 Shelves/5 Compartments, 5 Shelves/6 Compartments, 6 Shelves/7 Compartments, 7 Shelves/8 Compartments, 8 Shelves/9 Compartments, 9 Shelves/10 Compartments, NA
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	60 kg, 70 kg, 80 kg, 90 kg, 100 kg, NA, 40 kg, 50 kg, 30 kg

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	60 kg, 70 kg, 80 kg, 90 kg, 100 kg, NA, 40 kg, 50 kg, 30 kg
	Load bearing capacity of under structure and base frame	600 Kg, 1200 Kg, 1600 Kg, 2000 Kg, 5000 Kg, 3000 Kg, 4000 Kg, 2400 kg, 3600 kg, 4800 kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	MS wheels, Anti frictional ball bearing, Cast Iron Wheels, MS wheels and Anti Friction Ball, Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	1, 2, 3, 4, 5, 6, 7, 8, N.A
	Minimum number of pairs of Bearings in Every Base frame	1, 2, 3, 4, 5, 6, 7, 8, N.A
	Drive cover included on Body	YES, NO
	Stud	Main only, Main and add on construction, N.A
GUIDE RAIL	Number of guide rail rows	2, 3, 4, 5, 6, 7, 8
	Number of 915 mm Rail Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 1830 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 2745 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
DOORS and LOCKING	Separate door lock for each section	YES, NO
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.6 mm thick CRC sheet conforming to Grade D of IS 513 latest.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	M S Sheet Thickness of the Shelf Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, N.A.
	Height of base frame ±2(mm)	65 mm, 75 mm, 90 mm, 100 mm, 120 mm, 80 mm
	Height of track and moving clearance ±2(mm)	35 mm, 45 mm, 55 mm, 65 mm, 80 mm
	Material of Stud	Rubber stud between bodies, PVC stud between bodies, NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:1079/Latest, H R Sheet 3.15MM thick confmg. to IS:1079/Latest, H R Sheet 2MM thick confmg. to IS:2062/Latest, H R Sheet 3.15MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction, 0.8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction, No Cover
	Number of Folds in Shelf Panels	8 Nos., 10 Nos., 12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ±20 (mm)	1725 mm, 2080 mm, 2180 mm, 2350 mm, 2600 mm, 2750 mm, 2900 mm, 2950 mm, 2130 mm, 1875 mm, 2561 mm, 2460 mm, 1976 mm, 2276 mm, 2376 mm, 2576 mm, 2776 mm, 2876 mm, 3176 mm, 3276 mm, 3476 mm, 2400 mm, 1980 mm, 2500 mm
	Depth of the single faced fixed / static bodies Cabinet ±10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm, 475 mm
	Depth of the single faced movable bodies Cabinet ±10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of the movable bodies Cabinet ±10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 760 mm, 300 mm, 400 mm, 500 mm, 800 mm, 1000 mm, 1200 mm, 475 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
PAINT	Paint	Powder Coating, Enamel Paint, Pre Coated, Powder Coated with fire retardant epoxy polyester powder, Lead free Paint Powder coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years

Additional Specification Parameters - Mobile Storage Compactors (15 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
354 units of Electric Trap	Specification attached in the bid

* Bidders offering must also comply with the additional specification parameters mentioned above.

Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	View
-----------------------------	----------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhiraj Nemya Gavit	425412, Adminstrative Building, Zilla Parishad, Nandurbar Tokartalav Road, Nandurbar	15	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

7. Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.

(iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

8. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

9. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

10. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

11. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

12. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

13. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

14. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

15. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

16. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

17. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

18. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

DHO
payable at
Nandurbar

.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

19. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

20. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Tender fees of 5000 in DD

DD in the name of DHO payable at Nandurbar

DD scan copy needs to upload in the bid

Also need to submit physical at Office

.

21. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---