



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5506661  
Dated/दिनांक : 15-10-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	06-11-2024 10:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	06-11-2024 10:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Maharashtra
Department Name/विभाग का नाम	Public Health And Family Welfare Department Maharashtra
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Office Of The Chief Executive Officer Mh Esi Soc
Total Quantity/कुल मात्रा	9153
Item Category/मद केटेगरी	Steel Tables as per IS 8126 (Q3) , Side Table (Q3) , Public Place Seating Chair (Q3) , Office Chair (V3) (Q2) , Dressing Table (Q3) , Metal Beds (V2) (Q3) , Almirah Steel (V2) (Q3) , Metal Shelving Racks as per IS 1883 (Q3) , Computer Table (Q3) , Wooden Shoe Rack (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	700 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	2800 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

<b>Bid Details/बिड विवरण</b>	
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	70 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Office Chair (V3)
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	1000000

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	15

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the

relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Director

Office of the Chief Executive Officer MH ESI Soc, Public Health and Family Welfare Department Maharashtra, N/A,  
(Dr Shashi Govindrao Kolnoorkar)

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 70% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Steel Tables As Per IS 8126 ( 870 pieces )**

## Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Storage</b>	one side, both side
	<b>Total Number of Storage Units</b>	single storage
	Cup Board / Locker type Storage Units	one, five
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	<b>Table Top Length +/- 10(mm)</b>	900.0 (millimeter)
	<b>Table Top Width +/-10(mm)</b>	600.0 (millimeter)
	<b>Table Height +/-5(mm)</b>	760.0 (millimeter)
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	600.0 (millimeter)
	<b>Width of Locker / Cupboard type Storage unit</b>	350 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	600 mm
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>BIFMA certification</b>	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified</b>	YES
	<b>Green guard certification</b>	NO
WARRANTY	<b>Warranty in number of years</b>	1

**Additional Specification Parameters - Steel Tables As Per IS 8126 ( 870 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer Specific Requirement	The drawer and cabinet should be made up of MS CRCA Sheet of 1 mm thick. Drawer should have sliding channel of make Hettich / Ebco / Haffele or equivalent make and inbuild handles. Width of the drawer & cabinet should be 17". Provision under the table for electrical fittings with 3 modular & 6 Modular slots with cable manager on the ply top

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	870	45

**Side Table ( 464 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage provided	YES, No storage
	Number of storage unit	Single storage, four storage, No storage
MATERIAL	Material of top $\pm 2\text{mm}$	18 mm thick flat single layer MDF board of grade SBG II of IS 12406/Latest
DIMENSION	Length of table top $\pm 10\text{mm}$	600 mm, 1050 mm
	Depth of table $\pm 10\text{mm}$	450 mm
	Height of table $\pm 10\text{mm}$	650 mm, 725 mm
	Width of storage unit $\pm 10\text{mm}$	N.A
	Depth of storage unit $\pm 10\text{mm}$	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of smallest storage unit	N.A
	Height of Medium storage unit	N.A
	Height of largest storage unit	N.A
WARRANTY	Warrantee period in number of years	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	464	45

**Public Place Seating Chair ( 861 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Style	with arm and backrest
	Seating Capacity (Nos)	3
	Seat Cushion	WITHOUT CUSHION
MATERIAL	Material of Main Frame	SS 304
	Material of Seat and Backrest	SS 304
	Material of Arms	SS 304

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Legs	SS 304
	Material of Side Bar Bracket	solid steel v-shaped powder coated
DIMENSION	Overall Length in mm (±10 mm)	1700
	Overall Depth in mm ( ±5 mm)	665
	Overall Height in mm (±5 mm)	900
CERTIFICATION	Conforming to International Standard for Public Seating (*BIFMA X 5 dot 4 or equivalent)	NO
COLOUR & FINISH	Colour of Covering Material	white, N.A
	All steel component to be epoxy powder coated	50 micron thick
WARRANTY	WARRANTY PERIOD IN NUMBER OF YEARS	1

#### Additional Specification Parameters - Public Place Seating Chair ( 861 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer Specific Requirement	<ul style="list-style-type: none"> <li>• Should Seat three people</li> <li>• Overall approx. Dimension: 1730 mm L x 630 mm W x 700 mm H</li> <li>• Seat and back- CRCA Sheet thickness min 1.2 mm, width-540 mm</li> <li>• Arms and legs: Aluminum Alloy, thickness 2.0 mm with PU molded cushion handle.</li> <li>• Beam is made up of MS Powder coated and brackets are made up of CRCA Sheet</li> <li>• Edge seats should have handle</li> </ul>

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	861	45

### Office Chair (V3) ( 1694 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Chair type</b>	Non-revolving and non-tilting chair without armrest
UNDERSTRUCTURE	<b>Chair understructure type</b>	Cantilever
	<b>Understructure material</b>	ERW tube conforming to IS : 1161 latest
	<b>The shape of tubular section of understructure</b>	Round
	<b>Section Size (Diameter/Sides) of understructure</b>	25 mm
	<b>Understructure wall thickness (mm)</b>	2
	<b>Castor</b>	No
SEAT	<b>Seat material</b>	Caned
	<b>Density of PU used in seat (kg per cubic meter)</b>	NA
	<b>Thickness of PU used in seat (mm)</b>	NA
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	<=400
	<b>Depth of seat (mm)</b>	>400<=450
	<b>Seat upholstery material</b>	Caned
BACKREST	<b>Backrest base frame material</b>	Mild steel frame
	<b>Backrest material</b>	Caned



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of PU used in backrest (kg per cubic meter)	NA
	Thickness of PU used in backrest (mm)	NA
	Width of backrest (mm)	<=400
	Backrest height from the seat level	>=350<=450
	Backrest upholstery material	Caned
ARMREST	Armrest type	Without Armrest
	Armrest movement	Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

#### Additional Specification Parameters - Office Chair (V3) ( 1694 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	<ul style="list-style-type: none"> <li>•Overall approx. dimension: 650 mm W x 600 mm D x 820 -930 mm H</li> <li>• Seat and back covered with foam and rexine cover, with round PU handle</li> <li>• Seat height Adjustable 40 cm to 50 cm with help of gas spring</li> <li>• The base should be made of tubular CRCA sheet duly elector plated with chrome finish.</li> <li>• Base should be fitted with 50mm dia twin roller castor.</li> </ul>

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	1694	15

## Dressing Table ( 263 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Mode of Supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Design of Dressing table</b>	With drawers and cupboard
	<b>Base of dressing table</b>	Rectangular wooden frame
	<b>Number of side mirror</b>	1 number
MATERIAL and MATERIAL THICKNESS	<b>Material specification</b>	Prelaminated particle board of grade II type III of IS 12823/Latest.both side laminated. outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thick on other side
	<b>Material thickness of complete body, Fascia and drawer/cupboard</b>	19.0 (millimeter)
	<b>Material thickness for back, partition and drawer /cupboard bottom <math>\pm</math> 2mm</b>	5.0 (millimeter)
	<b>Mirror side frame material thickness<math>\pm</math>2mm</b>	19mm
MISC	<b>Length of side mirror</b>	1070 mm
	Shape of side mirror	Rectangular
DIMENSION	<b>Overall height of dressing table <math>\pm</math>10mm</b>	1680.0 (millimeter)
	<b>Width of dressing table <math>\pm</math>10mm</b>	915.0 (millimeter)
	<b>Depth of dressing table <math>\pm</math>10mm</b>	610.0 (millimeter)
	<b>Length of mirror</b>	1070.0 (millimeter)
	<b>Width of mirror</b>	510.0 (millimeter)
	<b>Thickness of mirror</b>	4, 6, 8, 10, 12, 14 Or higher (millimeter)
WARRANTY	<b>Warranty period in number of years</b>	1, 2, 3 Or higher
CERTIFICATION	<b>Product having BIFMA certification</b>	NO

**Additional Specification Parameters - Dressing Table ( 263 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	Top should be made up of MS CRCA 1.2 mm thick sheet with all four side raised upward & pressed bend to 1800 . It should be provided with 100 mm thick reversible & removable mattress for easier cleaning 40 density foam covered with rexine and zip. B.P. apparatus tray should be made up of 18G MS sheet of approx. size 350mm L x 120 mm W x 20 mm H provided on a swinging rod rotating through a bush fixed on the body of the couch

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	263	45

**Metal Beds (V2) ( 796 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure of Metal bed frame including legs and head Structure</b>	MS Hollow Rectangular / Square Section
MATERIAL	<b>Size of Rectangular Hollow section ±1(mm)</b>	50 mm X 25 mm
	<b>Size of Square Hollow Section ±1(mm)</b>	38 mm X 38 mm
	<b>Size of Circular Hollow Sections ±1(mm)</b>	N.A
	<b>Thickness of Hollow Section in Structure (mm)</b>	1.2 mm
	<b>Support Panel for placement of mattresses</b>	MS hollow box Rectangular Section

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of support Panel (in mm)	1.0 mm
DIMENSION	Over all length of Bed in mm ( $\pm 10$ mm)	2050
	Height of Bed in mm ( $\pm 10$ mm)	650.0 (millimeter)
COLOUR & FINISH	Paint /Finish of MS Parts	Powder Coating
	Min Powder/paint coating thickness (Micron)	60 micron
	Colour of bed (steel Frame)	Black
WARRANTY	Warranty	1 Year
MISC	Number of support members	4

#### Additional Specification Parameters - Metal Beds (V2) ( 796 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	Stainless Steel bows of 31.75 x 1.2 mm diameter pipe, equal height of 280 mm with two Vertical supports & one Horizontal support of 12.7 mm diameter x 18G Stainless Steel Pipe. It should have Offset Legs. Leg Bed should have made up of 31.75 X 1.2 mm diameter and fitted with rubber shoes. Four flush I.V. locations with S.S. Saline Rod of 12 mm dia. Mattress: The single section mattress should be made up of 90 mm PU foam and covered with good quality soft rexine cover.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	796	45

## Almirah Steel (V2) ( 1173 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Almirah steel</b>	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	<b>Type of Almirah steel</b>	Almirah Steel shelving cabinets
	<b>Number of door</b>	2
	<b>Number of drawers required</b>	No Drawer
	<b>Number of shelves</b>	2
	<b>Colour of finish</b>	Silver Grey
MATERIAL	<b>Steel sheet material</b>	Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment), CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	<b>Sheet rounds and flats</b>	Conforming to grade E250 of IS 2062
DIMENSION	<b>Almirah height(excluding the height of pedestal) ± 5 mm</b>	1192 mm
	<b>Almirah width ± 5 mm</b>	760 mm
	<b>Almirah depth ± 5 mm</b>	505 mm
	<b>Side sheet thickness</b>	1 mm
	<b>Back sheet thickness</b>	0.9 mm
	<b>Top sheet thickness</b>	0.9 mm
	<b>Bottom sheet thickness</b>	0.9 mm
	<b>Shelves sheet thickness</b>	0.9 mm
	<b>Shelves supporting bracket thickness</b>	N.A
	<b>Hinges sheet thickness</b>	1.25 mm(double folded)
	<b>Hanging rod wall thickness</b>	N.A
	<b>Mirror frame sheet thickness</b>	N.A
	<b>Mirror frame border width</b>	N.A
	<b>Width of stiffener</b>	N.A
	<b>Stiffener sheet thickness</b>	N.A
	<b>Number of glass sheet fixed</b>	N.A
<b>Handle size</b>	12 cm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
LOCKS AND LOCKING ARRANGEMENT	<b>Steel Almirah lock/locker lock</b>	Six lever lock
	<b>Material of lock</b>	Steel
FINISH	<b>Finish coat with enamels</b>	Conforming to IS : 2932 (Part 1)
	<b>Powder coating</b>	Conforming to IS: 13871

#### Additional Specification Parameters - Almirah Steel (V2) ( 1173 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	Overall Dimension: 38" L x 18" W x 78" H • Shelf thickness- 0.8mm • Back thickness - 0.8mm • Door thickness- 0.8mm • All other components shall have a minimum thickness of 0.9mm. • It should have welded construction. • The Cupboard should have three-point locking mechanism with handle system. • The Cupboard should have a height wise adjustable shelf & M10 Screw type leveler with plastic base.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	1173	15

#### Metal Shelving Racks As Per IS 1883 ( 1694 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type	OPEN TYPE
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	3
MATERIAL	Shelves Material	1.0 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
DIMENSION	Depth in mm ( $\pm 5$ mm)	380
	Width in mm ( $\pm 5$ mm)	900
	Height in mm ( $\pm 5$ mm)	1275
MISC	Paint	Grey Enameled
WARRANTY	Warranty in number of years	3

**Additional Specification Parameters - Metal Shelving Racks As Per IS 1883 ( 1694 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	<ul style="list-style-type: none"> <li>Overall Dimension: 38" L x 18" W x 72" H Construction: MOC Mild Steel CRCA</li> <li>4 nos vertical channels are made up of 18 gauge CRCA sheet.</li> <li>Five nos adjustable shelves are made up of 20mm x 20mm square tubular frame covered with 22 gauge CRCA sheet.</li> <li>All shelves should be adjustable at position as per requirement.</li> <li>Legs should be fitted with rubber legs sheet at bottom.</li> </ul>

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013, Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	1694	45

## Metal Beds (V2) ( 78 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure of Metal bed frame including legs and head Structure</b>	MS Hollow Rectangular / Square Section
	Shape of headboard	Rectangular
MATERIAL	<b>Size of Rectangular Hollow section <math>\pm 1</math>(mm)</b>	50 mm X 25 mm
	<b>Size of Square Hollow Section <math>\pm 1</math>(mm)</b>	38 mm X 38 mm
	<b>Size of Circular Hollow Sections <math>\pm 1</math>(mm)</b>	N.A
	<b>Thickness of Hollow Section in Structure (mm)</b>	1.2 mm
	<b>Support Panel for placement of mattresses</b>	MS hollow box Square Section
	<b>Thickness of support Panel (in mm)</b>	1.0 mm
DIMENSION	<b>Over all length of Bed in mm (<math>\pm 10</math> mm)</b>	2000
	<b>Height of Bed in mm (<math>\pm 10</math> mm)</b>	650.0 (millimeter)
COLOUR & FINISH	<b>Paint /Finish of MS Parts</b>	Powder Coating
	<b>Min Powder/paint coating thickness (Micron)</b>	60 micron
WARRANTY	<b>Warranty</b>	1 Year
MISC	<b>Number of support members</b>	4

### Additional Specification Parameters - Metal Beds (V2) ( 78 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	"Overall Size: 2000 mm L x 914 mm W x 600 mm H (Approx.). Frame Size: 1980 mm L x 914 mm W Suitable for Mattress Size: 1905 mm x 910mm (Approx.)."



\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	78	45

**Computer Table ( 684 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Type of Computer Table</b>	Computer table with key board drawer and table top, Computer cum Printer table with key board pullout tray and table top
	<b>Placing of modesty panel</b>	N.A
MATERIAL	<b>Welding of Modesty Panel</b>	N.A
	<b>Welding at top and Back</b>	N.A
	<b>Guides Thickness (for drawer)</b>	N.A
	<b>Material of Table Top, Key board and drawer</b>	pre-laminated Particle boards (Wood Product) of grade II Type II of IS 12823 Latest
	<b>Thickness of Table Top etc</b>	18, 25, 30 Or higher (millimeter)
	<b>Lock of Drawer</b>	Yes
	<b>Type of lock</b>	N.A
	<b>Material of Modesty Panel</b>	N.A
DIMENSION	<b>Size of Computer Table ±10 mm (LXBXH)</b>	NA
	<b>Size of Printer Table ±10 mm (LXBXH)</b>	NA
	<b>Size of Computer Cum Printer Table ±10 mm (LXBXH)</b>	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Outside Drawer Size (L X B X H) ±5 mm	NA
	Size of key board tray ±5 mm	N.A
	Size of Modesty panel	N.A
COLOUR & FINISH	Primer for coating on M S parts	Redoxide
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

#### Additional Specification Parameters - Computer Table ( 684 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	Dimension Overall Size (LxWxH): 1200 mm L x 600 mm W x 750 mm H. Construction: Frame work should be made up of MS CRCA tube of 25.4mm x 25.4mm x 1.2mm thick. It should have a drawer and closed cabinet with lock, plastic sliding keyboard pad and CPU stand with castor for easy cleaning

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	684	45

#### Wooden Shoe Rack ( 116 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	<b>Sides Material</b>	Three layer prelaminated particles board (wood product) of grade II Type II of IS 12823 - latest
	<b>Back material</b>	Three layer prelaminated particles board (wood product) of grade II Type II of IS 12823 - latest, N.A
	<b>Top material</b>	Three layer prelaminated particles board (wood product) of grade II Type II of IS 12823 - latest
	<b>Bottom material</b>	Three layer prelaminated particles board (wood product) of grade II Type II of IS 12823 - latest
	<b>Doors material</b>	Three layer prelaminated particles board (wood product) of grade II Type II of IS 12823 - latest
	<b>Drawer material</b>	Flat single layer MDF board of grade SBG II of IS 12406-latest
	<b>Shelves material</b>	Three layer prelaminated particles board (wood product) of grade II Type II of IS 12823 - latest
	<b>Seat material</b>	N.A
	<b>Seat cover material</b>	Synthetic Fabric, N.A
	<b>Drawer handle material</b>	Steel
	<b>Door handle material</b>	Steel
	GENERIC	<b>Design of Rack</b>
<b>Type of Storage</b>		Storage on partition shelves
<b>Configuration (Number of Partition Boards / Shelves between top and bottom)</b>		2
<b>Number of Drawers</b>		4 FULL WIDTH, No Drawer
<b>Shoe Rack with cushioned seat on top for sitting</b>		No
<b>Sides / Back of shoe rack projected upward above the top surface</b>		No projection upward
<b>Mode of supply</b>		Assembled - Ready to use
DIMENSION	<b>Width of shoe rack in mm (+/- 20 mm)</b>	900 mm
	<b>Depth of shoe rack in mm (+/- 10 mm)</b>	382 mm
	<b>Height of shoe rack in mm (+/- 20 mm)</b>	900 mm
	<b>Thickness of sides material in mm (+/- 1 mm)</b>	18 mm
	<b>Thickness of back material in mm (+/- 1 mm)</b>	18 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of top material in mm (+/- 1 mm)	18 mm
	Thickness of bottom material in mm (+/- 1 mm)	18 mm
	Thickness of doors material in mm (+/- 1 mm)	18 mm
	Thickness of drawer material in mm (+/- 1 mm)	N.A
	Thickness of shelves in mm (+/- 1 mm)	18 mm
	Distance between each shelves in mm (+/- 10 mm)	240 mm
	Ground clearance in mm (+/- 10 mm)	100 mm
	Thickness of seat material in mm (+/- 5 mm)	N.A
WARRANTY	Warranty period in number of Years	1, 2, 3, 4, 5 Or higher
CERTIFICATION	OEM of offered product is ISO 9001:2015 certified	No
	OEM of offered product is ISO 14001:2015 certified	No
	OEM of offered product is ISO 18001:2007 certified	No

**Additional Specification Parameters - Wooden Shoe Rack ( 116 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	Overall Dimension : 48" L x 10" W x 42" H Shoe rack show have five shelves. Construction in tubular frame made up of 25 x 25 x 1.2mm CRCA vertical & horizontal main members The shelves are made up of 25mm x 25mm x 1.2mm CRCA tubular frame 12.5mm x 1.2mm thick CRCA tubes.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	116	45

### Steel Tables As Per IS 8126 ( 435 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Storage</b>	one side
	<b>Total Number of Storage Units</b>	single storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminate Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	<b>Table Top Length +/-10(mm)</b>	900.0 (millimeter)
	<b>Table Top Width +/-10(mm)</b>	600.0 (millimeter)
	<b>Table Height +/-5(mm)</b>	750.0 (millimeter)
MATERIAL	Handles Material	Corrosion Resistance Metal, Injection moulded polypropylene
	<b>Storage Unit and Drawer Units Material</b>	0.8 mm M S sheet
DIMENSION	<b>Depth of Storage Unit +/-10(mm)</b>	355.0 (millimeter)
	<b>Width of Locker / Cupboard type Storage unit</b>	N.A
	<b>Depth of Locker / Cupboard type Storage unit</b>	N.A
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	NO
	<b>BIFMA certification</b>	NO

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	NO
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

#### Additional Specification Parameters - Steel Tables As Per IS 8126 ( 435 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer added Specific Requirement	"Overall approx. dimension: 1065 mm L x 460 mm W x 1030 mm H. Top approx. dimension: 760 mm L x 435 mm W. Construction: Trolley should be of fixed height and should go over the bed. It should be made up of MS ERW round tubular frame work of 25.4dia 1.2mm thick tube Plain stainless steel top of 0.8mm thick 304 grade with raised edge on three sides. It should be mounted on four castors of 50 mm dia, without brake.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013, Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	435	45

#### Metal Beds (V2) ( 25 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure of Metal bed frame including legs and head Structure	SS 202 Pipe, MS Pipe
MATERIAL	Size of Rectangular Hollow section $\pm 1(\text{mm})$	40 mm x 20 mm
	Size of Square Hollow Section $\pm 1(\text{mm})$	32 mm X 32 mm
	Size of Circular Hollow Sections $\pm 1(\text{mm})$	N.A
	Thickness of Hollow Section in Structure (mm)	1.0 mm
	Support Panel for placement of mattresses	MS hollow box Square Section
	Thickness of support Panel (in mm)	1.0 mm
DIMENSION	Over all length of Bed in mm ( $\pm 10$ mm)	1828
	Height of Bed in mm ( $\pm 10$ mm)	450.0 (millimeter)
COLOUR & FINISH	Paint /Finish of MS Parts	Powder Coating
	Min Powder/paint coating thickness (Micron)	50 micron
WARRANTY	Warranty	1 Year
MISC	Number of support members	4

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dr Shashi Govindrao Kolnoorkar	400013,Office of the Chief Executive Officer, Maharashtra Employees State Insurance Society Panchdeep Bhavan, 6th Floor, N.M. Joshi Marg, Opp. Western Railway Workshop Lower Parel	25	45

**Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)**

1.

**Special Terms and Conditions**

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

4. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization /



PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 6. **Generic**

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

#### 7. **Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 8. **Generic**

##### **OPTIONAL SITE VISIT:**

1. The Bidder is advised to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder.

Born By Bidder

2. The Bidder representative shall be allowed entry upon consignee premises for such visits, only upon the express conditions that the Bidder will release and indemnify the Buyer and Consignee against all liabilities arising out of such visit including death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of such visit.

3. The Bidder shall not be entitled to hold any claim against Buyer for noncompliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

#### 9. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

MH-ESIC Society  
payable at  
Mumbai

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 10. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**