



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5526360  
Dated/दिनांक : 11-11-2024

**Bid Document/ बिड दस्तावेज़**

<b>Bid Details/बिड विवरण</b>	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	02-12-2024 11:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	02-12-2024 11:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	120 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Defence
<b>Department Name/विभाग का नाम</b>	Department Of Military Affairs
<b>Organisation Name/संगठन का नाम</b>	Indian Army
<b>Office Name/कार्यालय का नाम</b>	*****
<b>Total Quantity/कुल मात्रा</b>	477

**Bid Details/बिड विवरण****Item Category/मद केटेगरी**

point 014 inch OTW PTA Balloon Catheter for BTK 2MM ,  
point 014 inch OTW PTA Balloon Catheter for BTK pointy  
5mm Various Sizes 4F Sheath , point 014 inchOTW PTA  
Balloon Catheter for BTK 3mm Various Sizes 4F Sheath , PTA  
Balloon Catheter 5Fr Various Sizes , PTA Balloon Catheter  
4Fr Various Sizes , Peripheral Balloon 0 point 018 OTW 2  
point 5 X 120 to 200mm 4F Sheath Compatible , Peripheral  
Balloon 0 point 018 OTW 2 point 5 X 120 to 210mm 4F  
Sheath Compatible , Non Compliant Balloon for Peripheral  
Vascular Interventions 3 coma 4 coma 5 mm dia Various  
Sizes , Non Compliant Balloon for Peripheral Vascular  
Interventions 6 7 7 9 10 12 mm dia Varoius Sizes , Drug  
Caoted Balloon with Hydrophobic Coating And Loading Tool  
for Minimal Drug Loss 0 point 018mm wire Compatible for  
BTK , Mustang High Pressure Balloon Various Sizes , point  
035 inch OTW peripheral Self Expanding Stent 5 to 7mm 4F  
Sheath Compatible , Self Expanding Cover Nitinol Stent  
PTFE Graft Both Luminal and External Surface Covered by  
Graft for Peripheral Vascular Intervention Sizes5mm to 13  
point 5mm Dia Length 20 30 40 60 100 129 , Balloon  
Mounted Stent 5mm to 8mm Assorted Length , Balloon  
Mounted Stent 5mm to 12mm Assorted Length , Intering  
Vascular Graft , EPTFE Vascular Graft Tapered For AV Access  
4 by 7mm X 45cm , PTEE Graft Stretch Bifurcation 14X7mm  
X 40cm , PTEE Graft Stretch 6mm X 40cm , Sinus Venous  
Stent Vascular 12 to18mm Diameter Length various Sizes ,  
Polytetraflourethylene PTFE CV5 90 to 95cms 1by 2 Circle  
Round Body Double Needle 12 to 25mm ,  
Polytetraflourethylene PTFE CV4 90 to 95cms 1 by 2 Circle  
Round Body Double Needle 12 to 25mm ,  
Polytetraflourethylene PTFE CV7 70 to 80cms 3 by 8 Circle  
Round Body Double Needle 9 to 17mm ,  
Polytetraflourethylene PTFE CV8 70 to 80cms 3 by 8 Circle  
Round Body Double Needle 9 to 17mm ,  
Polytetraflourethylene PTFE CV6 70 to 80cms 3 by 8 Circle  
Round Body Double Needle 9 to 17mm , Pheripheral Cutting  
Balloon , Femoral Puncture Needle For Angiography 7cm  
Length And 18 G Diameter

**Bid Details/बिड विवरण**

**GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS**

0.014" OTW PTA Balloon Catheter for BTK 2MM, 0.014" OTW PTA Balloon Catheter for BTK 1.5mm Various Sizes 4F Sheath, 0.014" OTW PTA Balloon Catheter for BTK 3mm Various Sizes 4F Sheath, PTA Balloon Catheter 5Fr Various Sizes, PTA Balloon Catheter 4Fr Various Sizes, Peripheral Balloon 0.018 OTW 2.5 X 120 to 200mm 4F Sheath Compatible, Peripheral Balloon 0.018 OTW 2.5 X 120 to 210mm 4F Sheath Compatible, Non Compliant Balloon for Peripheral Vascular Interventions 3/4/5mm dia Various Sizes, Non Compliant Balloon for Peripheral Vascular Interventions 6/7/8/9/10/12mm dia Various Sizes, Drug Coated Balloon with Hydrophobic Coating And Loading Tool for Minimal Drug Loss 0.018mm wire Compatible for BTK, Mustang High Pressure Balloon Various Sizes, 0.035" OTW peripheral Self Expanding Stent 5-7mm 4F Sheath Compatible, Self Expanding Cover Nitinol Stent PTFE Graft (Both Luminal and External Surface Covered by Graft) for Peripheral Vascular Intervention Sizes 5mm to 13.5mm Dia Length 20,30,40,60,100,129, Balloon Mounted Stent 5mm - 8mm Assorted Length, Balloon Mounted Stent 5mm - 12mm Assorted Length, Interling Vascular Graft, EPTFE Vascular Graft Tapered For AV Access 4/7mm X 45cm, PTEE Graft Stretch Bifurcation 14X7mm X 40 Cm, PTEE Graft Stretch 6mm X 40cm, Sinus Venous Stent Vascular (12-18mm) Diameter Length various Sizes, Polytetrafluorethylene (PTFE) CV5 90-95cms 1/2 Circle Round Body Double Needle 12-25mm, Polytetrafluorethylene (PTFE) CV4 90-95cms 1/2 Circle Round Body Double Needle 12-25mm, Polytetrafluorethylene (PTFE) CV7 70-80cms 3/8 Circle Round Body Double Needle 9-17mm, Polytetrafluorethylene (PTFE) CV8 70-80cms 3/8 Circle Round Body Double Needle 9-17mm, Polytetrafluorethylene (PTFE) CV6 70-80cms 3/8 Circle Round Body Double Needle 9-17mm, Peripheral Cutting Balloon, Femoral Puncture Needle For Angiography 7cm Length And 18 G Diameter

**Searched String:** 0.014" OTW PTA Balloon Catheter for BTK 2MM  
 Category not available on GeM for the text string uploaded by the buyer

**Searched String:** 0.014" OTW PTA Balloon Catheter for BTK 1.5mm Various Sizes 4F Sheath  
 Category not available on GeM for the text string uploaded by the buyer

**Searched String:** 0.014" OTW PTA Balloon Catheter for BTK 3mm Various Sizes 4F Sheath  
 Category not available on GeM for the text string uploaded by the buyer

**Searched String:** PTA Balloon Catheter 5Fr Various Sizes  
 Embolectomy Catheter (V2), Hemodialysis Catheter Kit

**Searched String:** PTA Balloon Catheter 4Fr Various Sizes  
 Embolectomy Catheter (V2)

**Searched String:** Peripheral Balloon 0.018 OTW 2.5 X 120

Bid Details/बिड विवरण	to 200mm 4F Sheath Compatible
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Peripheral Balloon 0.018 OTW 2.5 X 120 to 210mm 4F Sheath Compatible</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Non Compliant Balloon for Peripheral Vascular Interventions 3/4/5mm dia Various Sizes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Non Compliant Balloon for Peripheral Vascular Interventions 6/7/8/9/10/12mm dia Various Sizes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Drug Coated Balloon with Hydrophobic Coating And Loading Tool for Minimal Drug Loss 0.018mm wire Compatible for BTK</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Mustang High Pressure Balloon Various Sizes</p> <p>HPLC Columns (High pressure liquid chromatography), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703</p> <p><b>Searched String:</b> 0.035" OTW peripheral Self Expanding Stent 5-7mm 4F Sheath Compatible</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Self Expanding Cover Nitinol Stent PTFE Graft (Both Luminal and External Surface Covered by Graft) for Peripheral Vascular Intervention Sizes 5mm to 13.5mm Dia Length 20,30,40,60,100,129</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Balloon Mounted Stent 5mm - 8mm Assorted Length</p> <p>Spring File, patient care mattresses, Biliary Stents (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, waterproof boot boot combat rubber in pairs, Waste Pipe, Great Coat Short with Hood, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Jungle Hats FSPM, Mobile Toilet</p> <p><b>Searched String:</b> Balloon Mounted Stent 5mm - 12mm Assorted Length</p>
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Spring File, patient care mattresses, Biliary Stents (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, waterproof boot boot combat rubber in pairs, Waste Pipe, Shoes Oxford Direct Injected PU Sole, Unplasticized</p>

Bid Details/As per	PVC Pipes for Potable Water Supplies as per IS 4985, Mobile Toilet, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1)
	<p><b>Searched String:</b> Interling Vascular Graft</p> <p>Synthetic Vascular Graft (V2), Peripheral Vascular Clamp, Portable Vein Viewing Device for Vascular Imaging, Dental Bone Grafts Material (V2), Cardiovascular Patch (V2), Budding &amp; Grafting Knife -as per IS 3122</p> <p><b>Searched String:</b> EPTFE Vascular Graft Tapered For AV Access 4/7mm X 45cm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> PTEE Graft Stretch Bifurcation 14X7mm X 40 Cm</p> <p>Cotton Towelling and Towels (V2) as per IS 7056, Towel Hand (IAF), Towels - Hotel Linen, Decorative Mats - Mat Door Coir, Disposable Single Use Towels, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Khadi Pillow Cotton, X - Ray Detectable Absorbent Cotton Gauze</p> <p><b>Searched String:</b> PTEE Graft Stretch 6mm X 40cm</p> <p>Crepe Bandage (V2), IV Cannula Fixator Dressing, Handloom Cotton Bed Sheets (V2) as per IS 745, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Non Adherent Dressings (V2), Theft Proof Rifle Racks, Synthetic Cast Bandage (V2), Equipment Camouflage Nets (Jute), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1)</p> <p><b>Searched String:</b> Sinus Venous Stent Vascular (12-18mm) Diameter Length various Sizes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Polytetrafluorethylene (PTFE) CV5 90-95cms 1/2 Circle Round Body Double Needle 12-25mm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Polytetrafluorethylene (PTFE) CV4 90-95cms 1/2 Circle Round Body Double Needle 12-25mm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Polytetrafluorethylene (PTFE) CV7 70-80cms 3/8 Circle Round Body Double Needle 9-17mm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Polytetrafluorethylene (PTFE) CV8 70-80cms 3/8 Circle Round Body Double Needle 9-17mm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/बिड विवरण	<p><b>Searched String:</b> Polytetrafluorethylene (PTFE) CV6 70-80cms 3/8 Circle Round Body Double Needle 9-17mm</p>
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Peripheral Cutting Balloon</p> <p>Peripheral Nerve Stimulator, Paper Shredding Machines (V2), Peripheral Vascular Clamp, Balloon Dilatation Catheters, Intravenous Cannulas as per IS 10555 - 5, Uterine Balloon Tamponade Device (V2), Intra-Aortic Balloon Catheter (V2), Cutting Paste, Cutting oil, Hand Held Brush Cutter (V2)</p> <p><b>Searched String:</b> Femoral Puncture Needle For Angiography 7cm Length And 18 G Diameter</p> <p>Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>• Synthetic Vascular Graft (V2)</li> </ul>
<p><b>BOQ Title/बीओक्यू शीर्षक</b></p>	<p>VASCULAR CONSUMABLES</p>
<p><b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b></p>	<p>10 Lakh (s)</p>
<p><b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b></p>	<p>40 Lakh (s)</p>
<p><b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b></p>	<p>3 Year (s)</p>
<p><b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b></p>	<p>Yes</p>
<p><b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b></p>	<p>Yes</p>
<p><b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b></p>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<p><b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b></p>	<p>No</p>
<p><b>Past Performance/विगत प्रदर्शन</b></p>	<p>30 %</p>
<p><b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b></p>	<p>Yes</p>
<p><b>RA Qualification Rule</b></p>	<p>H1-Highest Priced Bid Elimination</p>

<b>Bid Details/बिड विवरण</b>	
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	point 014 inch OTW PTA Balloon Catheter for BTK 2MM
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	4 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	4272105.84
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Group wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

#### **EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
SCHEDULE 1 EMD Amount/ईएमडी राशि (In INR)	3724
SCHEDULE 2 EMD Amount/ईएमडी राशि (In INR)	2938
SCHEDULE 3 EMD Amount/ईएमडी राशि (In INR)	18108
SCHEDULE 4 EMD Amount/ईएमडी राशि (In INR)	32019
SCHEDULE 5 EMD Amount/ईएमडी राशि (In INR)	40524
SCHEDULE 6 EMD Amount/ईएमडी राशि (In INR)	26748
SCHEDULE 7 EMD Amount/ईएमडी राशि (In INR)	3919
SCHEDULE 8 EMD Amount/ईएमडी राशि (In INR)	177

#### **ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है।

एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Commandant

Command Hospital Southern Command Pune 411040, Department of Military Affairs, Indian Army, Ministry of Defence

(Maj Gen B Nambiar)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its



subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### **Evaluation Method ( Group Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Estimated Value</b>	<b>Item/Category</b>	<b>Consignee/Reporting Officer</b>	<b>Consignee Address</b>	<b>Quantity</b>
SCHE DULE 1	124 145. 28	Point 014 Inch Otw Pta Balloon Catheter For Btk 2mm	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
		Point 014 Inch Otw Pta Balloon Catheter For Btk Pointy 5mm Various Sizes 4f Sheath	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
		Point 014 Inchotw Pta Balloon Catheter For Btk 3mm Various Sizes 4f Sheath	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
SCHE DULE 2	979 37.2 8	Pta Balloon Catheter 5fr Various Sizes	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
		Pta Balloon Catheter 4fr Various Sizes	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
SCHE DULE 3	603 617. 28	Peripheral Balloon 0 Point 018 Otw 2 Point 5 X 120 To 200mm 4f Sheath Compatible	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
		Peripheral Balloon 0 Point 018 Otw 2 Point 5 X 120 To 210mm 4f Sheath Compatible	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
		Non Compliant Balloon For Peripheral Vascular Interventions 3 Coma 4 Coma 5 Mm Dia Various Sizes	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	9
		Non Compliant Balloon For Peripheral Vascular Interventions 6 7 7 9 10 12 Mm Dia Varoius Sizes	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	9

		Drug Coated Balloon With Hydrophobic Coating And Loading Tool For Minimal Drug Loss 0 Point 018mm Wire Compatible For Btk	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
		Mustang High Pressure Balloon Various Sizes	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
SCHE DULE 4	106 731 0.72	Point 035 Inch Otw Peripheral Self Expanding Stent 5 To 7mm 4f Sheath Compatible	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	6
		Self Expanding Cover Nitinol Stent Ptfе Graft Both Luminal And External Surface Covered By Graft For Peripheral Vascular Intervention Sizes5mm To 13 Point 5mm Dia Length 20 30 40 60 100 129	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
		Balloon Mounted Stent 5mm To 8mm Assorted Length	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	9
		Balloon Mounted Stent 5mm To 12mm Assorted Length	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
SCHE DULE 5	135 082 5	Intering Vascular Graft	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
		Eptfe Vascular Graft Tapered For Av Access 4 By 7mm X 45cm	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
		Ptee Graft Stretch Bifurcation 14x7mm X 40cm	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
		Ptee Graft Stretch 6mm X 40cm	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3
		Sinus Venous Stent Vascular 12 To18mm Diameter Length Various Sizes	Ananda Suryabhan Shelke	Command Hospital Southern Command, Pune 411040	3

SCHE DULE 6	891 609	Polytetrafluorethylene Ptfе Cv5 90 To 95cms 1by 2 Circle Round Body Double Needle 12 To 25mm	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	15
		Polytetrafluorethylene Ptfе Cv4 90 To 95cms 1 By 2 Circle Round Body Double Needle 12 To 25mm	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	9
		Polytetrafluorethylene Ptfе Cv7 70 To 80cms 3 By 8 Circle Round Body Double Needle 9 To 17mm	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	120
		Polytetrafluorethylene Ptfе Cv8 70 To 80cms 3 By 8 Circle Round Body Double Needle 9 To 17mm	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	72
		Polytetrafluorethylene Ptfе Cv6 70 To 80cms 3 By 8 Circle Round Body Double Needle 9 To 17mm	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	36
SCHE DULE 7	130 747. 68	Pheripheral Cutting Balloon	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	3
SCHE DULE 8	591 3.6	Femoral Puncture Needle For Angiography 7cm Length And 18 G Diameter	Ananda Suryabh an Shelke	Command Hospital Southern Command, Pune 411040	120

### Point 014 Inch OTW PTA Balloon Catheter For BTK 2MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**Point 014 Inch OTW PTA Balloon Catheter For BTK Pointy 5mm Various Sizes 4F Sheath**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**Point 014 Inch OTW PTA Balloon Catheter For BTK 3mm Various Sizes 4F Sheath**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**PTA Balloon Catheter 5Fr Various Sizes**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**PTA Balloon Catheter 4Fr Various Sizes**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**Peripheral Balloon 0 Point 018 OTW 2 Point 5 X 120 To 200mm 4F Sheath Compatible**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**Peripheral Balloon 0 Point 018 OTW 2 Point 5 X 120 To 210mm 4F Sheath Compatible**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****PUNE CITY	6	45

**Non Compliant Balloon For Peripheral Vascular Interventions 3 Coma 4 Coma 5 Mm Dia Various Sizes**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	9	45

### Non Compliant Balloon For Peripheral Vascular Interventions 6 7 7 9 10 12 Mm Dia Varoious Sizes

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	9	45

### Drug Coated Balloon With Hydrophobic Coating And Loading Tool For Minimal Drug Loss 0 Point 018mm Wire Compatible For BTK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**Mustang High Pressure Balloon Various Sizes**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**Point 035 Inch OTW Peripheral Self Expanding Stent 5 To 7mm 4F Sheath Compatible**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	6	45

**Self Expanding Cover Nitinol Stent PTFE Graft Both Luminal And External Surface Covered By Graft For Peripheral Vascular Intervention Sizes5mm To 13 Point 5mm Dia Length 20 30 40 60 100 129**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**Balloon Mounted Stent 5mm To 8mm Assorted Length**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****PUNE CITY	9	45

**Balloon Mounted Stent 5mm To 12mm Assorted Length**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

### Intering Vascular Graft

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

### EPTFE Vascular Graft Tapered For AV Access 4 By 7mm X 45cm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**PTEE Graft Stretch Bifurcation 14X7mm X 40cm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**PTEE Graft Stretch 6mm X 40cm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**Sinus Venous Stent Vascular 12 To18mm Diameter Length Various Sizes**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**Polytetrafluorethylene PTFE CV5 90 To 95cms 1by 2 Circle Round Body Double Needle 12 To 25mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****PUNE CITY	15	45

**Polytetrafluorethylene PTFE CV4 90 To 95cms 1 By 2 Circle Round Body Double Needle 12 To 25mm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	9	45

**Polytetrafluorethylene PTFE CV7 70 To 80cms 3 By 8 Circle Round Body Double Needle 9 To 17mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	120	45

**Polytetrafluorethylene PTFE CV8 70 To 80cms 3 By 8 Circle Round Body Double Needle 9 To 17mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	72	45

**Polytetrafluorethylene PTFE CV6 70 To 80cms 3 By 8 Circle Round Body Double Needle 9 To 17mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	36	45

**Pheripheral Cutting Balloon**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	3	45

**Femoral Puncture Needle For Angiography 7cm Length And 18 G Diameter**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****PUNE CITY	120	45

## **Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

### **1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### **2. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### **3. Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### **4. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### **5. Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### **6. Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### **7. Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### **8. Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

### **9. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 10. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 11. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 12. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 13. **Sample Clause**

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

5

samples for Buyer's approval, within 7 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 10 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**