



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5591149
Dated/दिनांक : 09-11-2024

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 10-12-2024 16:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 10-12-2024 16:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Madhya Pradesh |
| Department Name/विभाग का नाम | Energy Department Madhya Pradesh |
| Organisation Name/संगठन का नाम | Madhya Pradesh Power Generating Company Limited (mppgenco) Jabalpur |
| Office Name/कार्यालय का नाम | Jabalpur |
| Total Quantity/कुल मात्रा | 315 |
| Item Category/मद केटेगरी | Light emitting diode driver (Q4) , LED Luminaire (for Flood Light) as per IS 10322, IS 16107 (Q3) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | Yes |
| Past Performance/विगत प्रदर्शन | 80 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | LED Luminaire (for Flood Light) as per IS 10322, IS 16107 |

Bid Details/बिड विवरण

| | |
|---|-----------------------|
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 3 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Item wise evaluation/ |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 5.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 18 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Sr. A.O. MPPGCL, SARNI
STPS, MPPGCL, SARNI, DISTT. - BETUL, PIN - 460 447 (M.P.)
(Sr. A.o. Mppgcl, Sarni)

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--|----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having

supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 50 % of total quantity as defined/ decided in relevant policy.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| Evaluation Schedules | Item/Category | Quantity |
|----------------------|---|----------|
| Schedule 1 | Light Emitting Diode Driver | 100 |
| Schedule 2 | Light Emitting Diode Driver | 100 |
| Schedule 3 | Led Luminaire (for Flood Light) As Per Is 10322, Is 16107 | 15 |
| Schedule 4 | Led Luminaire (for Flood Light) As Per Is 10322, Is 16107 | 100 |

Light Emitting Diode Driver (100 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|------------------------------------|--|
| Working Properties | Dimming Type | Non-Dimmable |
| | Type | Constant Current LED Driver |
| | Inpur Power | 90.0, 100.0 (Watt) |
| | IP Rating | IP66 |
| | Input voltage (AC) | 230.0 (Volt) |
| | Dimming, percent | NA |
| | Outpur Power | 90.0, 100.0 (Watt) |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| | Material Used | Aluminium |
| | Protection | Over Voltage, Over Current, Short Circuit |

Additional Specification Parameters - Light Emitting Diode Driver (100 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Driver Performance | As per IS: 16104, IEC: 62384 |
| Driver Safety | As per IS: 15885 or IEC: 6137 |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Harshal Kumar Nakhate | 460447,O/o EE (O&M:Stores)-II, STPS, MPPGCL, Sarni | 100 | 30 |

Light Emitting Diode Driver (100 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|------------------------------------|--|
| Working Properties | Dimming Type | Non-Dimmable |
| | Type | Constant Current LED Driver |
| | Output Current in milliampere | 1500 |
| | Input Power | 50.0 (Watt) |
| | IP Rating | IP66 |
| | Input voltage (AC) | 240.0 (Volt) |
| | Dimming, percent | NA |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------------|------------------------------------|--|
| | Output Voltage (DC) | 36.0 (Volt) |
| | Outpur Power | 50.0 (Watt) |
| | Material Used | Aluminium |
| | Protection | Over Voltage, Over Current, Short Circuit |
| Physical Dimensions | Width | 36.0 (millimeter) |
| | Length | 103.0 (millimeter) |
| | Mounting | 110.0 (millimeter) |
| | Depth | 25.0 (millimeter) |
| | Weight (Unpackaged Single Unit) | 122.0 (gram) |
| Wiring Dimensions | Input (Black) Lead Length | 100.0 (millimeter) |
| | Outpur (Gray) Lead Length | 100.0 (millimeter) |
| | Outpur (Purple) Lead Length | 100.0 (millimeter) |
| | Output (Red) Lead Length | 100.0 (millimeter) |
| | Outpur (Blue) Lead Length | 100.0 (millimeter) |
| | Input (White) Lead Length | 100.0 (millimeter) |
| Warranty | Warranty | 1.0 (year) |

Additional Specification Parameters - Light Emitting Diode Driver (100 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Driver Performance | As per IS: 16104, IEC: 62384 |
| Driver Safety | As per IS: 15885 or IEC: 6137 |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| | | | | |

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Harshal Kumar Nakhate | 460447,O/o EE (O&M:Stores)-II, STPS, MPPGCL, Sarni | 100 | 30 |

LED Luminaire (for Flood Light) As Per IS 10322, IS 16107 (15 pieces)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-----------------------|--|---|
| STANDARDS | LED Luminaire conformity to IS:10322/Part 5/Section 5/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest | Yes |
| | LED Rating/System Wattage/Rated Power | 350W |
| | Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest | IP66 |
| | Warranty for free replacement (in Years) | 3 |
| ELECTRICAL EFFICIENCY | Input operating Voltage range and frequency | 140 to 270 V olts AC at 50 Hz+/-2 Hz with auto cutt off at below 120V |
| | Rated voltage | 230 V AC 50 Hz |
| | Total Harmonics Distortion (in %age) | ? 10 |
| OPTICAL | Colour temperature (+/- 500K) | 6000K |
| | Working life for LED (Minimum 50,000 burning hours as per LM-80 report) | Yes |
| | Colour Rendering Index(CRI) | ?70 |
| | Optic lense materal (UV stabilised) (Write NA for without optic lense supply) | Poly carbonate lense |
| THERMAL MANAGEMENT | Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively | Yes |
| | Junction temperature | < 85 degC |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------------------|--|---|
| | Operating temperature range | -20 deg C to +50 deg C |
| PROTECTION | The luminaire shall be protected against surges and transients (Internal) | >/=5KV |
| | The luminaire shall be protected against surges and transients of >/=10KV (External) | Yes |
| CONSTRUCTIONAL | The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity | Yes |
| | Number of electronic control gear (power supplies) | 1 No. |
| | Suitable connector shall be provided for LED connection between driver output and LED | Yes |
| | Length of ISI marked three core wire (shall be provided along with supply of material) | 50 cm |
| REPORTS AND CERTIFICATIONS | LED Make | OSRAM / NICHIA/CREE / SAMSUNG / SEOUL / LUMILED / PHILIPS / EDISON / SYSKA / LUMENMAX / EVERLIGHT / BRIDGELUX / NATIONSTAR / REFOND |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1 | Harshal Kumar Nakhate | 460447,O/o EE (O&M:Stores)-II, STPS, MPPGCL, Sarni | 15 | 30 |

LED Luminaire (for Flood Light) As Per IS 10322, IS 16107 (100 pieces)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-----------------------|--|--|
| STANDARDS | LED Luminaire conformity to IS:10322/Part 5/Section 5/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest | Yes |
| | LED Rating/System Wattage/Rated Power | 90W |
| | Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest | IP66 |
| | Warranty for free replacement (in Years) | 5, 3 |
| ELECTRICAL EFFICIENCY | Input operating Voltage range and frequency | 140 to 270 V olts AC at 50 Hz +/-2 Hz with auto cutt off at below 120V |
| | Rated voltage | 230 V AC 50 Hz |
| | Total Harmonics Distortion (in %age) | ? 10 |
| OPTICAL | Colour temperature (+/- 500K) | 6000K |
| | Working life for LED (Minimum 50,000 burning hours as per LM-80 report) | Yes |
| | Colour Rendering Index(CRI) | ?70 |
| | Optic lense materal (UV stabilised) (Write NA for without optic lense supply) | Poly carbonate lense |
| THERMAL MANAGEMENT | Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively | Yes |
| | Junction temperature | < 85 degC |
| | Operating temperature range | -10 deg C to +50 deg C, -10 deg C to +55 deg C |
| PROTECTION | The luminaire shall be protected against surges and transients (Internal) | >/=5KV, >/=4KV |
| | The luminaire shall be protected against surges and transients of >/=10KV (External) | Yes |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------------------|--|---|
| CONSTRUCTIONAL | The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity | Yes |
| | Number of electronic control gear (power supplies) | 1 No., 4 Nos. |
| | Suitable connector shall be provided for LED connection between driver output and LED | Yes |
| | Length of ISI marked three core wire (shall be provided along with supply of material) | 50 cm |
| REPORTS AND CERTIFICATIONS | LED Make | OSRAM / NICHIA/CREE / SAMSUNG / SEOUL / LUMILED / PHILIPS / EDISON / SYSKA / LUMENMAX / EVERLIGHT / BRIDGELUX / NATIONSTAR / REFOND |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Harshal Kumar Nakhate | 460447, O/o EE (O&M:Stores)-II, STPS, MPPGCL, Sarni | 100 | 30 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

EE (O&M) Store - II, MPPGCL, STPS, Sarni, Betul (MP)
MPPGCL
STPS
Sarni
Betul - 460 447
.

3. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. **Generic**

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

7. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

8. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

9. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

10. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

11. **Generic**

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

12. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

13. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

14. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

15. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Sr. A.O. MPPGCL, SARNI
payable at
SBI SARNI

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

16. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

17. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

18. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

19. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

20. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

IP-66, LM-80 & LM-79 test certificate from National / International Accredited Laboratory & OEM Certificate for compliance BIS/ IEC.

21. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

22. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

23. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

24. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to

such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---