



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5599254  
Dated/दिनांक : 25-11-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-12-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-12-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
Total Quantity/कुल मात्रा	2355
Item Category/मद केटेगरी	Stainless Steel Shelf Rack (Q3) , Rotational Moulded Polyethylene Water Storage Tanks as per IS 12701 (Q3) , Copper Alloy Gate Valve for Waterworks Purpose as per IS 778 (Q3) , Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703 (Q4) , Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest) (Q3) , Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest) (Q3) , Bathroom Water Shower (Q3) , Towel Rail / Ring for Bathroom (Q3) , Waste Pipe (Q3) , Connection Pipe with Nuts (V2) (Q3) , Sinks (Q3) , Bathroom or Toilet Mirror (V2) (Q4) , Flushing Cistern (Q3) , Soap Dish - Case (Q4) , Floor Drain Traps (Q3) , Plywood for General Purposes as per IS 303 (V2) (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Commercial CPVC Pipe Fittings (Q3) , CPVC Industrial Pipe (Q3) , Toilet Seat - Indian Style Squatting Pan (Q3) , Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4) (Q3) , Wire Mesh Fabric or Cloth (V2) as per IS 1568 (Q3) , Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823 (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

**Bid Details/बिड विवरण**

<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	80 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Bathroom Water Shower
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### **Stainless Steel Shelf Rack ( 3 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Configuration</b>	With 4-Shelf (including top shelf)
	<b>Shape of support structure</b>	Angle post
	<b>Ground clearance (mm)</b>	25 mm
	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL & MATERIAL THICKNESS	<b>Shelf material</b>	Stainless Steel Grade 304 galvanized
	<b>Shelf material thickness</b>	0.6 mm
	<b>Support structure material</b>	Stainless Steel Grade 304 galvanized
	<b>Support structure material thickness</b>	0.6 mm
DIMENSION	<b>Width of shelf rack ± 10 mm</b>	915 mm
	<b>Depth of shelf rack ± 10 mm</b>	405 mm
	<b>Height of shelf rack ± 10 mm</b>	1220 mm
	<b>Height of support structure ± 10 mm</b>	1245 mm
	<b>Size of support structure</b>	30 mm x 30 mm
WARRANTY	<b>Warranty period</b>	1 - Year
CERTIFICATION	<b>Test report to be furnished to buyer on demand</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	3	45

**Rotational Moulded Polyethylene Water Storage Tanks As Per IS 12701 ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of Tank	Cylindrical Vertical Tank
	Layers	Double Layered
Size & Dimension	Dimensions of Tank	As Per Table 1 (Cylindrical Tank) of IS 12701 (latest)
	Minimum Net Capacity up to effective height	500.0 (liter)
	Minimum Wall & Bottom Thickness	4.0 (millimeter)
Certifications and Test Report	Availability of test report from central Govt/ NABL/ILAC accredited lab covering all parameters	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	1	45

**Rotational Moulded Polyethylene Water Storage Tanks As Per IS 12701 ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of Tank	Cylindrical Vertical Tank
	Layers	Double Layered
Size & Dimension	Dimensions of Tank	As Per Table 1 (Cylindrical Tank) of IS 12701 (latest)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum Net Capacity up to effective height	1000.0 (liter)
	Minimum Wall & Bottom Thickness	4.5 (millimeter)
Certifications and Test Report	Availability of test report from central Govt/ NABL/ILAC accredited lab covering all parameters	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	1	45

**Rotational Moulded Polyethylene Water Storage Tanks As Per IS 12701 ( 3 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of Tank	Cylindrical Vertical Tank
	Layers	Double Layered
Size & Dimension	Dimensions of Tank	As Per Table 1 (Cylindrical Tank) of IS 12701 (latest)
	Minimum Net Capacity up to effective height	700.0 (liter)
	Minimum Wall & Bottom Thickness	4.4 (millimeter)
Certifications and Test Report	Availability of test report from central Govt/ NABL/ILAC accredited lab covering all parameters	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	3	45

**Rotational Moulded Polyethylene Water Storage Tanks As Per IS 12701 ( 76 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of Tank	Cylindrical Vertical Tank
	Layers	Single Layered
Size & Dimension	Dimensions of Tank	As Per Table 1 (Cylindrical Tank) of IS 12701 (latest)
	Minimum Net Capacity up to effective height	500.0 (liter)
	Minimum Wall & Bottom Thickness	4.0 (millimeter)
Certifications and Test Report	Availability of test report from central Govt/ NABL/ILAC accredited lab covering all parameters	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	76	45

### Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 15 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 2 Valves
	Nominal Size of Valve	20.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

### Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 15 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SIZE / TYPE / DIMENSIONAL / MATERIAL	<b>Classification</b>	Class 2 Valves
	<b>Nominal Size of Valve</b>	25.0 (millimeter)
	<b>Type of Gate Valve</b>	Solid Wedge
	<b>Type of Valves End</b>	Screwed End Valve

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

### Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SIZE / TYPE / DIMENSIONAL / MATERIAL	<b>Classification</b>	Class 2 Valves
	<b>Nominal Size of Valve</b>	40.0 (millimeter)
	<b>Type of Gate Valve</b>	Solid Wedge
	<b>Type of Valves End</b>	Screwed End Valve

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

### Copper Alloy Gate Valve For Waterworks Purpose As Per IS 778 ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SIZE / TYPE / DIMENSIONAL / MATERIAL	Classification	Class 2 Valves
	Nominal Size of Valve	50.0 (millimeter)
	Type of Gate Valve	Solid Wedge
	Type of Valves End	Screwed End Valve

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	10	45

### Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) As Per IS: 1703 ( 75 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SIZE / TYPE / DIMENSIONAL / MATERIAL	Nominal Size	20.0 (millimeter)
	Class	High Pressure
	Material for body and component parts of Float Valves	As per Table 1 (Clause 5.1) of governing specifications

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	75	45

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 50 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 &quot;)
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	50	45

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 30 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Type of Tap/ Valve	Pillar Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 &quot;)
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	30	45

### Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 2 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Concealed Stop Valve
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Brass
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Zinc base alloy
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Forged Brass
	<b>Flange</b>	Brass
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fitted with Pillar Tap</b>	Yes
	<b>Divertor Provided</b>	No
	<b>Flow Straightening Device Fitted with Pillar Tap</b>	Yes
	<b>ISI marked</b>	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 8 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Pillar Tap ( fig 2 RHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Copper tube
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Leaded Tin Bronze
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Forged Brass
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	Yes
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	No
<b>ISI marked</b>	Yes	

**Consignees/Reporting Officer/परेषिती/रिपोटिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोटिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	8	45

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 3 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Wall Mounting Combination Tap assembly (as per fig 5 of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Leaded Tin Bronze
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Zinc base alloy
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Brass Rod (Extruded or Rolled)
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	No
<b>ISI marked</b>	Yes	

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	3	45

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 15 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Bib Tap (fig 3 LHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Leaded Tin Bronze
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Leaded Tin Bronze
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Brass Rod (Extruded or Rolled)
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	Yes
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	Yes
<b>ISI marked</b>	Yes	



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 15 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Bib Tap (fig 3 LHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Leaded Tin Bronze
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Leaded Tin Bronze
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Brass Rod (Extruded or Rolled)
	<b>Flange</b>	Brass
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	No
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	Yes
<b>ISI marked</b>	Yes	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

### Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Angle Stop Valve
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Brass
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Leaded Tin Bronze
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Forged Brass
	<b>Flange</b>	Brass
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	ISI marked	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	10	45

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 12 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Bib Tap (fig 3 LHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Brass
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Leaded Tin Bronze
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Forged Brass
	<b>Flange</b>	Brass
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Aerator Device Fiited with Pillar Tap	No
	Divertor Provided	Yes
	Flow Straightening Device Fiited with Pillar Tap	No
	ISI marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

### Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 12 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Item and Shape	Bib Tap (fig 3 LHS of IS 8931/1993)
	Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut	Leaded Tin Bronze
	Knob, Knob components. Divertor and Divertor Components	Leaded Tin Bronze
	Material of Spindle, Gland, Washer Plate, Nut, screws and pin	Brass Rod (Extruded or Rolled)
	Flange	Leaded Tin Bronze

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Size (mm)	15
	Tap shall be Nickel Chrome Plated	YES
	Thickness of Ni-Cr Coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Aerator Device Fiited with Pillar Tap	No
	Divertor Provided	Yes
	Flow Straightening Device Fiited with Pillar Tap	Yes
	ISI marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

### Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 12 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Item and Shape	Concealed Stop Valve
	Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut	Copper tube

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Plastic
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Brass Rod (Extruded or Rolled)
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	No
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	No
	<b>ISI marked</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 12 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Bib Tap (fig 3 LHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Brass
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Brass
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Brass Rod (Extruded or Rolled)
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	No
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	No
	<b>ISI marked</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

### **Bathroom Water Shower ( 15 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Thickness of Ni-Cr coating	NA
	Types of Shower	Basic ABS Showers
CONSTRUCTION	Material	ABS PLASTIC
	Inlet Length of Shower Pipe (mm)	100.0 (millimeter)
	Shower Diameter / Length (mm)	75
	Shower Width (mm)	50
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

### Bathroom Water Shower ( 6 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Types of Shower	Hand Shower
CONSTRUCTION	Material	Leaded Tin Bronze Grade LTB-2 of IS 318/1981



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Inlet Length of Shower Pipe (mm)	150.0 (millimeter)
	Shower Diameter / Length (mm)	100
	Shower Width (mm)	100
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	6	45

### Bathroom Water Shower ( 25 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Types of Shower	Exposed Rain Showers
CONSTRUCTION	Material	ABS PLASTIC
	Inlet Length of Shower Pipe (mm)	150.0 (millimeter)
	Shower Diameter / Length (mm)	75
	Shower Width (mm)	75
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	25	45

### Towel Rail / Ring For Bathroom ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	1.0 mm
	Color	Steel
	Shape	closed rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
Number of Mounting Bracket	2	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

### Towel Rail / Ring For Bathroom ( 30 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Ring
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass Grade LCB-2 of IS:292/1983 for Towel Ring
	Minimum Thickness of pipe	1.0 mm
	Color	Steel
	Shape	Ring
	Towel Ring Inner Diameter	200 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	NA
	Number of Mounting Bracket	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	30	45

### Towel Rail / Ring For Bathroom ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Leaded Brass Grade DCB-2 of IS 1264/1997 for Towel Ring
	Minimum Thickness of pipe	1.0 mm
	Color	Steel
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

## Waste Pipe ( 15 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of Waste Pipe	Plain
Material	Material of Pipe	PVC
	Material of Waste Coupling attached with Pipe	PVC
Dimension	Basin Connection Size (in mm)	40
	Length of Pipe(in mm)	750
	Pipe Outer Diameter(in mm)	40
	Pipe Wall Thickness(in mm)	1.0

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

## Waste Pipe ( 75 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of Waste Pipe	Flexible
Material	Material of Pipe	PVC
	Material of Waste Coupling attached with Pipe	PVC
Dimension	Basin Connection Size (in mm)	40
	Length of Pipe(in mm)	900
	Pipe Outer Diameter(in mm)	30
	Pipe Wall Thickness(in mm)	2.5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	75	45

### Connection Pipe With Nuts (V2) ( 40 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Transparent Pipe
	Connection Nut Material	Brass, Stainless Steel 304, PTMT Or higher
	Washer Material	Silicon, PVC Or higher
Dimensions	Connection Thread Size(in mm)	15

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of Connection Pipe(in mm)	600
	Pressure Rating(kg/cm <sup>2</sup> )	1 Or higher
	Diameter of Pipe (in mm)	15
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	40	45

### Sinks ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Items	Definition	inset Sink
	Type of Sink	Single bowl without drainer platform
Specification	Conformity to indian standard IS 2963/ IS 3311	No
	Product is BIS marked	No
Material	Material	Austenitic stainless steel of Grade Designation X04Cr19Ni9 (Numerical symbol 304) conforming
Shape, Design and Colour	Top Shape of the Bowl	Rectangular
	Sink with one small bowl	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Tap holes	Without
	No of Tap Holes	NA
	Over Flows Holes	Without
Dimensions	Overall Sink Length (mm)	601-620
	Overall Sink Width (mm)	441-460
	Bowl Length (mm)	541-560
	Bowl width (mm)	401-420
	Depth of Bowl (mm)	221-240
	Small Bowl Length (mm)	NA
	Small Bowl Width (mm)	NA
	Small Bowl depth (mm)	NA
	After Forming SS Sheet/Strip Thickness (mm)	0.86-0.9
	Diameter of Tap holes (mm)	NA
	Distance between two Tap holes (mm)	NA
	Waste outlet Size (mm)	32
Finish	Finish	Polished

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	1	45

### Sinks ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ



\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Items	<b>Definition</b>	Sit-on Sink
	<b>Type of Sink</b>	Single bowl single drainer platform right hand
Specification	<b>Conformity to indian standard IS 2963/ IS 3311</b>	No
	<b>Product is BIS marked</b>	No
Material	<b>Material</b>	Austenitic stainless steel of Grade Designation X04Cr19Ni9 (Numerical symbol 304) conforming
Shape, Design and Colour	<b>Top Shape of the Bowl</b>	Rectangular
	<b>Sink with one small bowl</b>	No
	<b>Tap holes</b>	Without
	<b>No of Tap Holes</b>	NA
	<b>Over Flows Holes</b>	Without
Dimensions	<b>Overall Sink Length (mm)</b>	661-680
	<b>Overall Sink Width (mm)</b>	441-460
	<b>Bowl Length (mm)</b>	401-420
	<b>Bowl width (mm)</b>	340 -360
	<b>Depth of Bowl (mm)</b>	200-220
	<b>Small Bowl Length (mm)</b>	NA
	<b>Small Bowl Width (mm)</b>	NA
	<b>Small Bowl depth (mm)</b>	NA
	<b>After Forming SS Sheet/Strip Thickness (mm)</b>	0.75-0.8
	<b>Diameter of Tap holes (mm)</b>	NA
	<b>Distance between two Tap holes (mm)</b>	NA
	<b>Waste outlet Size (mm)</b>	40
Finish	<b>Finish</b>	Polished

Consignees/Reporting Officer/परेषित्ती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	1	45

### Bathroom Or Toilet Mirror (V2) ( 20 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Mirror Shape</b>	Rectangular
	<b>Frame</b>	With
	<b>Frame Material</b>	Aluminium
	<b>Fixing Arrangement of mirror</b>	Hanging System, Clamp Support, Holes with Screws, Back Support
	<b>Special Feature</b>	NA
Dimension	<b>Width for Rectangular, Diameter for Round, Edge for Square (inch)</b>	17.6-20
	<b>Height/Length of Mirror for Rectangular/ Oval (inch)</b>	20.1-25
	<b>Thickness of Mirror (mm)</b>	3.5-4
Certifications and Test Reports	<b>Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specificatio</b>	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

### Bathroom Or Toilet Mirror (V2) ( 2 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Mirror Shape</b>	Rectangular
	<b>Frame</b>	Without
	<b>Frame Material</b>	NA
	<b>Fixing Arrangement of mirror</b>	Holes with Screws
	<b>Special Feature</b>	NA
Dimension	<b>Width for Rectangular, Diameter for Round, Edge for Square (inch)</b>	35.1-40
	<b>Height/Length of Mirror for Rectangular/ Oval (inch)</b>	45.1-50
	<b>Thickness of Mirror (mm)</b>	3.5-4
Certifications and Test Reports	<b>Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specificatio</b>	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

### Bathroom Or Toilet Mirror (V2) ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Mirror Shape</b>	Round, Square, Rectangular, Oval
	<b>Frame</b>	Without
	<b>Frame Material</b>	NA
	<b>Fixing Arrangement of mirror</b>	Back Support
	<b>Special Feature</b>	NA
Dimension	<b>Width for Rectangular, Diameter for Round, Edge for Square (inch)</b>	5.1-7.5, 7.6-10, 10.1-12.5, 12.6-15, 15.1-17.5, 17.6-20, 20.1-25, 25.1-30, 30.1-35, 35.1-40, 40.1-45, 45.1-50
	<b>Height/Length of Mirror for Rectangular/ Oval (inch)</b>	5.1-7.5, 7.6-10, 10.1-12.5, 12.6-15, 15.1-17.5, 17.6-20, 20.1-25, 25.1-30, 30.1-35, 35.1-40, 40.1-45, 45.1-50, 50.1-55, 55.1-60, 60.1-65, 65.1-70, NA
	<b>Thickness of Mirror (mm)</b>	3.5-4
Certifications and Test Reports	<b>Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specificatio</b>	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	1	45

### Bathroom Or Toilet Mirror (V2) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Mirror Shape</b>	Rectangular
	<b>Frame</b>	Without
	<b>Frame Material</b>	Glass
	<b>Fixing Arrangement of mirror</b>	Hanging System, Clamp Support, Holes with Screws, Back Support
	<b>Special Feature</b>	Touch screen sensor with waterproof IP44, Anti fog function, Energy Efficiency lighting, NA
Dimension	<b>Width for Rectangular, Diameter for Round, Edge for Square (inch)</b>	15.1-17.5
	<b>Height/Length of Mirror for Rectangular/ Oval (inch)</b>	12.6-15
	<b>Thickness of Mirror (mm)</b>	5.1-7.5
Certifications and Test Reports	<b>Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specificatio</b>	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	10	45

### Bathroom Or Toilet Mirror (V2) ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Mirror Shape</b>	Rectangular
	<b>Frame</b>	Without
	<b>Frame Material</b>	NA
	<b>Fixing Arrangement of mirror</b>	Clamp Support
	<b>Special Feature</b>	NA
Dimension	<b>Width for Rectangular, Diameter for Round, Edge for Square (inch)</b>	45.1-50
	<b>Height/Length of Mirror for Rectangular/ Oval (inch)</b>	45.1-50
	<b>Thickness of Mirror (mm)</b>	3.5-4
Certifications and Test Reports	<b>Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specificatio</b>	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	1	45

### Flushing Cistern ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Push Button Type
	Flushing Operation	Dual Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	NA
	Material of Cistern	Acrylonitrile-Butadiene-Styrene (ABS)
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

### Flushing Cistern ( 12 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Lever Type
	Flushing Operation	Single Flush System
	CAPACITY OF THE CISTERN IN LITRES	5 LTR
	Flush Pipe	Without
MATERIAL	Material of Flush Pipe	PVC
	Material of Cistern	HDPE
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

### Flushing Cistern ( 5 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Lever Type
	Flushing Operation	Single Flush System
	CAPACITY OF THE CISTERN IN LITRES	6 LTR
	Flush Pipe	With



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material of Flush Pipe	PVC
	Material of Cistern	Acrylonitrile-Butadiene-Styrene (ABS)
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	5	45

### Flushing Cistern ( 12 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Push Button Type
	Flushing Operation	Single Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	Without
MATERIAL	Material of Flush Pipe	HDPE
	Material of Cistern	PP
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

**Flushing Cistern ( 15 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Lever Type
	Flushing Operation	Single Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	PVC
	Material of Cistern	Acrylonitrile-Butadiene-Styrene (ABS)
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	4

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

### Soap Dish - Case ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material	Material of the box	Stainless Steel
Lid Details	Type of Lid	TRANSPARENT
	Lid type (according to fixation)	HINGED

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

### Soap Dish - Case ( 20 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material	Material of the box	Stainless Steel
Lid Details	Type of Lid	TRANSPARENT
	Lid type (according to fixation)	DETACHABLE

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

### Floor Drain Traps ( 100 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Floor trap drains	MS SHEET WITH CHROME POLISH
	Shape of Trap	Round Shape
	LOAD CLASSIFICATION OF DRAIN TRAP (LOAD CAPACITY IN KG PER SQUARE CENTIMETER)	HEAVY DUTY 18.2 KGF CM2
DIMENSION	Thickness of Trap Material in mm (+/- 0 point 1 mm)	1.25
	LENGTH of Trap in mm (+/- 10 mm)	Circular
	Width (Diameter in case of circular) of Trap in mm (+/- 10 mm)	150
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	100	45

### Floor Drain Traps ( 35 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Floor trap drains	SS 304
	Shape of Trap	Round Shape
	LOAD CLASSIFICATION OF DRAIN TRAP (LOAD CAPACITY IN KG PER SQUARE CENTIMETER)	HEAVY DUTY 18.2 KGF CM2
DIMENSION	Thickness of Trap Material in mm (+/- 0 point 1 mm)	0.88
	LENGTH of Trap in mm (+/- 10 mm)	110
	Width (Diameter in case of circular) of Trap in mm (+/- 10 mm)	110
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	35	45

### Plywood For General Purposes As Per IS 303 (V2) ( 160 square foot )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Plywood for General Purposes</b>	BIS specification no. IS 303 : 1989 (Reaffirmed 2018 and with latest amendment)
	<b>Grades</b>	Boiling Water Resistant or BWR Grade
	<b>Types(based on Classification)</b>	Type AA
DIMENSION	<b>Dimension of Plywood Board (Foot x Foot)</b>	8 x 4 (foot)
	<b>Plywood thickness with number of ply board</b>	19 mm thickness with 9 ply
WARRANTY	<b>Warranty periods</b>	2 Years
TESTING AND CERTIFICATION	<b>BIS marked</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	160	45

**Plywood For General Purposes As Per IS 303 (V2) ( 64 square foot )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Plywood for General Purposes</b>	BIS specification no. IS 303 : 1989 (Reaffirmed 2018 and with latest amendment)
	<b>Grades</b>	Boiling Water Resistant or BWR Grade
	<b>Types(based on Classification)</b>	Type AA
DIMENSION	<b>Dimension of Plywood Board (Foot x Foot)</b>	8 x 4 (foot)
	<b>Plywood thickness with number of ply board</b>	12 mm thickness with 7 ply
WARRANTY	<b>Warranty periods</b>	2 Years
TESTING AND CERTIFICATION	<b>BIS marked</b>	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	64	45

### Plywood For General Purposes As Per IS 303 (V2) ( 128 square foot )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Plywood for General Purposes</b>	BIS specification no. IS 303 : 1989 (Reaffirmed 2018 and with latest amendment)
	<b>Grades</b>	Boiling Water Resistant or BWR Grade

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Types(based on Classification)	Type AA
DIMENSION	Dimension of Plywood Board (Foot x Foot)	8 x 4 (foot)
	Plywood thickness with number of ply board	6 mm thickness with 3 ply
WARRANTY	Warranty periods	2 Years
TESTING AND CERTIFICATION	BIS marked	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	128	45

### Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 20 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961, Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 15 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	Material of Waste Fitting	Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	3

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 40 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	<b>Material of Waste Fitting</b>	Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	<b>Nominal Size</b>	32 mm for washbasin
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	40	45

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 40 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	<b>Material of Waste Fitting</b>	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	<b>Nominal Size</b>	50 mm for sink
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	3

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	40	45

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 12 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	<b>Material of Waste Fitting</b>	Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	<b>Nominal Size</b>	50 mm for sink
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

**Waste Fittings For Washbasin And Sinks As Per IS 2963 ( 12 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	Nominal Size	50 mm for sink
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	3

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

### Commercial CPVC Pipe Fittings ( 50 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Elbow 90°(brass)
Classification	Classification of Pipes(working Pressure )	Class 2(SDR-13.5)
Dimension	Nominal Size (in mm)	20
	Reduced Nominal size (in mm)	NA

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	50	45

**Commercial CPVC Pipe Fittings ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Tee
Classification	Classification of Pipes(working Pressure )	Class 1(SDR-11)
Dimension	Nominal Size (in mm)	20
	Reduced Nominal size (in mm)	20

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	5	45

**Commercial CPVC Pipe Fittings ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Coupler
Classification	Classification of Pipes(working Pressure )	Class 2(SDR-13.5)
Dimension	Nominal Size (in mm)	20
	Reduced Nominal size (in mm)	20

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	5	45

### Commercial CPVC Pipe Fittings ( 20 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Elbow 90°
Classification	Classification of Pipes(working Pressure )	Class 1(SDR-11)
Dimension	Nominal Size (in mm)	20
	Reduced Nominal size (in mm)	20

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

**Commercial CPVC Pipe Fittings ( 20 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Coupler
Classification	Classification of Pipes(working Pressure )	Class 1(SDR-11)
Dimension	Nominal Size (in mm)	20
	Reduced Nominal size (in mm)	25

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

**CPVC Industrial Pipe ( 18 meter )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design & Dimensions	Nominal Pipe Size	3/4 inch
	Type	Schedule 40

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	18	45

### Toilet Seat - Indian Style Squatting Pan ( 30 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Pattern and Sizes	Long Pattern Squatting Pan, Type I (Size 580 mm )
	Flushing Rim Type	No Flushing Rim
	Type of Trap	NA
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	30	45

### Sinks / Wash Basins - Vitreous China As Per IS 2556 (Part 4) ( 8 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Indian Standard	IS: 2556 (Part - 4) Latest
	Pattern	Angle Back
CONSTRUCTION	Overall length (cm) (±10)	60
	Overall Breadth (cm) (±10)	40
	Overall Height (cm) (±10)	40
	Bottle Trap	Without
	Shape	Semi Circle
	Height of the Pedstal (cm) (±10)	No Pedastal
PERFORMANCE	Fixing Arrangement	Bracket Stud
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	8	45

**Wire Mesh Fabric Or Cloth (V2) As Per IS 1568 ( 20 kilogram )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	<b>Product ISI marked</b>	Yes, No
Product & Material	<b>Material</b>	Brass, Bronze, Mild steel, Aluminium alloy, Plastic
	<b>Protective covering on the wire</b>	Yes, No
Design & Dimension	<b>Aperture</b>	Square
	<b>Average width of Aperture</b>	1.40mm
	<b>Nominal diameter of mesh Wire(mm)</b>	0.32
	<b>Length of woven wire cloth (meter)</b>	15
	<b>Width of woven wire cloth (mm)</b>	1200
Reports and Certifications	<b>Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification</b>	No
	<b>Test Report to be furnished to the buyer on demand</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

**Soap Dish - Case ( 30 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material	Material of the box	Stainless Steel
Lid Details	Type of Lid	TRANSPARENT, OPAQUE, NOT APPLICABLE
	Lid type (according to fixation)	HINGED

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	30	45

**Commercial CPVC Pipe Fittings ( 60 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Coupler, Equal tee, Reducer, Elbow 45°, Elbow 90°, Elbow 90°(brass), Cross tee, Transition Bush, Union, Female thread adapter(plastic), female thread adapter(brass insert), Male thread adapter(plastic), Short bend, End cap, Female thread elbow(brass insert), Ball valve, Tank connector for pipe as per IS 15778:Latest, Female threaded tee(brass insert), Bypass bend, Elbow holder, Male adapter plastic threaded, Tank nipple, Converter bushing, Tank nipple(with one side pipe fitment), Tee, Male adapter brass threaded, Reducer elbow 90°, Reducer Coupler, Reducer Tee, Female adapter brass threaded, tee(brass), Threaded end plug, Reducing Female adapter brass threaded, Bushing, Step over Bend, Elbow 90° (SCH 80), Coupler (SCH 80), Bushings SCH 40, End Cap (SCH 80), Flange End Cap Open, Flange End Cap Closed, Short Bend, Female Adapter Plastic threaded(SCH 80), Male Adapter Plastic Threaded (SCH 80), Elbow 45°(SCH 80), Bushings SCH 80
Classification	Classification of Pipes(working Pressure )	Class 1(SDR-11)
Dimension	Nominal Size (in mm)	20
	Reduced Nominal size (in mm)	20

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	60	45

**Commercial CPVC Pipe Fittings ( 3 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Coupler, Equal tee, Reducer, Elbow 45°, Elbow 90°, Elbow 90°(brass), Cross tee, Transition Bush, Union, Female thread adapter(plastic), female thread adapter(brass insert), Male thread adapter(brass insert), Male thread adapter(plastic), Short bend, End cap, Female thread elbow(brass insert), Ball valve, Tank connector for pipe as per IS 15778:Latest, Female threaded tee(brass insert), Bypass bend, Elbow holder, Male adapter plastic threaded, Tank nipple, Converter bushing, Tank nipple(with one side pipe fitment), Tee, Male adapter brass threaded, Reducer elbow 90°, Reducer Coupler, Reducer Tee, Female adapter brass threaded, tee(brass), Threaded end plug, Reducing Female adapter brass threaded, Bushing, Step over Bend, Elbow 90° (SCH 80), Coupler (SCH 80), Bushings SCH 40, End Cap (SCH 80), Flange End Cap Open, Flange End Cap Closed, Short Bend, Female Adapter Plastic threaded(SCH 80), Male Adapter Plastic Threaded (SCH 80), Elbow 45°(SCH 80), Bushings SCH 80
Classification	Classification of Pipes(working Pressure )	Class 2(SDR-13.5)
Dimension	Nominal Size (in mm)	40
	Reduced Nominal size (in mm)	40

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	3	45

### Commercial CPVC Pipe Fittings ( 20 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Short Bend
Classification	Classification of Pipes(working Pressure )	Class 1(SDR-11)
Dimension	Nominal Size (in mm)	40
	Reduced Nominal size (in mm)	40

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

### Bathroom Water Shower ( 30 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Types of Shower	Hand Shower
CONSTRUCTION	Material	Cast Brass Grade LCB-2 of IS:292/1983
	Inlet Length of Shower Pipe (mm)	100.0 (millimeter)
	Shower Diameter / Length (mm)	50
	Shower Width (mm)	50
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	3

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	30	45

**Prelaminated Particle Boards From Wood And Other Lignocellulosic Material (V2) As Per IS 12823 ( 128 square foot )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Prelaminated Particle Boards from Wood and Other Lignocellulosic Material</b>	BIS specification no. IS 12823:2015 (with latest amendment)
	<b>Product grades and types with designation</b>	Grade I: Type II (Designation PLB-12)
	<b>The product conforming to the requirement of ECO-Mark</b>	No
	<b>Density (Kg per Cubic Meter)</b>	500 - 550
MATERIAL	<b>Product manufacturing from</b>	Synthetic resin bonded flat pressed three layer particle board
DIMENSION	<b>Length</b>	8 feet
	<b>Width</b>	4 feet
	<b>Thickness</b>	20 mm
FINISH	<b>Product surface finish</b>	Glossy
TESTING AND CERTIFICATION	<b>BIS marked</b>	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	N/A

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	128	45

**Prelaminated Particle Boards From Wood And Other Lignocellulosic Material (V2) As Per IS 12823 ( 256 square foot )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Prelaminated Particle Boards from Wood and Other Lignocellulosic Material	BIS specification no. IS 12823:2015 (with latest amendment)
	Product grades and types with designation	Grade I: Type II (Designation PLB-12)
	The product conforming to the requirement of ECO-Mark	No



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density (Kg per Cubic Meter)	500 - 550
MATERIAL	Product manufacturing from	Synthetic resin bonded flat pressed three layer particle board
DIMENSION	Length	8 feet
	Width	4 feet
	Thickness	12 mm
FINISH	Product surface finish	Glossy
TESTING AND CERTIFICATION	BIS marked	No
	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	N/A

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	256	45

**Prelaminated Particle Boards From Wood And Other Lignocellulosic Material (V2) As Per IS 12823 ( 320 square foot )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Prelaminated Particle Boards from Wood and Other Lignocellulosic Material</b>	BIS specification no. IS 12823:2015 (with latest amendment)
	<b>Product grades and types with designation</b>	Grade II: Type III (Designation PLB-23)
	<b>The product conforming to the requirement of ECO-Mark</b>	Yes
	<b>Density (Kg per Cubic Meter)</b>	551 - 600
MATERIAL	<b>Product manufacturing from</b>	Synthetic resin bonded flat pressed three layer particle board
DIMENSION	<b>Length</b>	8 feet
	<b>Width</b>	4 feet
	<b>Thickness</b>	9 mm
FINISH	<b>Product surface finish</b>	Glossy
TESTING AND CERTIFICATION	<b>BIS marked</b>	No
	<b>Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification</b>	No
	<b>Test reports to be furnished to buyer on demand, if claimed to be available</b>	N/A

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	320	45

**Special terms and conditions-Version:1 effective from 03-09-2024 for category Plywood for General Purposes as per IS 303 (V2)**

**1. Note to Buyers:**

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

**Note to Sellers:**

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

**Special terms and conditions-Version:1 effective from 03-09-2024 for category Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823**

**1. Note to Buyers:**

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

**Note to Sellers:**

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 5. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### 6. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 7. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 8. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

### 9. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

### 10. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the

Bid document, ATC and Corrigendum if any.

**11. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**12. Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

**13. Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**14. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

ATC: :-

1. REQUIRED GSTR 06 CERTIFICATE
2. PAST PERFORMANCE AND EXPERIENCE FOR PRIMARY ITEM ONLY AND MENTIONED BRAND,
3. REQUIRED OEM TURNOVER AND OEM AUTHORIZATION FOR ALL THE BRANDED ITEM WHICH WILL BE QUOTED AND ON OEM AUTHORIZATION BID NUMBER SHOULD BE MENTIONED,
4. REQUIRED TECHNICAL SPECIFICATION OF PRODUCT ON OEM LETTER HEAD,
5. MII CERTIFICATE TO BE UPLOADED ,
6. REQUIRED WARRANTY CERTIFICATE,
7. BIS LICENCE,
8. REQUIRED TEST REPORT.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**