



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5600929  
Dated/दिनांक : 25-11-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-12-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-12-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
Total Quantity/कुल मात्रा	282
Item Category/मद केटेगरी	HYDRAULICALLY REGULATED DOOR CLOSERS (Q3) , Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 (Q2) , Tower Bolts (Ferrous Metals) as per IS 204 (Q3) , Door Handles as per IS 208 (Q4) , Hasps and Staples as per IS 363 (Q3) , Stainless Steel Butt Hinges as per IS 12817 (Q3) , Wood screws (Q3) , wire nails (Q4) , Urinal Bowls as per IS 2556 (Part 6) (Q3) , Towel Rail / Ring for Bathroom (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	80 %

<b>Bid Details/बिड विवरण</b>	
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	HYDRAULICALLY REGULATED DOOR CLOSERS
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid

for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## HYDRAULICALLY REGULATED DOOR CLOSERS ( 2 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Types of door closers</b>	Bottle type (Type A) – As per Fig. 1 and 2 of governing specification, Tubular type (Type B)- As per Fig. 3 and 4 of governing specification
	<b>Nominal sizes of door closers</b>	Designation of closer: 3 – for main doors in a building such as entrance doors (Mass of door 61 to 80 Kgs
	<b>Scope of supply</b>	Knocked Down to be Assembled at Consignee Site by Consignee Himself
	<b>Type of Closer (based on direction of the opening of door)</b>	Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)
	<b>Closing time of regulating screw</b>	15 Secs
MATERIAL FOR COMONENT PARTS	<b>Non-porous body and back plate</b>	Aluminium alloy confmg. to IS 617 : latest
	<b>Torsion spring helcal spring</b>	Steel confmg. to IS 4454 (PART 2) : latest
	<b>Nuts</b>	Cast iron confmg. to IS 210 : latest
	<b>Piston or Rack-piston/pinion</b>	Cast iron confmg. to IS 210 : latest
	<b>Packing / Washers</b>	Cork sheet confmg. to IS 4253 (Part 1) : latest
	<b>Control valve screw</b>	Brass confmg. to IS 292 : latest
	<b>Adjusting Arm</b>	Aluminium alloy confmg. to IS 617 : latest
	<b>Main Arm</b>	Aluminium alloy confmg. to IS 617 : latest
<b>Clamp</b>	Cast iron confmg. to IS 210 : latest	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Concentric ratcher (For bottle type)</b>	Steel confmg. to IS 7283 : latest
	<b>Internal bearing and gland</b>	Cast iron confmg. to IS 210 : latest
	<b>Pawl</b>	Steel confmg. to IS 7283 : latest
	<b>Top lid</b>	Steel sheet confmg. to IS 513 : latest
FINISHING	<b>Finish of door closer</b>	Be polished and finished with lacquer in colours
WARRANTY	<b>Warranty period</b>	1 - Year
CERTIFICATION	<b>ISI Mark</b>	No
	<b>Test reports in respect of to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 14001:2015 certified</b>	No
	<b>OEM of offered product is ISO 18001:2007 certified</b>	No

**Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़**

Applicable Specification Document	<a href="#">View</a>
-----------------------------------	----------------------

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

**Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 ( 40 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Governing Specification</b>	As per IS 204
	<b>BIS Marked</b>	Yes
	<b>Type of tower bolts as per CI 3.1 of IS 204</b>	Barrel Tower Bolts
	<b>Sub-type of tower bolts as per CI 3.1 of IS 204</b>	Brass Barrel Tower Bolts (Type - 1A)
MATERIAL	<b>Material of Aluminium alloy tubes as per Table 3 of IS 204( Part 2)</b>	designation 63400 WP or 63400 P of IS 1285
	<b>Material of Aluminium alloy extruded rods as per Table 3 of IS 204( Part 2)</b>	Designation 65032 WP of IS 733
	<b>Brass sheets as per Table 3 of IS 204( Part 2)</b>	Alloy designation CuZn 40 Condition HD of IS 410
	<b>Cast brass as per Table 3 of IS 204( Part 2)</b>	Grade CB.2 of IS 292
	<b>Extruded brass as per Table 3 of IS 204( Part 2)</b>	Type II Half hard condition of IS 319
	<b>Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)</b>	Alloy Zn A14 Die casting of IS 742
Constructional	<b>Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)</b>	Screwed
	<b>Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)</b>	Yes
	<b>Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)</b>	Yes
DIMENSIONS	<b>Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)</b>	150
	<b>Diameter of Barrel and Skeleton Tower bolts (mm)</b>	10.0
	<b>Width of Barrel Tower bolts (mm)</b>	32
	<b>Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts</b>	6
	<b>Length of socket as per Table 1 of IS 204 (Part 2)</b>	25

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1.5
	<b>Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1.6
	<b>Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)</b>	1-1.25
	<b>Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)</b>	NA
	<b>Width of Bolt plate or staple of Skeleton tower bolts (mm)</b>	NA
	<b>Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts</b>	NA
	<b>Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)</b>	NA
	<b>Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)</b>	NA
	<b>Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)</b>	NA
	<b>No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)</b>	NA
Marking and Packing	<b>Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)</b>	Yes
	<b>Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)</b>	Yes
TEST REPORT	<b>Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest</b>	Yes
	<b>Test reports to be furnished to buyer on demand</b>	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	40	45

**Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 ( 15 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Governing Specification</b>	As per IS 204
	<b>BIS Marked</b>	Yes
	<b>Type of tower bolts as per CI 3.1 of IS 204</b>	Barrel Tower Bolts
	<b>Sub-type of tower bolts as per CI 3.1 of IS 204</b>	Aluminium Alloy Barrel Tower Bolts (Type - 4A)
MATERIAL	<b>Material of Aluminium alloy tubes as per Table 3 of IS 204( Part 2)</b>	designation 63400 WP or 63400 P of IS 1285
	<b>Material of Aluminium alloy extruded rods as per Table 3 of IS 204( Part 2)</b>	Designation 65032 WP of IS 733
	<b>Brass sheets as per Table 3 of IS 204( Part 2)</b>	Alloy designation CuZn 40 Condition HD of IS 410
	<b>Cast brass as per Table 3 of IS 204( Part 2)</b>	Grade CB.2 of IS 292
	<b>Extruded brass as per Table 3 of IS 204( Part 2)</b>	Type II Half hard condition of IS 319
	<b>Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)</b>	Alloy Zn A14 Die casting of IS 742
Constructional	<b>Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)</b>	Integrated with Bolt

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	Yes
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	Yes
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	100
	Diameter of Barrel and Skeleton Tower bolts (mm)	10.0
	Width of Barrel Tower bolts (mm)	32
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6
	Length of socket as per Table 1 of IS 204 (Part 2)	25
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.5
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.6
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA	



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	Yes
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	Yes
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	No
	Test reports to be furnished to buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	15	45

**Tower Bolts (Ferrous Metals) As Per IS 204 ( 4 pieces )**

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Item	"Barrel Tower Bolts (Type - 1A)", "Barrel Tower Bolts (Type - 1B)", "Semi-Barrel Tower Bolts (Type - 1A)", "Semi-Barrel Tower Bolts (Type - 2B)", "Semi-Barrel Tower Bolts (Type - 3A)", "Semi-Barrel Tower Bolts (Type - 3B)", "Riveted or Spot Welded Tower Bolts (Type - 4A)", "Riveted or Spot Welded Tower Bolts (Type - 4B)", "Skeleton Tower Bolts (Type - 5)"
SPECIFICATION	Conforming to Specification - no IS: 204 (Part 1), latest	Yes
FILTER	Shape of the Bolt	Round
	Fixing of knob with Bolt	Screwed
	Bolt's Finish	Bright Finished
	Other Part of Tower Bolt Finish	Bright Finished
DIMENSIONS	"Barrel Tower Bolts size (mm)"	300
	Semi-Barrel Tower Bolts size (mm)	300
	Riveted or Spot Welded Tower Bolts size (mm)	300
	"Skeleton Tower Bolts size (mm)"	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

**Door Handles As Per IS 208 ( 75 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	75	45

**Door Handles As Per IS 208 ( 20 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

**Hasps And Staples As Per IS 363 ( 50 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Types	Type 1(Mild steel hasps and staples- safety type), Type 1 (brass hasps and staples- safety type), Type 1 (aluminium alloy hasps and staples- safety type), Type 2(Mild steel hasps and staples- wire type)
Dimension	Type 1 Size (in mm)	NA
	Type 2 Size (in mm)	75
Finish	Finish	Anodized

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	50	45

### Stainless Steel Butt Hinges As Per IS 12817 ( 20 pieces )

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Types	Heavy weight unequal flap hinges
Materials	Material of Flap	Stainless Steel Grades X07Cr18Ni9 of IS 6911
	Material of Pin	Stainless Steel Grades X10Cr17Mn6Ni4N of IS 6528
DIMENSION	Equal Size of Hinge(in mm)	100
	Unequal Size of Hinge(in mm)	50 x 12 x 19

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	20	45

**Stainless Steel Butt Hinges As Per IS 12817 ( 10 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Types	Light weight unequal flap hinges,Medium weight hinges
Materials	Material of Flap	Stainless Steel Grades X15Cr16Ni2 of IS 6911
	Material of Pin	Stainless Steel Grades X10Cr17Mn6Ni4N of IS 6528
DIMENSION	Equal Size of Hinge(in mm)	75
	Unequal Size of Hinge(in mm)	NA

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	10	45

**Wood Screws ( 2 kilogram )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Slotted raised countersunk head wood screws as per IS 6736:Latest, Slotted round head wood screws as per IS 6739: Latest, Slotted countersunk head wood screws as per is 6760:Latest
Material	Material	Stainless Steel 304
Specification	Conformity to IS	No
	ISI Marked	No
Dimension	Screw Number	7
	Length of screw(in mm)	20

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

### Wood Screws ( 2 kilogram )

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Item	Slotted raised countersunk head wood screws as per IS 6736:Latest, Slotted round head wood screws as per IS 6739: Latest, Slotted countersunk head wood screws as per is 6760:Latest
Material	Material	Stainless Steel 304
Specification	Conformity to IS	No
	ISI Marked	No
Dimension	Screw Number	7
	Length of screw(in mm)	25

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

### Wire Nails ( 5 box )

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	Conformity to standards	IS:6738 (Latest) for Panel Pins and Lost Head Nails
	BIS Marked	No
Performance Parameters	Type of Nails	Panel Pins, Lost Head Nail, Countershunk Head Wire Nail
	Head type	With Head
Dimensional and Material Parameters	Size ( Diameter of Shank ) in mm	4
	Length in mm	100
Packing Parameters	Net weight of package / Box (Grams)	1000

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	5	45

### Wire Nails ( 2 box )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	Conformity to standards	IS:723 (Latest) for Countersunk Head Wire Nail
	BIS Marked	No
Performance Parameters	Type of Nails	Panel Pins, Lost Head Nail, Countersunk Head Wire Nail
	Head type	With Head
Dimensional and Material Parameters	Size ( Diameter of Shank ) in mm	2.8
	Length in mm	40
Packing Parameters	Net weight of package / Box (Grams)	1000

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

### Wire Nails ( 2 box )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	Conformity to standards	IS:6738 (Latest) for Panel Pins and Lost Head Nails
	BIS Marked	No
Performance Parameters	Type of Nails	Panel Pins, Lost Head Nail, Countershunk Head Wire Nail
	Head type	With Head
Dimensional and Material Parameters	Size ( Diameter of Shank ) in mm	2.8
	Length in mm	50
Packing Parameters	Net weight of package / Box (Grams)	1000

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

### Wire Nails ( 4 box )

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	Conformity to standards	IS:723 (Latest) for Countershunk Head Wire Nail
	BIS Marked	No
Performance Parameters	Type of Nails	Panel Pins, Lost Head Nail, Countershunk Head Wire Nail
	Head type	With Head
Dimensional and Material Parameters	Size ( Diameter of Shank ) in mm	2.8
	Length in mm	25

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Packing Parameters	Net weight of package / Box (Grams)	500

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	4	45

### Wire Nails ( 2 box )

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	Conformity to standards	IS:723 (Latest) for Countershunk Head Wire Nail
	BIS Marked	Yes
Performance Parameters	Type of Nails	Panel Pins, Lost Head Nail, Countershunk Head Wire Nail
	Head type	With Head
Dimensional and Material Parameters	Size ( Diameter of Shank ) in mm	2
	Length in mm	50
Packing Parameters	Net weight of package / Box (Grams)	1000

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

**Wire Nails ( 2 box )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	Conformity to standards	IS:723 (Latest) for Countershunk Head Wire Nail
	BIS Marked	No
Performance Parameters	Type of Nails	Panel Pins, Lost Head Nail, Countershunk Head Wire Nail
	Head type	With Head
Dimensional and Material Parameters	Size ( Diameter of Shank ) in mm	1
	Length in mm	25
Packing Parameters	Net weight of package / Box (Grams)	1000

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	2	45

**Urinal Bowls As Per IS 2556 (Part 6) ( 5 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	ISI Marking	Yes, No
DIMENSIONS	Patterns of Urinal as per Clause 5.1 of IS 2556 (Part 6)	Wall-hung urinal (flat back) with flushing rim
	Size of Urinals (mm) as per Clause 5.1 of IS 2556 (Part 6)	440 × 265 × 315 with top and bottom fixing arrangements
	Minimum distance of Urinal (in mm) As Per Table 1 of IS 2556 (Part 6)	140
	In a sensor operated urinal, the sensors may also be separately placed on the wall and connected with the urinals through pipe for water supply in the urinal as per clause 5.4 of IS 2556 (Part 6) (Select NA for Urinals other than Sensor operated)	NA
WARRANTY	Warranty (Years)	2, 3, 4 Or higher
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	5	45

**Towel Rail / Ring For Bathroom ( 12 pieces )**

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail, Towel Ring, Robehook Behind Every Door
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Stainless Steel(SS 304)
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	closed rectangle
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	35 mm
	Length of Towel Rail(mm)	NA
	Number of Mounting Bracket	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	12	45

**Towel Rail / Ring For Bathroom ( 8 pieces )**

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail, Towel Ring, Robehook Behind Every Door
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CONSTRUCTIONAL	Material	Stainless Steel(SS 304)
	Minimum Thickness of pipe	1.0 mm
	Color	Steel
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	NA
	Number of Mounting Bracket	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Bangalore	8	45

**Special terms and conditions-Version:1 effective from 25-09-2024 for category Door Handles as per IS 208**

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products->

## **Special terms and conditions-Version:1 effective from 25-09-2024 for category Stainless Steel Butt Hinges as per IS 12817**

### 1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

### Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

## **Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

### 1. **Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 5. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

**6. Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

**7. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**8. Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

**9. Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

**10. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**11. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**12. Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

**13. Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**14. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

ATC:-

1. REQUIRED GSTR 06 CERTIFICATE

2. PAST PERFORMANCE AND EXPERIENCE FOR PRIMARY ITEM ONLY AND MENTIONED BRAND,



3. REQUIRED OEM TURNOVER AND OEM AUTHORIZATION FOR ALL THE BRANDED ITEM WHICH WILL BE QUOTED AND ON OEM AUTHORIZATION BID NUMBER SHOULD BE MENTIONED,
4. REQUIRED TECHNICAL SPECIFICATION OF PRODUCT ON OEM LETTER HEAD,
5. MII CERTIFICATE TO BE UPLOADED ,
6. REQUIRED WARRANTY CERTIFICATE,
7. BIS LICENCE,
8. REQUIRED TEST REPORT.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**