



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5603565  
Dated/दिनांक : 13-11-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	25-11-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	25-11-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	15 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Bhabha Atomic Research Centre
Office Name/कार्यालय का नाम	Mumbai
Total Quantity/कुल मात्रा	3
Item Category/मद केटेगरी	Modular Control Desk (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	150000
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

**Modular Control Desk ( 3 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Types of control workstation</b>	Applications in transport control, Applications in process control, Applications in Security installation
	<b>Flat display screens for the presentation of information</b>	YES, NO
	<b>Style of control workstation confmg to cl 3 [point]1 of governing specification</b>	Single working position, Multiple working position
	<b>Anticipated working postures</b>	Sitting, Standing
	Hidden wire management - all the cables to be taken into the cabinet through desk leg - desk leg shall have snap fit covers on the sides to access wiring	YES
	<b>Scope of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Front edge of the console - nosing will be mechanically replaceable in the event of damage or wear</b>	Removable
	<b>Details of Electricity Provision</b>	1 no.6way PDU industrial grade with 16 amp single pole MCB - 2 nos. RJ 45 - 2 nos. RJ 11 - 1 no. Bus Bar - 1 Lot Terminals - 1 Lot Industrial grade wire ( FOR 2 MONITOR CONSOLE), 1 no.6way industrial grade PDU (with metal casing) with 16 amp single pole MCB - 2 nos. RJ 45 - 2 nos. RJ 11 - 1 no. Bus Bar - 1 Lot Terminals - 1 Lot Industrial grade wire ( FOR 3 MONITOR CONSOLE), 1 no. 6way PDU industrial grade with 16 amp single pole MCB - 01 no. RJ 45 - 01 no. RJ 11 - 1 no. Bus Bar - 1 Lot Terminals - 1 Lot Industrial grade wire ( FOR 1 MONITOR CONSOLE)
	<b>CPU Free control Desk</b>	YES, No
	Leg have inbuilt rubber grommets for safety of cables and making it rodent proof	YES
	<b>Type of monitor arm</b>	Articulating monitor arm - able to mount monitors compine vesa standards 75 mm X 75 mm, Articulating monitor arm - able to mount monitors compine vesa standards 100 mm X 100 mm, Articulating monitor arm - able to mount monitors compine vesa standards 200 mm X 100 mm, Articulating monitor arm - able to mount monitors compine vesa standards 200 mm X 200 mm
	<b>Adjustability of monitor</b>	Rotate - tilt and raise the monitors a quick and easy manner
	<b>Monitor mount</b>	Detachable monitor mounting bracket - can be detached without any tool or quick maintenance, Monitor Arm Assembly shall have auto-lock, push and add/remove die-cast aluminum extendable arms of 150mm each with tool less addition/deletion feature.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Monitor arm load carrying capacity</b>	10 Kgs, 20 Kgs
	<b>Type of rear wall</b>	Single piece modular extruded aluminium wall for each module and minimum weight of 5 Kgs. per meter
	<b>Adjustability of modular rear wall for mounting of monitor arm</b>	Uniform linear grooves on either side of wall shall allow installation of monitor arms - pen holders - paper holders - other items
	<b>Fixing of rear wall</b>	Wall to be fixed on the table top with the help of screws shall not be visible on outer side of wall or table top- wall designed and connected to other module's wall in without joints / gaps along the width of console
	<b>Design feature of rear modular wall</b>	It should have linear slots running throughout the length to accept modular components
	<b>Load carrying capacity of modular rear wall</b>	10 Kgs
	<b>Control desk cabinet to consist of house KVM equipment's / extenders - Ethernet switches - power distribution unit</b>	YES
	<b>CPUs mounted on slide out CPU trays</b>	YES, NO (CPU free console)
	<b>Type of extended foot</b>	Minimum 400 mm long extended foot for stable support to the main aluminium frame, Made of mild steel with powder coated finish.
	<b>Fixing of extended foot</b>	To be fixed to the aluminium structures with help of fasteners
	<b>Load carrying capacity of extended foot</b>	Comply to BIFMA X5.5 requirements
MATERIAL	<b>Base structure ( horizontal-vertical and rear wall )</b>	Made up of HE9WP grade extruded aluminium sections duly powder coated and connected via heavy duty joineries, Made up of 6063T6 grade extruded aluminium sections duly powder coated and connected via heavy duty joineries
	<b>Material for side panel</b>	25 mm E1 grade MDF with thermofused lamination - having low formaldehyde content - density 700 Kgs/Cum and fire class : 1 as per BS 476 part 7
	<b>Material for bottom foot extension</b>	MS powder coated
	<b>Material for cabinet front and back shutters</b>	1.6 mm MS powder coated
	Gas spring made of	Steel with nickel plating
	<b>Material for console's work top</b>	25 mm thick MDF with high pressure - scratch resistant laminate (ANSI / NEMA LD 3 certified ) , 12 mm Acrylic solid surface over18 mm MDF board

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Material for front edge of the console - should not be pulled out manually</b>	Removable Modular PU edge casted on industrial grade aluminum core fastened on table top
	<b>Material for edges ( Other than front edge )</b>	Banded with 2 mm thick PVC tape
	<b>Key board tray material</b>	Metal key board (CRCA ) tray mounted on telescopic slides, Plastic PVC key board tray mounted on telescopic slides, SS 202 key board tray mounted on telescopic slides, SS 304 key board tray mounted on telescopic slides, No Keyboard tray
	<b>Side leg and extended foot material - Leg serve as integrated channels to route cable from floor to the cabinet</b>	Extended foot made of 2-3 mm heavy duty anodized die cast aluminum - designed to provide access to wiring cavity for easy flow of wire from floor to the side aesthetic leg and then to the cabinet, Extended foot made of 2 mm SS 202 - designed to provide access to wiring cavity for easy flow of wire from floor to the side aesthetic leg and then to the cabinet, Extended foot made of 2 mm SS 304 - designed to provide access to wiring cavity for easy flow of wire from floor to the side aesthetic leg and then to the cabinet, Mild Steel with powder coated finish.
DIMENSION	<b>Width of table top</b>	1200 mm ( for 2 monitor ) , 1500 mm ( for 3 monitor ) , 600 mm (for 1 monitor), 750 mm (for 1 monitor)
	<b>Depth of table top</b>	800 mm ( for 2 monitor and 3 monitor ) , 900 mm, 950 mm, 1000 mm, 1050 mm, 1100 mm, 1150 mm, 1200 mm
	<b>Height of table top</b>	750 mm (for sitting postures ) , 900 mm (for standing posture), 950 mm (for standing posture), 1000 mm (for standing posture), 1050 mm (for standing posture), 1100 mm (for standing posture)
	<b>Monitor Arm</b>	Articulating Monitor arm, able to mount monitors complying VESA standards 75 x 75, 100 x 100, 200 x 100 & 200x200 mm
	<b>Real Wall</b>	70mm x 180mm (W x H)
COLOUR & FINISH	<b>Table top finish</b>	Scratch resistant laminate (ANSI /NEMA LD 3 certified ) in colour with matt finish with having balancing laminate of minimum 0.5 mm thickness other side
WARRANTY	<b>Warranty period</b>	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years
CERTIFICATION	OEM of offered product is ISO 14001:2015 certified	YES

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	ATANU JHA	400085,BHABHA ATOMIC RESEARCH CENTRE (BARC), CENTRAL COMPLEX, TROMBAY, MUMBAI 400085	3	45

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

ATANU JHA  
VASHI ZONAL STORES  
REPF WORKSHOP ILU EBA FACILITY  
BARC BRIT COMPLEX, VASHI SECTOR 20, near Turbhe station  
NAVI MUMBAI 400703

**3. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**4. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

**5. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of

bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---