



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5612831
Dated/दिनांक : 15-11-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	25-11-2024 19:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	25-11-2024 19:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	40 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Karnataka
Department Name/विभाग का नाम	Woman And Child Development Department Karnataka
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Dept For The Empowerment Of D A S C Dharwad
Total Quantity/कुल मात्रा	120
Item Category/मद केटेगरी	Classroom Chairs (Q3) , Metal Beds (V2) (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	1 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	1 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
RCM Applicable/लागू आरसीएम	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Classroom Chairs
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	140000
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant /

Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

Classroom Chairs (70 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Chair Type	Without Arms, One Arm with fixed Writing pad on one side other side open, Fixed writing pad on one side and Arm on other side, Foldable Writing pad on One side and Arm on other side, Foldabe Writing Pad on One side with other side open

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Seat and Backrest	Made of Polythene cane, Made of Wood, MADE OF TEAK WOOD, 12 mm Thick Plywood Only, 20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle Board, 25 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, Perforated M S Sheet of 1 mm thickness, Perforated M s sheet of 1.2 mm, perforated m s sheet of 1.4 mm, Perforated MS sheet of 1.6 mm, Perforated SS sheet of 1 mm, Perforated SS Sheet of 1.2 mm, Perforated SS sheet of 1.4 mm, Perforated SS Sheet of 1.6 mm, 19mm thick Commercial Block Board BWP grade Conforming to IS 1659, 38mm thick Commercial Block Board BWP grade Conforming to IS 1659, 19mm thick Decorative Block Board BWP grade Conforming to IS 1659, 38mm thick Decorative Block Board BWP grade Conforming to IS 1659, 19mm thick Commercial Block Board MR Grade Conforming to IS 1659, 38mm thick Commercial Block Board MR Grade Conforming to IS 1659, 19mm thick Decorative Block Board MR Grade Conforming to IS 1659, 38mm thick Decorative Block Board MR Grade Conforming to IS 1659, Perforated M S Sheet of 0.71 mm thickness, Made of polypropelene., 12 mm ply with moulded PU foam., seasoned sheesham wood, Knitted seat and backrest using nylon
	Depth of Seat in mm (+/- 10 mm)	300, 320, 340, 360, 380, 400, 420, 440, 460, 480, 500, 520, 540, 560, 580, 600
	Height of Seat in mm (+/- 10 mm)	400, 420, 440, 460, 480, 500, 520, 540
	Width of Seat in mm (+/- 10 mm)	300, 320, 340, 360, 380, 400, 420, 440, 460, 480, 500, 520, 540, 560, 580, 600
	Overall Chair Height in mm (+/- 10 mm)	700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1150, 1200, 880, 830
Seat Details	Thickness of Cushion Used in Seat in mm (+/- 2 mm)	No Cushion, 40, 45, 50, 55, 60, 65, 70, 75
	Density of Cushion Used in Seat (Kg/Cubic Metre)	40, 45, 50, 55, 60, 65, 70, No Cushion
	Material of Fabric of Seat Cover	290 GSM cloth fabric, Rexin, Leather fabric, No Cushion No Cover, Knitted with nylon
Backrest Details	Density of Cusion Used in Backrest (Kg/Cubic Metre)	40, 45, 50, 55, 60, 65, 70, No Cushion
	Thickness of Cushion in Backrest in mm (+/- 2 mm)	No Cushion, 40, 45, 50, 55, 60, 65, 70, 75
	Material of Fabric of Backrest Cover	290 gSM Cloth Fabric, Rexin, Leather facbric, No cusion no cover, Knitted backrest with nylon

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SUPPORT / UNDER STRUCTURE	Frame Material	Teak wood of minimum 25 mm thickness, teak wood of minimum 35 mm thickness, any other wood of minimum 25 mm thickness, any other wood of minimum 35 mm thickness, SS 202 STRUCTURE, SS 304 STRUCTURE, Mild Steel square Section of size 25x25 mm and wall thickness minimum 1.6 mm, Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum, Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, 19mm thick Commercial Block Board BWP grade Conforming to IS 1659, 38mm thick Commercial Block Board BWP grade Conforming to IS 1659, 19mm thick Decorative Block Board BWP grade Conforming to IS 1659, 38mm thick Decorative Block Board BWP grade Conforming to IS 1659, 19mm thick Commercial Block Board MR Grade Conforming to IS 1659, 38mm thick Commercial Block Board MR Grade Conforming to IS 1659, 19mm thick Decorative Block Board MR Grade Conforming to IS 1659, 38mm thick Decorative Block Board MR Grade Conforming to IS 1659, 25 thick teak carved wood, Mild Steel Pipe of diameter 19 mm and wall thickness 16 gauge., Mild Steel Pipe of diameter 25 mm and wall thickness 16 gauge., Mild Steel ERW tube of diameter 22.2 mm and wall thickness 1.6 mm, 25 thick teak carved wood, Mild Steel Pipe of diameter 19 mm and wall thickness 16 gauge., Mild Steel Pipe of diameter 19 mm and wall thickness 16, 35mm x 15mm x 2mm thk Oval MS pipe (Black Powder Coated)
Writing Pad Details	Writing Pad Material	20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle Board, 25 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm teak plywood, Teak wood, Other wood, PLASTIC MOULDED, 19mm thick Commercial Block Board BWP grade Conforming to IS 1659, 38mm thick Commercial Block Board BWP grade Conforming to IS 1659, 19mm thick Decorative Block Board BWP grade Conforming to IS 1659, 38mm thick Decorative Block Board BWP grade Conforming to IS 1659, 19mm thick Commercial Block Board MR Grade Conforming to IS 1659, 38mm thick Commercial Block Board MR Grade Conforming to IS 1659, 19mm thick Decorative Block Board MR Grade Conforming to IS 1659, 38mm thick Decorative Block Board MR Grade Conforming to IS 1659, N.A, 18 mm thick pre-laminated particle board with 2 mm injection moulded polypropylene allaround.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MISC	Finishing of Structure	Polish, Stove enameled Paint, Powder coated, chrome, epoxy polyester, synthetic enamel, Natural Steel Finish, Teak finish/Polish, Melamine finish/Polish, Powder coated (with 50 micron \pm 10 epoxy polyester), natural lacquer polish
Warranty	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bindumadhav P Kulkarni	580001, Dept for the Empowerment of Differently Abled and Senior Citizens, Mini Vidhan Soudha, Ground Floor, Dharwad - 580001	70	45

Metal Beds (V2) (50 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure of Metal bed frame including legs and head Structure	SS 202 Pipe, SS 304 Pipe, SS 202 Hollow Rectangular / Square Section, SS 304 Hollow Rectangular / Square Section, MS Pipe, MS Hollow Rectangular / Square Section

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Size of Rectangular Hollow section ±1(mm)	40 mm x 20 mm, 50 mm X 25 mm, 60 mm X 40 mm, 66 mm X 33 mm, 80 mm X 40 mm, 96 mm X 48 mm, N.A
	Size of Square Hollow Section ±1(mm)	25 mm X 25 mm, 32 mm X 32 mm, 38 mm X 38 mm, 40 mm X 40 Mm, 50 mm X 50 mm, 60 mm X 60 mm, 72 mm X 72 mm, 80 mm X 80 mm, N.A
	Size of Circular Hollow Sections ±1(mm)	15 mm, 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, 65 mm, 80 mm, N.A
	Thickness of Hollow Section in Structure (mm)	0.8 mm, 0.9 mm, 1.0 mm, 1.1 mm, 1.2 mm, 1.3 mm, 1.4 mm, 1.5 mm
	Support Panel for placement of mattresses	MS hollow box Rectangular Section, MS hollow box Square Section, Angle iron, SS 202 Rectangular / Square Section, SS 304 Rectangular / Square Section, SS Angle
	Thickness of support Panel (in mm)	0.8 mm, 1.0 mm, 1.1 mm, 1.2 mm, 1.3 mm, 1.4 mm, 1.5 mm, 1.6 mm
DIMENSION	Over all length of Bed in mm (±10 mm)	1250, 1828, 1850, 1875, 1900, 1950, 1980, 2000, 2030, 2050, 2100, 2135, 2160
	Height of Bed in mm (±10 mm)	400, 450, 500, 550, 600, 650, 700, 720, 750, 810, 840, 905, 950 (millimeter)
COLOUR & FINISH	Paint /Finish of MS Parts	Powder Coating, Stove Enamel paint, N.A
	Min Powder/paint coating thickness (Micron)	50 micron, 60 micron, N.A
WARRANTY	Warranty	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
MISC	Number of support members	4, 5, 6, 12, 15, 17

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicabl e/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	Yes

Consignees/Reporting Officer/परेषिती/रिपोटिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोटिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bindumadhav P Kulkarni	580001,Dept for the Empowerment of Differently Abled and Senior Citizens, Mini Vidhan Soudha, Ground Floor, Dharwad - 580001	50	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

STUDY CHAIR-70

STUDENT PURFORATED WRITING PAD STUDY CHAIR WITH FOLDABLE WRITING BOARD

COTS-50

6*3 FEET, SINGLE, IRON MATERIAL WITH LOCKER

TENDER CONDITIONS**1. Supplier/manufacturer must be Authoriz**

ed by Govt of Karnataka OR an authorized dealer may also participate in the Tender. (copy should be enclosed)

2. PAN card copy (should be enclosed)
3. 3.VAT/GST Registration Certificate (should be enclosed)
4. 4Audit reports for the year year 2020-21, 2021-22 and 2022-23 (Certified copy of Charte d Account report in P & L, account & balance sheet should be enclosed) minimum turnover of Rs.30.00 lakh per year.
5. 5Experience for last 03 years (Certificate must be enclosed)
6. 6Supplier must not be blacklisted. (letter must be enclosed)
7. 7Supplier must produce/deliver ISI marked Products Only. (ISI Certificate must be enclos

ed)

8. 8Supplier must give the period of validity of the product in the letter head of the organization.
9. 9Supplier must deliver the products as per the instruction of DDWO, Dharwad. Letter to be enclosed about the same)

Note: The tenders with 100% documents (SI No:1 to 09 Documents) are only treated for further process. All the documents are mandatory. Those with less than 100% of documents will be rejected.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---