



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5620153  
Dated/दिनांक : 27-12-2024

### Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण  |  |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय  | 24-01-2025 16:00:00  |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय   | 24-01-2025 16:30:00  |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)  | 180 (Days)   |
| Ministry/State Name/मंत्रालय/राज्य का नाम  | Ministry Of Petroleum And Natural Gas  |
| Department Name/विभाग का नाम   | Indian Oil Corporation Limited   |
| Organisation Name/संगठन का नाम   | Indian Oil Corporation Limited   |
| Office Name/कार्यालय का नाम  | Marketing Division Head Office   |
| Total Quantity/कुल मात्रा  | 59   |
| Item Category/मद केटेगरी   | Advance Fire Monitor (V2) (Q2)   |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट   | No   |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट   | No   |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़   | Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/   | No   |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया   | Yes  |
| RA Qualification Rule  | H1-Highest Priced Bid Elimination  |
| Type of Bid/बिड का प्रकार  | Two Packet Bid   |
| Primary product category   | Advance Fire Monitor (V2)  |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 7 Days   |

**Bid Details/बिड विवरण**

|  |  |
|--|--|
| <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b> | Yes                                    |
| <b>Inspection to be carried out by Buyers own empanelled agency</b>                                | Yes                                    |
| <b>Type Of Inspection</b>  | Pre Dispatch                           |
| <b>Name of the Empanelled Inspection Agency/ Authority</b>   | PROJECTS AND DEVELOPMENT INDIA LIMITED |
| <b>Quality Assurance Plan document</b>   | <a href="#">1731989122.pdf</a>         |
| <b>Evaluation Method/मूल्यांकन पद्धति</b>  | Item wise evaluation/                  |
| <b>Arbitration Clause</b>  | No                                     |
| <b>Mediation Clause</b>  | No                                     |

**EMD Detail/ईएमडी विवरण**

|                   |    |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

**ePBG Detail/ईपीबीजी विवरण**

|  |                     |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक  | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)                               | 5.00                |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 46                  |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

DGM HSE

MARKETING DIVISION HEAD OFFICE, INDIAN OIL CORPORATION LIMITED, INDIAN OIL Corporation Limited, Ministry of Petroleum and Natural Gas  
(Dgm Hse)**MII Purchase Preference/एमआईआई खरीद वरीयता**

|  |     |
|--|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|

**MSE Purchase Preference/एमएसई खरीद वरीयता**

|   |     |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### **4. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives**

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer. If so requested and accepted by the seller, initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer. For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which

the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| <b>Evaluation Schedules</b> | <b>Item/Category</b>      | <b>Quantity</b> |
|-----------------------------|---------------------------|-----------------|
| Schedule 1                  | Advance Fire Monitor (v2) | 9               |
| Schedule 2                  | Advance Fire Monitor (v2) | 34              |
| Schedule 3                  | Advance Fire Monitor (v2) | 16              |

#### **Advance Fire Monitor (V2) ( 9 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification  | Specification Name/विशिष्टि का नाम                                   | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य   |
|----------------|--|--|
| GENERIC        | <b>Fire Monitor Type</b>   | Water cum foam type monitor designed to through high volume of water and foam mixture in form of Jet, Fog and Spray to defuse fire |
|                | <b>Compliance Document</b>   | UL listed as per UL 162  |
|                | Media Type   | Water and Foam   |
|                | <b>Nozzle Type</b>   | Non-aspirating type jet and fog pattern  |
|                | <b>Flow a Rate Unit as per Certificate</b>                           | GPM (Gallons Per Minutes)  |
|                | <b>Flow a Rate Discharge Capacity at 7 Kg/cm<sup>2</sup> ( ± 5%)</b> | 2000-3000-4000 GPM   |
|                | <b>Operation</b>   | With Remote  |
|                | <b>Remote Operation</b>  | Wired Remote, Wireless Remote Or higher  |
|                | <b>Nozzle type</b>   | Online Variable Flow   |
|                | <b>Discharge Size in mm</b>  | 75, 100, 125, 150, 175, 200, 225, 250, 275, 300  |
|                | <b>Inlet Size in mm</b>  | 75, 100, 125, 150, 175, 200, 225, 250, 275, 300  |
|                | <b>DCP Induction Mechanism</b>                                       | Without  |
| Constructional | <b>Mounting Arrangement</b>  | Fixed Stand Post   |
|                | <b>Shut off Valve</b>  | Without  |
|                | <b>Material of Water Monitor</b>                                     | Hard anodized aluminium alloy, SS304, SS316, SS316L, Bronze  |
|                | <b>Constructional Material for Trailer/ Trolley</b>                  | NA   |
|                | <b>Tyres of Trolley / Trailer</b>                                    | NA   |
|                | Accessories for Trolley/ Trailer                                     | NA   |
|                | Control Panel with Variable Flow Switch                              | NA   |
|                | <b>FRLS Cable for signal and power (in meters)</b>                   | 100, 200, NA   |
|                | <b>Cable Tray for FRLS Cable</b>                                     | Yes, No  |
|                | <b>Motorized Operated Valve</b>                                      | Yes, No  |
| Certification  | Certification of Product   | UL certified   |
|                | Listing of Product   | UL   |
|                | <b>Warranty Period</b>   | <b>2.0 (year)</b>  |

**Additional Specification Parameters - Advance Fire Monitor (V2) ( 9 pieces )**

| Specification Parameter Name   | Bid Requirement (Allowed Values)   |
|--|--|
| Title  | Remote operated High Volume Long- Range Foam-cum- water monitor with Foam Induction Mechanism Capacity: Variable flow of 4000 and 2000 GPM with single Nozzle.   |
| Indian oil Approved Technical specification of the item to be supplied | The detailed IOCL approved technical specification "Remote operated High Volume Long- Range Foam-cum- water monitor with Foam Induction Mechanism, Capacity: Variable flow of 4000 and 2000 GPM with single Nozzle uploaded as QAP in the Bid document.  |
| Specification of Indian Oil  | Bidder to click hyperlinked pdf file uploaded under Quality Assurance plan mentioned in bid documents .Bidder to submit self declaration confirming the matching IOCL Specification . IOCL approved technical specification will supersede all the specification parameter which is mentioned in Bid Document (Above under "Technical Specifications") |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1              | Tarun Gupta   | 400051,INDIANOIL BHAVAN, G-9,ALI YAVAR JUNG MARG, BANDRA(EAST),MUMBAI-400051 | 9              | 365                          |

**Advance Fire Monitor (V2) ( 34 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम         | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य   |
|---------------|--|--|
| GENERIC       | <b>Fire Monitor Type</b>                   | Water cum foam type monitor designed to through high volume of water and foam mixture in form of Jet, Fog and Spray to defuse fire |
|               | <b>Compliance Document</b>                 | UL listed as per UL 162  |
|               | Media Type                                 | Water and Foam   |
|               | <b>Nozzle Type</b>                         | Non-aspirating type jet and fog pattern  |
|               | <b>Flow a Rate Unit as per Certificate</b> | GPM (Gallons Per Minutes)  |

| Specification  | Specification Name/विशिष्टि का नाम                                   | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य   |
|----------------|--|--|
|                | <b>Flow a Rate Discharge Capacity at 7 Kg/cm<sup>2</sup> ( ± 5%)</b> | 250 GPM, 500 GPM, 750 GPM, 250-500-750 GPM, 500-750 GPM, 500-750-1000 GPM, 500-1000-1500 GPM, 1000 GPM, 1500 GPM, 1000-1500-2000 GPM, 2000 GPM, 2000-3000-4000 GPM, 2000-4000 GPM, 2000-4000-6000 GPM, 10500 GPM |
|                | <b>Operation</b>   | Manual, With Remote  |
|                | <b>Remote Operation</b>  | NA, Wired Remote, Wireless Remote Or higher  |
|                | <b>Nozzle type</b>   | Fixed Flow Nozzle, Variable Flow Nozzle, Online Variable Flow  |
|                | <b>Discharge Size in mm</b>  | 75, 100, 125, 150, 175, 200, 225, 250, 275, 300  |
|                | <b>Inlet Size in mm</b>  | 75, 100, 125, 150, 175, 200, 225, 250, 275, 300  |
|                | <b>DCP Induction Mechanism</b>                                       | Without  |
| Constructional | <b>Mounting Arrangement</b>  | Fixed Stand Post, Compact light weight 2 wheel trolley, Two wheel trailer trolley, Four wheel trailer trolley, Skid Mounted  |
|                | <b>Shut off Valve</b>  | With, Without  |
|                | <b>Material of Water Monitor</b>                                     | Hard anodized aluminium alloy, SS304, SS316, SS316L, Bronze  |
|                | <b>Constructional Material for Trailer/ Trolley</b>                  | MS / CS, SS, NA  |
|                | <b>Tyres of Trolley / Trailer</b>                                    | Pneumatic Tyre, Tubeless Tyre, NA  |
|                | <b>FRLS Cable for signal and power (in meters)</b>                   | 100, 200, NA   |
|                | <b>Cable Tray for FRLS Cable</b>                                     | Yes, No  |
|                | <b>Motorized Operated Valve</b>                                      | Yes, No  |
| Certification  | Listing of Product   | UL   |
|                | <b>Warranty Period</b>   | 1, 2, 3, 4, 5 (year)   |

#### Additional Specification Parameters - Advance Fire Monitor (V2) ( 34 pieces )

| Specification Parameter Name | Bid Requirement (Allowed Values)   |
|------------------------------|--|
| Title                        | Remote operated High Volume Long- Range Foam-cum- water monitor with Foam Induction Mechanism Capacity: Variable flow of 2000 and 1000 GPM with single Nozzle. |

| Specification Parameter Name   | Bid Requirement (Allowed Values)   |
|--|--|
| Indian oil Approved Technical specification of the item to be supplied | The detailed IOCL approved technical specification "Remote operated High Volume Long- Range Foam-cum- water monitor with Foam Induction Mechanism, Capacity: Variable flow of 2000 and 1000 GPM with single Nozzle uploaded as QAP in the Bid document.  |
| Specification of Indian Oil  | Bidder to click hyperlinked pdf file uploaded under Quality Assurance plan mentioned in bid documents. Bidder to submit self-declaration confirming the matching IOCL specification . IOCL approved technical specification will supersede all the specification parameter which is mentioned in Bid Document (Above under "Technical Specifications") |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्र | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|----------------|------------------------------|
| 1              | Tarun Gupta   | 400051,INDIANOIL BHAVAN, G-9,ALI YAVAR JUNG MARG, BANDRA(EAST),MUMBAI-400051 | 34             | 365                          |

**Advance Fire Monitor (V2) ( 16 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम         | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य  |
|---------------|--|---|
| GENERIC       | <b>Fire Monitor Type</b>                   | Water cum foam type monitor designed to through high volume of water and foam mixture in form of Jet, Fog and Spray to defuse fire, Water type monitor designed to through high volume of water in form of Jet, Fog and Spray to defuse fire, Water, foam and DCP (dry chemical powder) type monitor designed to through high volume water, foam and DCP mixture in the form of Jet, Fog and Spray to defuse fire |
|               | <b>Compliance Document</b>                 | EN certified, UL certified as per NFPA, UL listed as per UL 162, FM certified   |
|               | <b>Nozzle Type</b>                         | Aspirating type jet and fog pattern,, Non-aspirating type jet and fog pattern, Hollow jet nozzle, Solid jet nozzle  |
|               | <b>Flow a Rate Unit as per Certificate</b> | GPM (Gallons Per Minutes)   |



| Specification  | Specification Name/विशिष्टि का नाम                                   | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य  |
|----------------|--|---|
|                | <b>Flow a Rate Discharge Capacity at 7 Kg/cm<sup>2</sup> ( ± 5%)</b> | 500-750-1000 GPM  |
|                | <b>Operation</b>   | With Remote   |
|                | <b>Remote Operation</b>  | Wired Remote, Wireless Remote Or higher   |
|                | <b>Nozzle type</b>   | Fixed Flow Nozzle, Variable Flow Nozzle, Online Variable Flow   |
|                | <b>Discharge Size in mm</b>  | 75, 100, 125, 150, 175, 200, 225, 250, 275, 300   |
|                | <b>Inlet Size in mm</b>  | 75, 100, 125, 150, 175, 200, 225, 250, 275, 300   |
|                | <b>DCP Induction Mechanism</b>                                       | With, Without   |
| Constructional | <b>Mounting Arrangement</b>  | Fixed Stand Post, Compact light weight 2 wheel trolley, Two wheel trailer trolley, Four wheel trailer trolley, Skid Mounted |
|                | <b>Shut off Valve</b>  | With, Without   |
|                | <b>Material of Water Monitor</b>                                     | Hard anodized aluminium alloy, SS304, SS316, SS316L, Bronze   |
|                | <b>Constructional Material for Trailer/ Trolley</b>                  | MS / CS, SS, NA   |
|                | <b>Tyres of Trolley / Trailer</b>                                    | Pneumatic Tyre, Tubeless Tyre, NA   |
|                | <b>FRLS Cable for signal and power (in meters)</b>                   | 100, 200, NA  |
|                | <b>Cable Tray for FRLS Cable</b>                                     | Yes, No   |
|                | <b>Motorized Operated Valve</b>                                      | Yes, No   |
| Certification  | <b>Warranty Period</b>   | 1, 2, 3, 4, 5 (year)  |

#### Additional Specification Parameters - Advance Fire Monitor (V2) ( 16 pieces )

| Specification Parameter Name   | Bid Requirement (Allowed Values)   |
|--|--|
| Title  | Remote operated High Volume Long- Range Foam-cum- water monitor with Foam Induction Mechanism Capacity: Variable flow of 1000 and 500 GPM with single Nozzle.  |
| Indian oil Approved Technical specification of the item to be supplied | The detailed IOCL approved technical specification "Remote operated High Volume Long- Range Foam-cum- water monitor with Foam Induction Mechanism, Capacity: Variable flow of 1000 and 500 GPM with single Nozzle uploaded as QAP in the Bid document. |

| Specification Parameter Name | Bid Requirement (Allowed Values)  |
|------------------------------|---|
| Specification of Indian Oil  | Bidder to click hyperlinked pdf file uploaded under Quality Assurance plan mentioned in bid documents. Bidder to submit self-declaration confirming the matching IOCL specification. IOCL approved technical specification will supersede all the specification parameter which is mentioned in Bid Document (Above under "Technical Specifications") |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Tarun Gupta   | 400051,INDIANOIL BHAVAN, G-9,ALI YAVAR JUNG MARG, BANDRA(EAST),MUMBAI-400051 | 16              | 365                          |

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---