



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5624908  
Dated/दिनांक : 20-11-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	02-12-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	02-12-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Odisha
Department Name/विभाग का नाम	Agriculture And Farmers Empowerment Department Odisha
Organisation Name/संगठन का नाम	Executive Engineer Agriculture Kandhamal Phulbani
Office Name/कार्यालय का नाम	Kandhamal
Total Quantity/कुल मात्रा	256
Item Category/मद केटेगरी	Executive Table (V2) (Q3) , Revolving Chair (V4) (Q2) , Computer Table (Q3) , Office Chair (V3) (Q2) , Plastic Moulded Chair as per IS 13713 (V2) (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid

**Bid Details/बिड विवरण**

<b>Primary product category</b>	Executive Table (V2)
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	30000

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Executive Engineer  
KANDHAMAL, Agriculture and Farmers Empowerment Department Odisha, EXECUTIVE ENGINEER AGRICULTURE  
KANDHAMAL PHULBANI,  
(Executive Engineer Agriculture, Kandhamal Division, Phulbani)

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Executive Table (V2) ( 5 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Gable end and modesty panel
	<b>The type of Storage provided</b>	One side pedestal unit and E.R.U
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	<b>Thickness of table top material (Dimension Tolerance <math>\pm 1</math> mm)</b>	25 mm
	<b>Gable end material</b>	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the gable end</b>	25 mm
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	25 mm
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	NA
DIMENSION	<b>Width of tabletop (Dimension Tolerance <math>\pm 10</math> mm)</b>	2100 mm
	<b>Depth of table (Dimension Tolerance <math>\pm 10</math> mm)</b>	1600 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of table (Dimension Tolerance $\pm 10$ mm)	750 mm
	Size (L x W) /diameter of leg material (Dimension Tolerance $\pm 5$ mm)	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	As per Buyer's choice
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001, Executive Engineer Agriculture, Kandhamal	5	30

**Executive Table (V2) ( 9 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>The type of Storage provided</b>	One side pedestal unit and E.R.U
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	MDF board of grade SBG II of IS 12406/Latest
	<b>Thickness of table top material (Dimension Tolerance <math>\pm 1</math> mm)</b>	36 mm
	<b>Gable end material</b>	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	<b>The thickness of the gable end</b>	25 mm
	<b>Modesty panel material</b>	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	<b>The thickness of the modesty panel material</b>	25 mm
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	NA
DIMENSION	<b>Width of tabletop (Dimension Tolerance <math>\pm 10</math> mm)</b>	2200 mm
	<b>Depth of table (Dimension Tolerance <math>\pm 10</math> mm)</b>	900 mm
	<b>Height of table (Dimension Tolerance <math>\pm 10</math> mm)</b>	760 mm
	<b>Size (L x W) /diameter of leg material (Dimension Tolerance <math>\pm 5</math> mm)</b>	NA
EXTENDED RETURN UNIT	<b>ERU unit consists of</b>	3 drawers, 1 storage unit with shutter
PEDESTAL UNIT	<b>Total Number of drawers /storage in Pedestal units</b>	Two drawers
COLOUR AND FINISH	<b>Table top finish</b>	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	<b>Tabletop shade</b>	As per Buyer's choice
	<b>Table /ERU /Pedestal Panel Plain Side</b>	NA
WARRANTY	<b>Warranty period</b>	3 Years
CERTIFICATION	<b>Test reports to be furnished to the buyer on demand</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001,Executive Engineer Agriculture, Kandhamal	9	30

**Revolving Chair (V4) ( 11 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Type of chair</b>	High Back
UNDERSTRUCTURE	<b>Tilt mechanism</b>	Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	<b>Locking mechanism</b>	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	<b>Seat depth adjustment</b>	Adjustable, Fixed type Or higher
	<b>Revolving mechanism</b>	Designed with 360 degree-revolving type
	<b>Pedestal base</b>	Glass filled nylon
	<b>Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair</b>	2.0 - 6.0 Or higher ( <b>millimeter</b> )
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	<=30
	<b>Thickness of PU used in seat (mm)</b>	>50

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum seat height from floor surface (mm)	>500
	Width of seat (mm)	>500
	Depth of seat (mm)	>500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001, Executive Engineer Agriculture, Kandhamal	11	30

**Revolving Chair (V4) ( 12 pieces )**

## Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Type of chair</b>	High Back
UNDERSTRUCTURE	<b>Tilt mechanism</b>	Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	<b>Locking mechanism</b>	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	<b>Seat depth adjustment</b>	Adjustable, Fixed type Or higher
	<b>Revolving mechanism</b>	Designed with 360 degree-revolving type
	<b>Pedestal base</b>	Glass filled nylon
	<b>Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair</b>	2.0 - 6.0 Or higher ( <b>millimeter</b> )
	SEAT	<b>Seat material</b>
<b>Density of PU used in seat (kg per cubic meter)</b>		>50
<b>Thickness of PU used in seat (mm)</b>		>50
<b>Minimum seat height from floor surface (mm)</b>		>500
<b>Width of seat (mm)</b>		>500
<b>Depth of seat (mm)</b>		>500
<b>Seat upholstery material</b>		Leatherette
BACKREST	<b>Backrest type</b>	Flexi back, Fixed type Or higher
	<b>Backrest height</b>	Fixed, Adjustable Or higher
	<b>Backrest support type</b>	Contoured back / Without lumber support
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Density of PU used in backrest (kg per cubic meter)</b>	>50
	<b>Thickness of PU used in backrest (mm)</b>	>50
	<b>Width of backrest (mm)</b>	>500



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Backrest height from the seat level</b>	>550
	<b>Backrest upholstery material</b>	Leatherette
ARMREST	<b>Armrest type and arm movement</b>	Fixed
WARRANTY	<b>Warranty period in number of years</b>	1, 2, 3, 4, 5 Or higher (year)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001, Executive Engineer Agriculture, Kandhamal	12	15

### Computer Table ( 13 pieces )

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Type of Computer Table</b>	Computer table with key board drawer and table top
	<b>Placing of modesty panel</b>	N.A
MATERIAL	<b>Welding of Modesty Panel</b>	N.A
	<b>Welding at top and Back</b>	N.A
	<b>Guides Thickness (for drawer)</b>	N.A
	<b>Material of Table Top, Key board and drawer</b>	MDF board of Grade SBG II of IS 12406 Latest
	<b>Thickness of Table Top etc</b>	18, 25, 30 Or higher (millimeter)
	<b>Lock of Drawer</b>	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of lock	N.A
	Material of Modesty Panel	N.A
DIMENSION	Size of Computer Table $\pm 10$ mm (LXBXH)	1000 Mm X 600 Mm X 750 Mm
	Size of Printer Table $\pm 10$ mm (LXBXH)	NA
	Size of Computer Cum Printer Table $\pm 10$ mm (LXBXH)	NA
	Outside Drawer Size (L X B X H) $\pm 5$ mm	NA
	Size of key board tray $\pm 5$ mm	N.A
	Size of Modesty panel	N.A
COLOUR & FINISH	Primer for coating on M S parts	Redoxide
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001, Executive Engineer Agriculture, Kandhamal	13	30

**Office Chair (V3) ( 11 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
GENERAL REQUIREMENT	<b>Chair type</b>	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	<b>Chair understructure type</b>	Legs
	<b>Understructure material</b>	Stainless steel (SS 202)
	<b>The shape of tubular section of understructure</b>	Square
	<b>Section Size (Diameter/Sides) of understructure</b>	25x25 mm
	<b>Understructure wall thickness (mm)</b>	2
	<b>Castor</b>	No
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	>30<=40
	<b>Thickness of PU used in seat (mm)</b>	>30<=40
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	>400<=450
	<b>Depth of seat (mm)</b>	>400<=450
	<b>Seat upholstery material</b>	Leatherette
BACKREST	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Backrest material</b>	PU foam
	<b>Density of PU used in backrest (kg per cubic meter)</b>	>30<=40
	<b>Thickness of PU used in backrest (mm)</b>	>30<=40
	<b>Width of backrest (mm)</b>	>400<=450
	<b>Backrest height from the seat level</b>	>450<=550
	<b>Backrest upholstery material</b>	Leatherette
ARMREST	<b>Armrest type</b>	Moulded Armrest mounted to Frame
	<b>Armrest movement</b>	Fixed
WARRANTY	<b>Warranty period in number of years</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001,Executive Engineer Agriculture, Kandhamal	11	15

**Office Chair (V3) ( 45 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Chair type</b>	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	<b>Chair understructure type</b>	Legs
	<b>Understructure material</b>	ERW tube conforming to IS : 1161 latest
	<b>The shape of tubular section of understructure</b>	Round
	<b>Section Size (Diameter/Sides) of understructure</b>	22 mm
	<b>Understructure wall thickness (mm)</b>	1.2
	<b>Castor</b>	No
SEAT	<b>Seat material</b>	Moulded PU
	<b>Density of PU used in seat (kg per cubic meter)</b>	>40<=50
	<b>Thickness of PU used in seat (mm)</b>	<=30
	<b>Minimum seat height from floor surface (mm)</b>	<=400
	<b>Width of seat (mm)</b>	>400<=450
	<b>Depth of seat (mm)</b>	>400<=450
	<b>Seat upholstery material</b>	Leatherette

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
BACKREST	Backrest base frame material	Mild steel frame
	Backrest material	Moulded PU
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	<=30
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>=350<=450
	Backrest upholstery material	Leatherette
ARMREST	Armrest type	Continuous armrest
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001,Executive Engineer Agriculture, Kandhamal	45	15

**Plastic Moulded Chair As Per IS 13713 (V2) ( 150 pieces )**

Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Chair	Plastic Moulded Seat Cum Back with Support Structure

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion	Without
	Back Cushion	Without
	Plastic Material	ABS Plastic (Acrylonitrile Butadiene Styrene)
	Arms	With Arms
Dimension and Weight	Seat Width in mm (+/- 5 mm)	415
	Seat Depth in mm (+/- 5 mm)	430
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	No Cushion
	Density of PU Foam in KG per Cum	No Cushion
	GSM/Thickness of Fabric (Gram per Sq Meter)	NA
	Thickness of Polyurethane Foam Used in Backrest in mm (+/- 2 mm)	No Cushion
Support / Under Structure	Support/Under Structure	Single Moulded Piece No Support Structure
	Support Structure Finishing	Single Moulded Piece No Support Structure
Warranty Period	Warranty Period in Number of Years	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Amiya Ranjan Muduli	762001, Executive Engineer Agriculture, Kandhamal	150	15

**Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)**

1.

### Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

### **Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)**

1.

#### **Special Terms and Conditions**

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

### **Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

#### **1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### **2. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---