



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5626714
Dated/दिनांक : 25-11-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	16-12-2024 19:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	16-12-2024 19:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Home Affairs
Department Name/विभाग का नाम	Central Armed Police Forces
Organisation Name/संगठन का नाम	Indo Tibetan Border Police (itbp)
Office Name/कार्यालय का नाम	Shq Bglr
Total Quantity/कुल मात्रा	619
	ENGINE OVERHAULING GASKIT BS III 254700990114 , KIT ENGINE OVER HAULING SEAL 254700990106N , VALVE SEAT RING STD INLET 254701153417 , VALVE SEAT RING STD EXHAUST 254701153420 , VALVE GUIDE STD 254705153411 , VALVE INLET AND VALVE EXHAUST SET 254705125114 , DG BALL BEARING 6202 254705125113 , SET THRUST WASHER UPPER AND LOWER RS 1 254703103107 , BUSH CONNECTING ROD , SET PISTON RING STD 4DCTCIC BS II III IV 254703153449 , SET PISTON BARE TC GRA WITH GUDGE ON PIN A 254703990157 , SET MAIN BEARING SHELL UPPER LOWER RS 1 254703990151 , SET CONNECTING ROD BEARING RS 1 254703990125 , ASSY TIMING BELT IDLER BS II III IV 254703990172 , ASSY TIMING BELT TENSIONER BS II III IV 254705110138 , TIMING BELT BS II III IV 254705110139 , SEAL CAM SHAFT REAR 254705116312 , RUBBER TUBE 140 INJECTOR 25470157803 , RUBBER TUBE 300 INJECTOR 254707146913 , LOW OIL PRESSUR SWITCH 254707146915 , ASSY OIL PUMP 265454509913 , AIR FILTER ASSY 4 DL TC 254718103804 , ROLLER CHAIN OIL PUMP G-254709130296 , OIL FILTER 254718109909 , FUEL FILTER ASSY 254718130117 , CYLINDER LINNER 04NOs 254709110118 , THERMOSTATE , ASSY ENGINE MOUNTING FRONT 254720129904 , CLUTCH DISC 228 DIA 254724100101 , COVER CLUTCH 228 DIA 272425200177 , CLUTCH RELEASE BEARING 259925400111 , LOCKING WIRE FOR CLUTCH RELEASE BEARING 272425600244 , GASKET TURBO MANIFOLD 272425608706 , PIPE UNION BOLT 4M8X1TS16405 , GLOW PLUG BS II III IV 16531999073 , GLOW TIMER 254715189903 , GASKET FOR EXHAUST PIPE FRONT , RUBBER HOSE RADIATOR TO L BOW , RUBBER HOSE RADIATOR INLET 254750105859 , RUBBER HOSE MOULDED COVER TO PIPE 254750105867 , RUBBER HOSE ADAPTER TO TUBE 254720125812 , RUBBER HOSE

Bid Details/बिड विवरण	Item Category/मद केटेगरी
	<p>THERMOSTATE TO BY PASS PIPE 2547501015848 , RUBBER HOSE WATER INLET ELBOW TO BY PASS PI 254720125809 , PRESSURE CAP RADIATOR 254720121601 , WATER PUMP V BELT 1045 ALTPS DRIVE , PULLY V BELT FOUR GROVES 1050 L G-254720100124 , V BELT 1045 ALTPS DRIVE G-254715146321 , V BELT 1370 254723116332 , COGGED V BELT HIGH RIDE 745 254723126348 , ASSY CABLE ACCELERATOR 254723116320 , TEMP TRANSDUCER 265930100126 , ASSY REAR BUMPER CORNER LH W REFLECTOR 254720125801 , ASSY REAR BUMPER CORNER RHW REFLECTOR 269888600107 , RUBBER COVER BRAKE CLUTCH 269888600108 , ASSY HANDLE DOOR GLASS MACHINE 265829107704 , ASSY FOG LAMP 283272300105 , BONNET CABLE , REAR LEFT SIDE DOOR HANDLE OUTER 9265488700124 , ASSY TIE ROD RH 269872300102 , ASSY TIE ROD LH G269946600113 , FRONT DISC BRAKE PAD G269946600121 , REAR BRAKE SHOE WITH RIVITS 04 PIECES 265442100107 , OUTER SLINGER PINION SEAL OIL TUBE 13575 , FLY WHEEL BOLT LOCK PATTI 66335307710 , ADAPTOR LUCAS FIP GEAR M 12 254703990166 , SERVICE INDICATOR 254707136506 , SPRING BUSH 254709139918 , 2K PAINT WHITE FOR SUMO 269832403401 , DUCO THINNER , HARDNER 250 ML PACK , PUTTY NC , BODY FILLER , RUBBING COMPOUND 500GM , FUEL WATER SEPRATOR TATA 1613 BS 4 3252709120254 , RADIATOR UPPER TANK TATA 1512 BUS 278650100331 , DOOR LOCK TATA 1512 BUS , AIR DRYER KIT MAJOR TATA 1613 BS 3 , AIR DRYER KIT MINOR TATA 1613 BS 3 , AIR FILTER PRE TATA 1613 BS 3 , AIR FILTER SECONDRY TATA 1613 BS 3 , SPEEDOMETER ASSY HERO HONDA SUPER SPLENDER MOTOR CYCLE , LEAD H T HERO HONDA SUPER SPLENDER MOTOR CYCLE , SPARK PLUG HERO HONDA SUPER SPLENDER MOTOR CYCLE , COUPLING RUBBER REAR WHEEL ASSY HERO HONDA SUPER SPLENDER MOTOR CYCLE 2015 MODLE , FRONT BUMPER MARUTI ERTIGA LXI , FRONT FUNDER LINNING LH ERTIGA LXI , SPARK PLUG ERTIGA LXI , BONNET SHOCKER TATA SAFARI STORME LH RH , REAR SHOCKER TATA SAFARI STORME , WIPER MOTOR TATA SAFARI STORME , FOG LAMP ASSY 24 VOLT WITH BULB TATA 1512 1212 , DOOR LOCK OUTER HANDLE TATA 709 TRUCK , GEAR LEVER KIT TATA 712 TRUCK , AIR FILTER TATA 709 TRUCK , WIPER BLADE TATA 712 TRUCK , WIPER BLADE TATA 1512 BUS , CLUTCH PLATE AND PRESSURE PLATE KIT MICYCLE HERO SUPER SPLENDER BS VI , BRAKE DISC PAD FRONT HERO SUPER SPLENDER BS VI , BRAKE SHOE REAR HERO SUPER SPLENDER BS VI , OIL FILTER HERO SUPER SPLENDER BS VI , CHAIN SPROKET SET HERO SUPER SPLENDER BS VI , SPARK PLUG HERO SUPER SPLENDER BS VI , SIDE STAND HERO SUPER SPLENDER BS VI , BATTERY 12 VOLT 04 AH HERO SUPER SPLENDER BS VI , AIR FILTER MARUTI ERTIGA , OIL FILTER MARUTI ERTIGA , IGNITION SWITSH MARUTI CYCLE SUPER SPLENDER BS-III , INDICATOR ASSY MARUTI CYCLE SUPER SPLENDER BS-III , CABLE ACC MARUTI CYCLE SUPER SPLENDER BS-III , CLUTCH CABLE MARUTI CYCLE SUPER SPLENDER BS-III , SPEEDOMETER CABLE MARUTI CYCLE SUPER SPLENDER BS-III , SPEEDOMETER GEAR SET FRONT MARUTI CYCLE SUPER SPLENDER BS-III , BATTERY 12 VOLT 35 AH MARUTI ERTIGA , BATTERY 12 VOLT 65 AH M AND M SCORPIO , BATTERY 12 VOLT 70 AH M AND M SCORPIO , TYRE 2.75X18 WITH TUBE MARUTI CYCLE , TUBE 2.75X18 MARUTI CYCLE , FIRE EXTENGUISHER FOR LIGHT VEHICLES , WATER TANK RESERVOIR MARUTI ERTIGA , AC FILTER SCORPIO BS VI , AIR FILTER SCORPIO BS VI , FUEL FILTER SCORPIO BS VI , SCREW DRIVER 4 INCH , SCREW DRIVER COMBINATION KIT ,</p>

Bid Details/As per	SCREW DRIVER 8 INCH , SCREW DRIVER 10 INCH , SCREW DRIVER PHILIPS 8 INCH , SCREW DRIVER PHILIPS 6 INCH ,
	SCREW DRIVER PHILIPS 4 INCH , CHISEL COLD 17 MM , CHISEL COLD 19 MM , STEEL FOOT RULE 12 INCH , SCISSORS 8 INCH , L N KEY SET , NOSE PLAIR 8 INCH , SPARK PLUG SPANNER MPFI , D E SPANNER 6X7 TO 30X32 , RING SPANNER 6X7 TO 30X32 , COMBINATION PLAIR 8 INCH , CENTER PUNCH 150 MM , NOSE PLAIR INNER 6 INCH , NOSE PLAIR OUTER 6 INCH , FILLER GAUGE 01MM TO 05 MM , SPANNER ADJUSTABLE 12 INCH , PIPE WRENCH 12 INCH , IMPACT SCREW DRIVER SET , SOLDERING IRON , RING EXPENDER , VALVE GRINDING STICK , ENGINE WASHING TRAY 4X2 , 10 TON HYDRAULIC JACK REPAIR KIT , WIRE BRUSH , MEASURING TAPE 15 MTRS , MEASURING STEEL 03 MTR , SOCKET SET STENLEY , CAR WASHER PIPE , DIG FLAG ITBP , DIG FLAG IPS , DG FLAG , ADG FLAG , STAR PLATE , POLICE STICKER , FORMATION SIGN STICKER HVY MED LIGHT , BRIDGE CLASSIFICATION STICKER 12 , BRIDGE CLASSIFICATION STICKER 5 , BRIDGE CLASSIFICATION STICKER 3 , PULL PUSH SWITCH , FUSE ALL TYPE , OLD DHOTI , TAPE INSULATION , EMERY PAPER WATER PROOF FINE , ELECTRIC SOLDERING IRON HEAVY DUTY , SOLDERING FLEX PACK , SOLDERING WIRE ROLL , EMERY PASTE ROUGH AND FINE , LIQUIDE RADIATOR CLEANER 300 ML PACK

Bid Details/बिड विवरण

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

PISTON WITH PIN & LOCK SET STD TURBO,EXCERT/TELCO, PISTON RING STD, VALVE INLET/EXHUST, ROCKER SHAFT BOLT, ENGINE O/H GASKIT COMPLETE, MAIN BEARING 010 BM/K, VALVE WASHER, OIL JET WITH PACKING, BIG END BEARING 010 BM/K, CYLINDER LINNER EURO STD TIGA/INDA, CON ROD BUSH (K), CAM BUSH SEMI (K), BEARING AC PISTON STD , THRUST WASHER STD, VALVE GUIDE INLET/EXHUST, VALVE SEAT INLET/EXHUST, AC RING , AC SLEAVE, AC PUMP OIL RETURN PIPE, OIL FILTER, CRANK SENSOR, SENSOR BOOST PRESSURE BOSCH, COOLING FAN, OIL DIPSTICK INNER/OUTER, STUD W/NUT TURBO EX. MANIFOLD 13 NO, FLY WHEEL ASSY W/GEAR, GUIDE PUSH ROD INLET/EX, RADIATOR ASSY WITH INETRCOOLER, ALTINATOR ADJUSTER COMPLEATE, TIMMING PLATE FUEL PUMP, SELF STARTER MOTOR ASSY 12 VOLTAGE, MAIN BEARING 020 BM/K, BIG END BEARING 020 BM/K, CONNECTING ROD ASSY TELCO, OIL PUMP ASSY, TEMP.SENDING UNIT, OIL PRESSURE SWITCH, CLUTCH DISC, PRESSURE PLATE ASSY, CLUTCH RELEASE BEARING, BEARING FLY WHEEL, WATER PUMP ASSY, FAN BELT, THERMOSTATE VALVE, SENSOR AIR INTAKE, COOLING FAN, FEED PUMP ASSY, WATER HOSE PIPE SET, FUEL WATER SEP. ASSY, FUEL PIPE FEED PUMP FIP 19X17MM, WIPER MOTOR TIMER 24 VOLT, PISTON SET,PIN & LOCK SET STD BS III, CRANK SHAFT ASSY STD, CON ROD ASSY, MAIN BEARING STD BM COLLER TYPE, BIG END BEARING STD BM EURO III, CY.LINNER STD PLAIN COLLER, CAM BUSH STD PF, C.R BUSH SEMI STD, VALVE INLET/EXHUST .003 O/S, DAMMEY PLUG (TICKEY) HEAD WATER, RING PISTON STD, ENGINE O/H GASKIT U/L W/HEAD GASKIT IN/EX. VALVE, MAIN, TIMING OIL SEAL, TENSIONER ASSY, FLY WHEEL BEARING, CLUTCH PLATE, PRESSURE PLATE ASSY W/RELEASE BEARING, OIL PUMP ASSY, WATER PUMP ASSY, THERMOSTATE VALVE ASSY, OIL PRESSURE SWITCH, TEMP SWITCH, THERMO CLUTCH ASSY, BELT V, OIL FILTER, ASSY FUEL FILTER BIG/SMALL, COMPRESSOR ASSY, BENJO BOLT 19 NO, OIL PIPE FILTER TO TURBO, OIL DIPSTICK INNER/OUTER, TIE ROD END, DRAG LINK ROD END, CENTER BEARING COMP. RUBBER BRACKET PROPELLER SHAFT, RECTIFIRE PLATE ALTERNATOR 24 V, CUT OUT 24 V, C.B. PLATE SELF STARTER 24 V, CARBON BRUSH, CLUTCH MASTER CYLINDER, CLUTCH SLAVE CYLINDER, HIGH PRESSURE PIPE 06 PIPE, CAM LOCK PLASTIC, WIPER MOTOR TIMER 24 VOLT, HOUSING STARTER MOTOR, COPPER BRUSH GEAR PLATE ASSY, GUN METAL BUSH, COPPER BRUSH GEAR PLATE ASSY, BENDEX PINION ASSY, LOCK KIT BENDEX PINION, CLUTCH FORK, CLUTCH SLEEVE CYLINDER LOWER, PRESSURE PLATE, CLUTCH RELEASE BEARING, CLUTCH MASTER CYLINDER, AIR FILTER, FUEL FILTER WITH ASSY, DISC PAD FRT, DISC PAD REAR, CLUTCH SLAVE CYL ASSY, CLUTCH PRESSURE PLATE SET, AC FILTER, WIPER BLADE, OIL FILTER, DISC PAD SET, BRAKE SHOE LINING WITH RIVIT, FUEL FILTER, TIE ROD END SET, UJ CROSS , WIPER BLADE, HAND BRAKE CABLE, AIR FILTER, CLUTCH PRESSURE PLATE SET, CLUTCH MASTER CYLINDER, CLUTCH SLEEVE CYLINDER

Searched String: PISTON WITH PIN & LOCK SET STD TURBO,EXCERT/TELCO

Category not available on GeM for the text string uploaded by the buyer

Bid Details/اس ٲاٲاٲ	Searched String: PISTON RING STD
	<p>Piston Ring Compressor, Steel Bookcases as per IS 7761, Piston Ring Expander, Piston Ring Set-IS:6621, IS:8422, Towel Rail / Ring for Bathroom, MIL-STD Digital Grounding System, books, Piston Pin, Networking Trainer Educational Kit, Axial Piston Pumps</p> <p>Searched String: VALVE INLET/EXHUST</p> <p>Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Syringe Filter, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cartridge Check Valve, Control Valve Pneumatic</p> <p>Searched String: ROCKER SHAFT BOLT</p> <p>Allen Bolt, Steel Bookcases as per IS 7761, U Bolt, Crop Protection Equipment - Rocker Sprayer for Agriculture as per IS 3062, Plastic Rocker (Preschool Kit), Municipal solid waste Twin shaft shredder, Foundation Bolt (BHEL), Resistance Welding Equipment / Rocker Arm Spot Welding Machine as per IS 4804, Bolt / Bullet Seal, Tower Bolts (Ferrous Metals) as per IS 204</p> <p>Searched String: ENGINE O/H GASKIT COMPLETE</p> <p>Nitrile Coated Hand Gloves, books, computer mouse or trackballs, Revolving Chair (V4), Medical Staff Aprons, Widal Test Kit, Roti Making Machine, personal safety kit reflective luminous garments, Almirah Steel (V2), Industrial Safety Gloves - Leather and Cotton</p> <p>Searched String: MAIN BEARING 010 BM/K</p> <p>Spherical Roller Bearing as per IS 6455, Muffle Furnace, books, Answer Book/Booklets For Examinations (V3), Bearing Puller as per IS 9193</p> <p>Searched String: VALVE WASHER</p> <p>Lock Washer, Squeegee Washer Wiper Mopper (V2), Nylon washer, Plain Washer as per IS 2016, High Pressure Washer, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Square Washer(BHEL), WALL WASHER LED HOUSING, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, ELISA reader and washer</p> <p>Searched String: OIL JET WITH PACKING</p> <p>KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Axle Oil as per IS 1628, Mosquito Anti Breeding Larvicidal Oil - (without Insecticide), Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Corrugated Fibreboard Cartons [for packing Soluble Coffee With 30% Chicory Powder (Polyester pouches) - DEFENCE], read write compact disc cd</p> <p>Searched String: BIG END BEARING 010 BM/K</p>

Bid Details/Part Category not available on GeM for the text string uploaded by the buyer

Searched String: CYLINDER LINNER EURO STD TIGA/INDA

Category not available on GeM for the text string uploaded by the buyer

Searched String: CON ROD BUSH (K)

Connecting Rod Assembly, Muffle Furnace, Commercial CPVC Pipe Fittings, Brazing Alloys as per IS 2927, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement Conforming to IS 1786, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, Conventional Drill Rods for Core Drilling in Mineral Exploration

Searched String: CAM BUSH SEMI (K)

Sieve Shaker, Dough Cutting machines, Plant Growth Chamber, Industrial Oven

Searched String: BEARING AC PISTON STD

Category not available on GeM for the text string uploaded by the buyer

Searched String: THRUST WASHER STD

Thrust Bearing (BHEL), Squeegee Washer Wiper Mopper (V2), MIL-STD Digital Grounding System, books, Lock Washer, High Pressure Washer, Nylon washer, Hemodialysis Catheter Kit, Butterfly Valve (as per API Std. 609), Laundry Type Washing Machines / Drying Machines

Searched String: VALVE GUIDE INLET/EXHUST

Category not available on GeM for the text string uploaded by the buyer

Searched String: VALVE SEAT INLET/EXHUST

Angle Seat Valve, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Body Seat Ring For Non Return Valve-IS:5312, Resilient Seated Cast Iron Air Relief Valves for Water Works Purposes as per IS:14845 (Latest), RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES

Searched String: AC RING

AC Charging Station, Rubber Gloves for Electrical Purposes as per IS 4770, AC Current Transducer, computer mouse or trackballs, Backing Ring, Steel Bookcases as per IS 7761, Wiro Ring, books, Tennikoit Ring, Towel Rail / Ring for Bathroom

Searched String: AC SLEAVE

AC Charging Station, Rubber Gloves for Electrical Purposes as per IS 4770, AC Current Transducer, computer mouse or trackballs, AC Voltage Transducer (V2), Small Angle Grinders, AC Type 2 Charging Station, books, Metallic Mount Suitable for Air Conditioner (Accessories), AC Duct Mountable Air Decontamination System

Searched String: AC PUMP OIL RETURN PIPE

Bid Details/As per	Transformer Oil Pump, AC SPV Deep well (submersible) Pumping Systems, Vacuum Pump Oil, Mineral oil Leybonol, Seamless Line Pipe (as per API 5L / ISO 3183) (Oil PSU), Vacuum pump oils, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Pipe Cutter, Dewatering Pumps as per IS 10001, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018
	<p>Searched String: OIL FILTER</p> <p>Oil Filter Cartridges, Filtering Half Mask-Air Pollution Mask-IS 9473, Oil filter assembly for wheel loader, Bag filter, Laboratory Filter Papers, Filter Cartridge, Digital Physiograph System, Filter Sand, Syringe Filter, Pollen filter</p> <p>Searched String: CRANK SENSOR</p> <p>Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Manual Pencil Sharpener (V2), Force Sensor, Inductive Proximity Sensor, LVDT Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Ultrasonic Sensor, Temperature sensor</p> <p>Searched String: SENSOR BOOST PRESSURE BOSCH</p> <p>Pressure Sensor, High Pressure Washer, Digital Pressure Transmitter</p> <p>Searched String: COOLING FAN</p> <p>Motor cooling fan, LED Surface Ceiling Light as per IS 10322, Cooling Fan for Induction Motor, Industrial Cooling Fan (Man Coolers) as per IS 6272, Fan Blades for Cooling Tower fan Rev 1, Electric Ceiling Fan with BLDC Motor as per IS 374 (V2), Electric Axial Flow Fans Conforming To IS 3588, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Fan Bearing</p> <p>Searched String: OIL DIPSTICK INNER/OUTER</p> <p>Gloves ECW (Modified) - Outer and Gloves ECW Inner (Defence), Spiral Wound Metallic Gasket</p> <p>Searched String: STUD W/NUT TURBO EX. MANIFOLD 13 NO</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: FLY WHEEL ASSY W/GEAR</p> <p>Worm Gear Box, Household Sewing Machine Head, Wheel Worm, Sprinkler Irrigation Unit as per IS 12232, Gear Wheel Blank Forging (BHEL), Fly Ash Bricks as per IS 13757, IS 12894, Wheel Chairs (V2), Gear Lubricants, Multipurpose (V2) as per IS 1118</p> <p>Searched String: GUIDE PUSH ROD INLET/EX</p> <p>Conventional Drill Rods for Core Drilling in Mineral Exploration</p> <p>Searched String: RADIATOR ASSY WITH INETRCOOLER</p> <p>Coolant Hose, Radiation protective Lead aprons with accessories, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Digital Physiograph System, D</p>

Bid Details/विषय विवरण and C Set, Wilfit Spares

Searched String: ALTINATOR ADJUSTER COMPLEATE

surgical isolation or surgical masks, Wilfit Spares, Styling Chair / Salon Chair / Swiveling Barber Chair, Hand Dryer (V2), Wheel Chairs (V2), Advanced Dental Chair, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Multi Adjustable Bench (V2), burette stand, Adjustable Spanner

Searched String: TIMIMING PLATE FUEL PUMP

Fuel Injection Pump Assembly

Searched String: SELF STARTER MOTOR ASSY 12 VOLTAGE

Category not available on GeM for the text string uploaded by the buyer

Searched String: MAIN BEARING 020 BM/K

Spherical Roller Bearing as per IS 6455, Muffle Furnace, books, Answer Book/Booklets For Examinations (V3), Bearing Puller as per IS 9193

Searched String: BIG END BEARING 020 BM/K

Category not available on GeM for the text string uploaded by the buyer

Searched String: CONNECTING ROD ASSY TELCO

Connecting Rod Assembly, Portable Voice Recorder, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Sprinkler Irrigation Unit as per IS 12232

Searched String: OIL PUMP ASSY

Transformer Oil Pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Vacuum Pump Oil, Digital Physiograph System, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Submersible Pump Set Three Phase as per IS 8034, IS 9283, Mineral oil Leybonol, Wilfit Spares, Vacuum pump oils, Self Priming Centrifugal Pump as per IS 5120

Searched String: TEMP.SENDING UNIT

Thermowells, Executive Table (V2), OPG Unit, Multiparameter pH or mV or ISE or Temp Meter, Cryotherapy Unit, blood pressure recording units, PHOTOTHERAPY Unit, Dial type indicating Pressure Gauges, Malt Based Foods with Cocoa (TEMP) (Defence), Sanitary Napkins Incinetator Machine with Smoke Control Unit

Searched String: OIL PRESSURE SWITCH

Digital Pressure Switch, Portable Fire Extinguishers (V2) as per IS 15683:2018, Differential Pressure Switch (BHEL), Flow Switch of Mill Lube Oil System, Mineral oil Leybonol, modular electrical switches and accessories, blood pressure recording units, Extreme Pressure Gear Oil as per IS 1118, Autoclave (Horizontal), Isolator switch

Searched String: CLUTCH DISC

Clutch (BHEL), read only compact disc cd, Oxidase disc,

Bid Details

Wilfit Spares, Disc Friction, Padlock (General Use), Sander Disc, Single Disc Scrubber, read write compact disc cd, Disc Oil skimmer

Searched String: PRESSURE PLATE ASSY

Pressure Plate, Portable Fire Extinguishers (V2) as per IS 15683:2018, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Digital Physiograph System, Bulk Packing of TSM Assy (BSF), blood pressure recording units, Pressure Sensor, Wilfit Spares, Pressure Calibrator, Autoclave (Horizontal)

Searched String: CLUTCH RELEASE BEARING

Clutch (BHEL), Ball Bearings as per IS 6455, Release Base Paper, books, Rust Release penetrate spray, Cloth Dryer Stand, Hydrostatic Release Unit (HRU), Regulators for Breathing Apparatus (Diving Instruments or Accessories), BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455

Searched String: BEARING FLY WHEEL

Wheel Bearing Grease as per IS 10647, Ball Bearings as per IS 6455, Shouldary Double Fly Tent, Household Sewing Machine Head, Cutting Wheel, Wheel Chairs (V2), Buffing Wheel, Platform Trolley (V2), Unitized Wheel, Cloth Dryer Stand

Searched String: WATER PUMP ASSY

Water Pump Seals, water baths, Belt Drive Water Pump, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Insulated water pump plier, Potable Water Purification System with Inbuilt Water Cooler, Centrifugal Compressor Pump (IOCL), Wilfit Spares, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Environmental Chamber

Searched String: FAN BELT

Fan Bearing, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Crossfit Fan, Portable Voice Recorder, Belt Trainer, Electric Ceiling Fan with BLDC Motor as per IS 374 (V2), leather belt, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Timing Belt, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555

Searched String: THERMOSTATE VALVE

Thermostate(BHEL), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Needle Valve, Sequence valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, General Purpose Ball Valves (V2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Angle Seat Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Cartridge Check Valve

Searched String: SENSOR AIR INTAKE

Occupancy sensor, Hot air oven, Photoelectric Sensor, Cap FS Disruptive (JSS), Force Sensor, Laminar air flow cabinets or stations, LVDT Sensor, Camera Cleaning Kit, Ultrasonic Sensor, Air Freshener Liquid

Searched String: COOLING FAN

Bid Details/As Per	Motor cooling fan, LED Surface Ceiling Light as per IS 10322, Cooling Fan for Induction Motor, Industrial Cooling Fan (Man Coolers) as per IS 6272, Fan Blades for Cooling Tower fan Rev 1, Electric Ceiling Fan with BLDC Motor as per IS 374 (V2), Electric Axial Flow Fans Conforming To IS 3588, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Fan Bearing
	<p>Searched String: FEED PUMP ASSY</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Styling Chair / Salon Chair / Swiveling Barber Chair, Feeding Pump, Wilfit Spares, Crushed Feed Oats, Submersible Pump Set Three Phase as per IS 8034, IS 9283, Bulk Packing of TSM Assy (BSF), Self Priming Centrifugal Pump as per IS 5120 , Powder Form Fish Feed, Submersible Sewerage Pump</p> <p>Searched String: WATER HOSE PIPE SET</p> <p>Rubber Steam Hose (V2) as per IS 10655, Polyethylene Pipes for Water Supply, Black Flexible Rubber Hose Pipe, Geological compass, Cotton braided pneumatic rubber hose, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, under water communication set, Steel Pipes for Water and Sewage as per IS 3589, Digital Physiograph System, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778</p> <p>Searched String: FUEL WATER SEP. ASSY</p> <p>Fuel Water Separator, Hamam Water Heating Device (Defense), Water - Drinking and Sanitation (V2), Cap FS Disruptive (JSS), Wilfit Spares, Brush for Road Sweeper Machine, Sprinkler Irrigation Unit as per IS 12232</p> <p>Searched String: FUEL PIPE FEED PUMP FIP 19X17MM</p> <p>Hand Dryer (V2), Sprinkler Irrigation Unit as per IS 12232, Parallel Bar - Outdoor Gym Equipment</p> <p>Searched String: WIPER MOTOR TIMER 24 VOLT</p> <p>Vehicle Wiper Motor, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Hand Dryer (V2), Lead Acid Batteries for Motor Vehicles with Light Weight and High Cranking Performance as per IS 14257:2019, books, Lead Acid Traction Battery as per IS 5154, Cap FS Disruptive (JSS), Geological compass</p> <p>Searched String: PISTON SET,PIN & LOCK SET STD BS III</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CRANK SHAFT ASSY STD</p> <p>Wilfit Spares, Digital Physiograph System</p> <p>Searched String: CON ROD ASSY</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Muffle Furnace, Connecting Rod Assembly, Sprinkler Irrigation Unit as per IS 12232, Maddox rod, Welding Rod for Manual Metal Arc Welding of Carbon</p>

Bid Details/बिड विवरण

and Carbon Manganese Steel as per IS 814, Tungsten Rod, Vehicle Lift, Bulk Packing of TSM Assy (BSF), Wilfit Spares

Searched String: MAIN BEARING STD BM COLLER TYPE

Category not available on GeM for the text string uploaded by the buyer

Searched String: BIG END BEARING STD BM EURO III

Category not available on GeM for the text string uploaded by the buyer

Searched String: CY.LINNER STD PLAIN COLLER

Mild Steel Sheet

Searched String: CAM BUSH STD PF

Category not available on GeM for the text string uploaded by the buyer

Searched String: C.R BUSH SEMI STD

books, Polycarbonate Lathi, Poly Carbonate Shield (MHA) (V2)

Searched String: VALVE INLET/EXHUST .003 O/S

NBR O - Ring for Self Closing Valves of LPG Cylinders

Searched String: DAMMEY PLUG (TICKEY) HEAD WATER

Bridge Plug Socket Head Screw-IS:2269, Plug Cock for Water Supply Purpose as per IS 3004, Water Swivel and Hoisting Plug (CMPDI), Hand Held Brush Cutter (V2)

Searched String: RING PISTON STD

Piston Ring Compressor, Steel Bookcases as per IS 7761, Piston Ring Expander, Piston Ring Set-IS:6621, IS:8422, Towel Rail / Ring for Bathroom, MIL-STD Digital Grounding System, books, Piston Pin, Networking Trainer Educational Kit, Axial Piston Pumps

Searched String: ENGINE O/H GASKIT U/L W/HEAD GASKIT IN/EX. VALVE, MAIN, TIMING OIL SEAL

Category not available on GeM for the text string uploaded by the buyer

Searched String: TENSIONER ASSY

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Wilfit Spares, Bulk Packing of TSM Assy (BSF), Football Shoes, Cap FS Disruptive (JSS), books, Hand Dryer (V2)

Searched String: FLY WHEEL BEARING

Wheel Bearing Grease as per IS 10647, Ball Bearings as per IS 6455, Shouldary Double Fly Tent, Household Sewing Machine Head, Cutting Wheel, Wheel Chairs (V2), Buffing Wheel, Platform Trolley (V2), Unitized Wheel, Cloth Dryer Stand

Searched String: CLUTCH PLATE

Pressure Plate, Sofa Set (Steel Tube), Clutch (BHEL), Wilfit

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Bid Details/As per	Spares, Mounting plate, Rubberized Weight Plates, Squatting Plate, Hand Dryer (V2), Laboratory Hot plate, name plates or tags
	<p>Searched String: PRESSURE PLATE ASSY W/RELEASE BEARING</p> <p>Wilfit Spares, Digital Physiograph System, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: OIL PUMP ASSY</p> <p>Transformer Oil Pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Vacuum Pump Oil, Digital Physiograph System, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Submersible Pump Set Three Phase as per IS 8034, IS 9283, Mineral oil Leybonol, Wilfit Spares, Vacuum pump oils, Self Priming Centrifugal Pump as per IS 5120</p> <p>Searched String: WATER PUMP ASSY</p> <p>Water Pump Seals, water baths, Belt Drive Water Pump, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Insulated water pump plier, Potable Water Purification System with Inbuilt Water Cooler, Centrifugal Compressor Pump (IOCL), Wilfit Spares, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Environmental Chamber</p> <p>Searched String: THERMOSTATE VALVE ASSY</p> <p>Thermostate(BHEL), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Wilfit Spares, Bulk Packing of TSM Assy (BSF), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Needle Valve, Sprinkler Irrigation Unit as per IS 12232, Sequence valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778</p> <p>Searched String: OIL PRESSURE SWITCH</p> <p>Digital Pressure Switch, Portable Fire Extinguishers (V2) as per IS 15683:2018, Differential Pressure Switch (BHEL), Flow Switch of Mill Lube Oil System, Mineral oil Leybonol, modular electrical switches and accessories, blood pressure recording units, Extreme Pressure Gear Oil as per IS 1118, Autoclave (Horizontal), Isolator switch</p> <p>Searched String: TEMP SWITCH</p> <p>Isolator switch, modular electrical switches and accessories, Limit Switch, Multiparameter pH or mV or ISE or Temp Meter, Reed Switch, Layer 2 Access Switch (V2), Rotary Switch, Dial type indicating Pressure Gauges, Time Switch, modular electrical enclosure switch board boxes for modular type accessories</p> <p>Searched String: THERMO CLUTCH ASSY</p> <p>Clutch (BHEL), manual single channel air displacement pipetters or micropipette, Digital Thermo Hygrometer, Wilfit Spares, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Regulators for Breathing Apparatus (Diving Instruments or Accessories), Bulk Packing of TSM Assy (BSF), Thermos SS (Defence), Pressure</p>

Bid Details/As per	Plate, Refrigerated Centrifuge For General And Research Purpose
	<p>Searched String: BELT V</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Rubber Gloves for Electrical Purposes as per IS 4770, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, V-Belts - Endless V-Belt For Industrial Purposes - General Purpose-IS:2494, Insulation Tester, Belt Trainer, Small Angle Grinders, leather belt, books, Timing Belt</p> <p>Searched String: OIL FILTER</p> <p>Oil Filter Cartridges, Filtering Half Mask-Air Pollution Mask-IS 9473, Oil filter assembly for wheel loader, Bag filter, Laboratory Filter Papers, Filter Cartridge, Digital Physiograph System, Filter Sand, Syringe Filter, Pollen filter</p> <p>Searched String: ASSY FUEL FILTER BIG/SMALL</p> <p>Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499, Wilfit Spares, Tableware Made of Melamine Plastics as per IS 9220, books, Self Propelled Road Sweeping Machine (Small), socks, Brush for Road Sweeper Machine</p> <p>Searched String: COMPRESSOR ASSY</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Wilfit Spares, Screw Compressor, Compressor oils, books, Dental Air Compressor, Reciprocating Air Compressors - Electric Motor Driven, Piston Ring Compressor, Hand Dryer (V2), CNG Compressor (HPCL)</p> <p>Searched String: BENJO BOLT 19 NO</p> <p>Novel Coronavirus (COVID - 19) Sample Collection Kit, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Rapid Antigen Test Kits for Novel Corona Virus (SARS - COV - 2 / COVID - 19), Carbon Tape 19 MM(OFB-DEFENCE), Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Wilfit Spares, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Football Shoes, Shorts Disposable, Prefab Hut / House of Size 4.88 M X 19.52 M (as per GeM Drawing)</p> <p>Searched String: OIL PIPE FILTER TO TURBO</p> <p>Shell Turbo T68 Oil, Filtering Half Mask-Air Pollution Mask-IS 9473, Oil Filter Cartridges, Tennis Ball, Oil filter assembly for wheel loader, bacterial or viral filters without heat and moisture exchanger hme, Pipe Cutter, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Oil Filtration Machine (NTPC), Chemical Splash Proof Goggle</p> <p>Searched String: OIL DIPSTICK INNER/OUTER</p> <p>Gloves ECW (Modified) - Outer and Gloves ECW Inner (Defence), Spiral Wound Metallic Gasket</p> <p>Searched String: TIE ROD END</p> <p>Tie rod assembly, Multipara Monitor - Low End, Hydraulic Rod Ends Bearing, Portable Voice Recorder, Nylon cable Tie, Wooden Podium, Tie for VIP Security Personnel (CRPF), Sprinkler Irrigation Unit as per IS 12232, Maddox rod, High</p>

Bid Details/बिड विवरण	End Desktop Computer
	<p>Searched String: DRAG LINK ROD END</p> <p>Hydraulic Rod Ends Bearing, Video Conferencing End Point</p> <p>Searched String: CENTER BEARING COMP. RUBBER BRACKET PROPELLER SHAFT</p> <p>Flexible Load Bearing Polyurethane Foam Components for Vehicles (V2) as per IS 8255 (Latest)</p> <p>Searched String: RECTIFIRE PLATE ALTERNATOR 24 V</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, V-Belts - Endless V-Belt For Industrial Purposes - General Purpose-IS:2494, Digital Physiograph System, Locking Compression Plates (V2), Multicore Cable as per IS 694, Soldering and Desoldering Station with digital display, Trap Cage for forest Department Use, Float Cum Boost Charger (Battery Chargers), Transport Cage for forest Department Use</p> <p>Searched String: CUT OUT 24 V</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Soldering and Desoldering Station with digital display, V-Belts - Endless V-Belt For Industrial Purposes - General Purpose-IS:2494, Medical Centrifuge, LED Based Indicating Lamp for Panel Cut Outs, Float Cum Boost Charger (Battery Chargers), Flexible Quick Coupling GI Pipe and Fittings as per DGS&D Drawing, PA Mixer, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Multi function Calibrators</p> <p>Searched String: C.B. PLATE SELF STARTER 24 V</p> <p>Soldering and Desoldering Station with digital display</p> <p>Searched String: CARBON BRUSH</p> <p>Carbon brush, Toilet Brush (V2), Antistatic Brush, Carbon brushes for motor and generator, cobweb brush, Portable Fire Extinguishers (V2) as per IS 15683:2018, Boot brush, platform brush, non carbonated beverage dispenser, scrubbing brush</p> <p>Searched String: CLUTCH MASTER CYLINDER</p> <p>Clutch (BHEL), Laboratory Graduated Cylinders as per IS 878, Shrub Master, Regulators for Breathing Apparatus (Diving Instruments or Accessories), PCR Master Mix, Domestic Mugs - Bathroom, Dentine Bonding Master, Brush for Road Sweeper Machine, Cylinder Stand, Cylinder heads</p> <p>Searched String: CLUTCH SLAVE CYLINDER</p> <p>Clutch (BHEL), Laboratory Graduated Cylinders as per IS 878, Cylinder Stand, Digital Physiograph System, Cylinder heads, Domestic Mugs - Bathroom, Cylinder Liner, Brush for Road Sweeper Machine, Metal cylinder calorimeter, Fire Breathing Apparatus (SCBA - EN 137)</p> <p>Searched String: HIGH PRESSURE PIPE 06 PIPE</p> <p>Furnace and Heat Exchanger Tubes, Classroom Chairs, Waste Pipe, Steel Pipe Flanges as per IS 6392, Pipe saddles,</p>

Bid Details/As per	Metal Beds (V2), Pipe Clips, Asbestos Cement Pressure Pipe and Joints as per IS 1592, Pipe Cutter, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings)
	<p>Searched String: CAM LOCK PLASTIC</p> <p>Lock Washer, Steel Bookcases as per IS 7761, Weight Lock, Plastic Moulded Chair as per IS 13713 (V2), Pedestal Safety Lock, flower pots or planters, Lock Stopper key, Touchless Soap Dispenser (Version 2), Lock Nut (BHEL), Napkin Dispenser</p> <p>Searched String: WIPER MOTOR TIMER 24 VOLT</p> <p>Vehicle Wiper Motor, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Hand Dryer (V2), Lead Acid Batteries for Motor Vehicles with Light Weight and High Cranking Performance as per IS 14257:2019, books, Lead Acid Traction Battery as per IS 5154, Cap FS Disruptive (JSS), Geological compass</p> <p>Searched String: HOUSING STARTER MOTOR</p> <p>Starter Motor Assembly, books, Submersible Pump Starters (Motor starter controls), Digital Physiograph System, DOL starter, ICU Bed, Housing(OFB-DEFENCE), Hand Dryer (V2), Housing OG (Defence), vortex mixers</p> <p>Searched String: COPPER BRUSH GEAR PLATE ASSY</p> <p>Earthing Plate as per IS 3043, PTFE Wire, Copper bearing structural Plate as per IS 2062 (Steel Plate)(UNIT - QUANTITY), Wilfit Spares, Brush for Road Sweeper Machine, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Geological compass, Digital Physiograph System, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: GUN METAL BUSH</p> <p>Gun Metal Gate Valves - BHEL, Metal Shelving Racks as per IS 1883, Carbon Bush, Impact socket, Bush Bearing, Metal Beds (V2), Tranquilizer Gun, High Pressure Fire Fighting Hose - IS 14933, Glue gun, Door Frame Metal Detector</p> <p>Searched String: COPPER BRUSH GEAR PLATE ASSY</p> <p>Earthing Plate as per IS 3043, PTFE Wire, Copper bearing structural Plate as per IS 2062 (Steel Plate)(UNIT - QUANTITY), Wilfit Spares, Brush for Road Sweeper Machine, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Geological compass, Digital Physiograph System, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: BENDEX PINION ASSY</p> <p>Pinion gears, Wilfit Spares, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Sprinkler Irrigation Unit as per IS 12232, Bulk Packing of TSM Assy (BSF), Cap FS Disruptive (JSS), Gear Shaft and Pinion Shaft for Increaser</p> <p>Searched String: LOCK KIT BENDEX PINION</p>

Bid Details/As per Tool Kit for Locks and Hardware - ODOP UP Gov. (Aligarh, Kasganj), Etta, Hathras), Transformer Oil BDV Test Kit

Searched String: CLUTCH FORK

Clutch (BHEL), Domestic Fork as per IS 992, Fork showel, Medical Tuning Fork Sets, Domestic Fork (V2) as per IS 16218, Wilfit Spares, Tuning Fork (V2) as per IS 10995, Electrical connection Lugs or thimbles, Sweeping Long SS Handle Steel Fork, Pressure Plate

Searched String: CLUTCH SLEEVE CYLINDER LOWER

Laboratory Graduated Cylinders as per IS 878, books, Portable Voice Recorder, Digital Physiograph System, Geological compass, Brush for Road Sweeper Machine

Searched String: PRESSURE PLATE

Pressure Plate, Portable Fire Extinguishers (V2) as per IS 15683:2018, Pressure Sensor, Digital Physiograph System, Pressure Calibrator, blood pressure recording units, Pressure Transducers, Wilfit Spares, Mounting plate, Autoclave (Horizontal)

Searched String: CLUTCH RELEASE BEARING

Clutch (BHEL), Ball Bearings as per IS 6455, Release Base Paper, books, Rust Release penetrate spray, Cloth Dryer Stand, Hydrostatic Release Unit (HRU), Regulators for Breathing Apparatus (Diving Instruments or Accessories), BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455

Searched String: CLUTCH MASTER CYLINDER

Clutch (BHEL), Laboratory Graduated Cylinders as per IS 878, Shrub Master, Regulators for Breathing Apparatus (Diving Instruments or Accessories), PCR Master Mix, Domestic Mugs - Bathroom, Dentine Bonding Master, Brush for Road Sweeper Machine, Cylinder Stand, Cylinder heads

Searched String: AIR FILTER

Air Pre Filter, Hot air oven, Vehicle Mounted Air Filter, Angle Air Filter and Filter Element (BHEL), Laminar air flow cabinets or stations, Element Filter Compressor, Air Freshener Liquid, Air Sampler, Air Freshener Solid and Gel, Respiratory Filter - Full Face Masks

Searched String: FUEL FILTER WITH ASSY

Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499, Filtering Half Mask-Air Pollution Mask-IS 9473, Complete Filter Housing with Filters - BHEL, Wilfit Spares, Air Sampler, Industrial Kitchen Chimney, Bacterial / Viral Filters (V2), Brush for Road Sweeper Machine, bacterial or viral filters without heat and moisture exchanger hme, Cellulose Nitrate Filter Paper (V2)

Searched String: DISC PAD FRT

Oxidase disc, Desk Pads - Writing, Disc Friction, Cap FS Disruptive (JSS), Sander Disc, Dak Pad (V2), Kellys Pad, Portable Voice Recorder, Scrub Pad, Desk Pads - Writing (V2)

Searched String: DISC PAD REAR

Bid Details/As per	Oxidase disc, Desk Pads - Writing, Disc Friction, Cap FS Disruptive (JSS), Sander Disc, Dak Pad (V2), Kellys Pad, Portable Voice Recorder, Scrub Pad, Desk Pads - Writing (V2)
	<p>Searched String: CLUTCH SLAVE CYL ASSY</p> <p>Wilfit Spares, Cap FS Disruptive (JSS), Digital Physiograph System, Brush for Road Sweeper Machine, Sprinkler Irrigation Unit as per IS 12232, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: CLUTCH PRESSURE PLATE SET</p> <p>Pressure Plate, Sofa Set (Steel Tube), intracompartmental pressure monitoring set accessories (Pressure Monitoring Line), Wilfit Spares, High Pressure Portable Pump for large fire fighting as per IS 12717, Hand Dryer (V2), Digital Physiograph System</p> <p>Searched String: AC FILTER</p> <p>Bag filter, Rubber Gloves for Electrical Purposes as per IS 4770, Filter Cartridge, Filter Sand, Small Angle Grinders, Pollen filter, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Bacteria Filter, Filtering Half Mask-Air Pollution Mask-IS 9473, Syringe Filter</p> <p>Searched String: WIPER BLADE</p> <p>Wiper Ceiling Bungi, Squeegee Washer Wiper Mopper (V2), Vehicle Wiper Motor, JigSaw Blade, knife blades, Blade Tip Clearance, Cap FS Disruptive (JSS), Band saw blade, Scissors Straight, SHEARING MACHINE BLADE</p> <p>Searched String: OIL FILTER</p> <p>Oil Filter Cartridges, Filtering Half Mask-Air Pollution Mask-IS 9473, Oil filter assembly for wheel loader, Bag filter, Laboratory Filter Papers, Filter Cartridge, Digital Physiograph System, Filter Sand, Syringe Filter, Pollen filter</p> <p>Searched String: DISC PAD SET</p> <p>Play Board Set (Groove Pad Set) (Preschool Kit) (V2)-Toys, Power Generator - DG Set (up to 900 KVA), Agriculture Harrow (Disc Type), Cap FS Disruptive (JSS), Oxidase disc, Television (TV) (V2), Disc Friction, Portable Voice Recorder, Sander Disc, Sofa Set (Steel Tube)</p> <p>Searched String: BRAKE SHOE LINING WITH RIVIT</p> <p>PT Shoes Having Textile Upper and Shoe Canvas with Moulded Rubber Sole, Line Interactive UPS with AVR (V2), Safety Shoes - Leather with PVC Sole, Wilfit Spares, Walking Shoes, Wooden Shoe Rack, Brake Liners, Hand Held Brush Cutter (V2), Stainless Steel Shoe Rack, Lighting Box (Flasher For Police Vehicles)</p> <p>Searched String: FUEL FILTER</p> <p>Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499, Filtering Half Mask-Air Pollution Mask-IS 9473, Fuel Water Separator, Fuel Dispensing Units, Laboratory Filter Papers, Bag filter, Filter Cartridge, Syringe Filter, Filter Sand, Hamam Water Heating Device (Defense)</p> <p>Searched String: TIE ROD END SET</p>

Bid Details/As per

Tie rod Assembly, High end Office Table / Desk Furniture Set / Suit, Hydraulic Rod Ends Bearing, Portable Voice Recorder,

Sprinkler Irrigation Unit as per IS 12232, Digital Forensic Workstation, Wilfit Spares, endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Circular Staplers

Searched String: UJ CROSS

Cross Trainers, Paper Shredding Machines (V2), Cross over bench, Leather Cross Belt - Uniforms, Elliptical Cross Trainer, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Classroom Tables, Steering Universal Joint Cross Assembly, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Cable Cross Over (Version 2)

Searched String: WIPER BLADE

Wiper Ceiling Bungie, Squeegee Washer Wiper Mopper (V2), Vehicle Wiper Motor, Jigsaw Blade, knife blades, Blade Tip Clearance, Cap FS Disruptive (JSS), Band saw blade, Scissors Straight, SHEARING MACHINE BLADE

Searched String: HAND BRAKE CABLE

Brake Blocks, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Brake Liners, Cap FS Disruptive (JSS), Brake Rectifier, Nitrile Coated Hand Gloves, Hydraulic Press Brake Machine, Hand Lamp, Hand Dryer (V2), Hand saw

Searched String: AIR FILTER

Air Pre Filter, Hot air oven, Vehicle Mounted Air Filter, Angle Air Filter and Filter Element (BHEL), Laminar air flow cabinets or stations, Element Filter Compressor, Air Freshener Liquid, Air Sampler, Air Freshener Solid and Gel, Respiratory Filter - Full Face Masks

Searched String: CLUTCH PRESSURE PLATE SET

Pressure Plate, Sofa Set (Steel Tube), intracompartmental pressure monitoring set accessories (Pressure Monitoring Line), Wilfit Spares, High Pressure Portable Pump for large fire fighting as per IS 12717, Hand Dryer (V2), Digital Physiograph System

Searched String: CLUTCH MASTER CYLINDER

Clutch (BHEL), Laboratory Graduated Cylinders as per IS 878, Shrub Master, Regulators for Breathing Apparatus (Diving Instruments or Accessories), PCR Master Mix, Domestic Mugs - Bathroom, Dentine Bonding Master, Brush for Road Sweeper Machine, Cylinder Stand, Cylinder heads

Searched String: CLUTCH SLEEVE CYLINDER

Clutch (BHEL), MEDICAL GOWNS - DISPOSABLE, Protective Sleeve, Digital Physiograph System, Drill Sleeve, Laboratory Graduated Cylinders as per IS 878, Speedi sleeve, Geological compass, Cylinder Stand, Domestic Mugs - Bathroom

Bid Details/बिड विवरण	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> troop carrier police vehicles
BOQ Title/बीओक्यू शीर्षक	Tata Spare Parts
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	2 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	2 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	BUSH CONNECTING ROD
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज़ की आवश्यकता है।	Yes

Bid Details/बिड विवरण

Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period

shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

ENGINE OVERHAULING GASKIT BS III 254700990114

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

KIT ENGINE OVER HAULING SEAL 254700990106N

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

VALVE SEAT RING STD INLET 254701153417

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

VALVE SEAT RING STD EXHAUST 254701153420

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	4	30

VALVE GUIDE STD 254705153411

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	8	30

VALVE INLET AND VALVE EXHAUST SET 254705125114

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

DG BALL BEARING 6202 254705125113

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SET THRUST WASHER UPPER AND LOWER RS 1 254703103107

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

BUSH CONNECTING ROD

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

SET PISTON RING STD 4DCTCIC BS II III IV 254703153449

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SET PISTON BARE TC GRA WITH GUDGE ON PIN A 254703990157

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SET MAIN BEARING SHELL UPPER LOWER RS 1 254703990151

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SET CONNECTING ROD BEARING RS 1 254703990125

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY TIMING BELT IDLER BS II III IV 254703990172

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY TIMING BELT TENSIONER BS II III IV 254705110138

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

TIMING BELT BS II III IV 254705110139

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SEAL CAM SHAFT REAR 254705116312

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RUBBER TUBE 140 INJECTOR 25470157803

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	4	30

RUBBER TUBE 300 INJECTOR 254707146913

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

LOW OIL PRESSUR SWITCH 254707146915

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

ASSY OIL PUMP 265454509913

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

AIR FILTER ASSY 4 DL TC 254718103804

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ROLLER CHAIN OIL PUMP G-254709130296

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

OIL FILTER 254718109909

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

FUEL FILTER ASSY 254718130117

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

CYLINDER LINNER 04NOs 254709110118

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

THERMOSTATE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY ENGINE MOUNTING FRONT 254720129904

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

CLUTCH DISC 228 DIA 254724100101

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

COVER CLUTCH 228 DIA 272425200177

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

CLUTCH RELEASE BEARING 259925400111

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

LOCKING WIRE FOR CLUTCH RELEASE BEARING 272425600244

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

GASKET TURBO MANIFOLD 272425608706

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

PIPE UNION BOLT 4M8X1TS16405

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

GLOW PLUG BS II III IV 16531999073

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

GLOW TIMER 254715189903

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

GASKET FOR EXHAUST PIPE FRONT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

RUBBER HOSE RADIATOR TO L BOW

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RUBBER HOSE RADIATOR INLET 254750105859

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RUBBER HOSE MOULDED COVER TO PIPE 254750105867

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

RUBBER HOSE ADAPTER TO TUBE 254720125812

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

RUBBER HOSE THERMOSTATE TO BY PASS PIPE 2547501015848

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RUBBER HOSE WATER INLET ELBOW TO BY PASS PI 254720125809

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

PRESSURE CAP RADIATOR 254720121601

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

WATER PUMP V BELT 1045 ALTPS DRIVE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

PULLY V BELT FOUR GROVES 1050 L G-254720100124

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

V BELT 1045 ALTPS DRIVE G-254715146321

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

V BELT 1370 254723116332

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

COGGED V BELT HIGH RIDE 745 254723126348

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY CABLE ACCELERATOR 254723116320

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

TEMP TRANSDUCER 265930100126

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY REAR BUMPER CORNER LH W REFLECTOR 254720125801

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY REAR BUMPER CORNER RHW REFLECTOR 269888600107

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RUBBER COVER BRAKE CLUTCH 269888600108

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

ASSY HANDLE DOOR GLASS MACHINE 265829107704

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY FOG LAMP 283272300105

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

BONNET CABLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

REAR LEFT SIDE DOOR HANDLE OUTER 9265488700124

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ASSY TIE ROD RH 269872300102

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

ASSY TIE ROD LH G269946600113

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

FRONT DISC BRAKE PAD G269946600121

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

REAR BRAKE SHOE WITH RIVITS 04 PIECES 265442100107

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

OUTTER SLINGER PINION SEAL OIL TUBE 13575

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

FLY WHEEL BOLT LOCK PATTI 66335307710

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

ADAPTOR LUCAS FIP GEAR M 12 254703990166

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SERVICE INDICATOR 254707136506

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SPRING BUSH 254709139918

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

2K PAINT WHITE FOR SUMO 269832403401

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

DUCO THINNER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

HARDNER 250 ML PACK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

PUTTY NC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

BODY FILLER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RUBBING COMPOUND 500GM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

FUEL WATER SEPRATOR TATA 1613 BS 4 3252709120254

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

RADIATOR UPPER TANK TATA 1512 BUS 278650100331

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

DOOR LOCK TATA 1512 BUS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

AIR DRYER KIT MAJOR TATA 1613 BS 3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

AIR DRYER KIT MINOR TATA 1613 BS 3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

AIR FILTER PRE TATA 1613 BS 3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

AIR FILTER SECONDRY TATA 1613 BS 3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SPEEDOMETER ASSY HERO HONDA SUPER SLENDER MOTOR CYCLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

LEAD H T HERO HONDA SUPER SLENDER MOTOR CYCLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SPARK PLUG HERO HONDA SUPER SPLENDER MOTOR CYCLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

COUPLING RUBBER REAR WHEEL ASSY HERO HONDA SUPER SLENDER MOTOR CYCLE 2015 MODLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	3	30

FRONT BUMPER MARUTI ERTIGA LXI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

FRONT FUNDER LINNING LH ERTIGA LXI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

SPARK PLUG ERTIGA LXI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	8	30

BONNET SHOCKER TATA SAFARI STORME LH RH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

REAR SHOCKER TATA SAFARI STORME

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

WIPER MOTOR TATA SAFARI STORME

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

FOG LAMP ASSY 24 VOLT WITH BULB TATA 1512 1212

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

DOOR LOCK OUTER HANDLE TATA 709 TRUCK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

GEAR LEVER KIT TATA 712 TRUCK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

AIR FILTER TATA 709 TRUCK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

WIPER BLADE TATA 712 TRUCK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

WIPER BLADE TATA 1512 BUS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

CLUTCH PLATE AND PRESSURE PLATE KIT MCYCLE HERO SUPER SPLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

BRAKE DISC PAD FRONT HERO SUPER SLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

BRAKE SHOE REAR HERO SUPER SPLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

OIL FILTER HERO SUPER SPLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

CHAIN SPROKET SET HERO SUPER SLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SPARK PLUG HERO SUPER SLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

SIDE STAND HERO SUPER SLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

BATTERY 12 VOLT 04 AH HERO SUPER SLENDER BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

AIR FILTER MARUTI ERTIGA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

OIL FILTER MARUTI ERTIGA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

IGNITION SWITCH MARUTI CYCLE SUPER SPLENDER BS-III

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

INDICATOR ASSY MARUTI CYCLE SUPER SLENDER BS-III

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	4	30

CABLE ACC MARUTI CYCLE SUPER SLENDER BS-III

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

CLUTCH CABLE MARUTI CYCLE SUPER SLENDER BS-III

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SPEEDOMETER CABLE MARUTI CYCLE SUPER SLENDER BS-III

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

SPEEDOMETER GEAR SET FRONT MARUTI CYCLE SUPER SLENDER BS-III

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

BATTERY 12 VOLT 35 AH MARUTI ERTIGA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

BATTERY 12 VOLT 65 AH M AND M SCORPIO

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

BATTERY 12 VOLT 70 AH M AND M SCORPIO

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

TYRE 2.75X18 WITH TUBE MARUTI CYCLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

TUBE 2.75X18 MARUTI CYCLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

FIRE EXTENUISHER FOR LIGHT VEHICLES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	5	30

WATER TANK RESERVOIR MARUTI ERTIGA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

AC FILTER SCORPIO BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

AIR FILTER SCORPIO BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

FUEL FILTER SCORPIO BS VI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

BODY FILLER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

SCREW DRIVER 4 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	6	30

SCREW DRIVER COMBINATION KIT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	5	30

SCREW DRIVER 8 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	3	30

SCREW DRIVER 10 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

SCREW DRIVER PHILIPS 8 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	30

SCREW DRIVER PHILIPS 6 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	3	30

SCREW DRIVER PHILIPS 4 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	6	30

CHISEL COLD 17 MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	6	30

CHISEL COLD 19 MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	5	30

STEEL FOOT RULE 12 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	3	30

SCISSORS 8 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	6	30

L N KEY SET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

NOSE PLAIR 8 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	5	30

SPARK PLUG SPANNER MPFI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	3	30

D E SPANNER 6X7 TO 30X32

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	3	30

RING SPANNER 6X7 TO 30X32

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

COMBINATION PLAIR 8 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

CENTER PUNCH 150 MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	3	30

NOSE PLAIR INNER 6 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

NOSE PLAIR OUTER 6 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

FILLER GAUGE 01MM TO 05 MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	5	30

SPANNER ADJUSTABLE 12 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

PIPE WRENCH 12 INCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	3	30

IMPACT SCREW DRIVER SET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

SOLDRING IRON

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

RING EXPENDER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

VALVE GRINDING STICK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

ENGINE WASHING TRAY 4X2

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

10 TON HYDRAULIC JACK REPAIR KIT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

WIRE BRUSH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

MEASURING TAPE 15 MTRS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

MEASURING STEEL 03 MTR

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SOCKET SET STENLEY

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

CAR WASHER PIPE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	25	30

DIG FLAG ITBP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

DIG FLAG IPS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	30

DG FLAG

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

ADG FLAG

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

STAR PLATE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	4	30

POLICE STICKER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	40	30

FORMATION SIGN STICKER HVY MED LIGHT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	20	30

BRIDGE CLASSIFICATION STICKER 12

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	5	30

BRIDGE CLASSIFICATION STICKER 5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	10	30

BRIDGE CLASSIFICATION STICKER 3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	10	30

PULL PUSH SWITCH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	20	30

FUSE ALL TYPE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	100	30

OLD DHOTI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	40	30

TAPE INSULATION

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	20	30

EMERY PAPER WATER PROOF FINE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	20	30

ELECTRIC SOILDING IRON HEAVY DUTY

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SOILDRING FLEX PACK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

SOILDRING WIRE ROLL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	30

EMERY PASTE ROUGH AND FINE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	30

LIQUIDE RADIATOR CLEANER 300 ML PACK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

BODY FILLER

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Surya Kant	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

6. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 15% of total value.

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1.TERMS & CONDITATIONS

(i) Bidder should provide certificate uploaded at letter pad with acceptance signature and stamp,If any spare part does not fit in the vehicle, seller should replace it within 24 hours.

(ii) Scanned copies of Firm/GST registration Certificate.

(iii) Scanned copies of buyer specification be uploaded with acceptance/signature and stamps.

(IV)All spare parts, expendable items , tools and fitments items (batteries and tyres) should be (genuine) and superior quality will be accepted.

(V) Warranty of fitment items (batteries and tyres) Tyres 49000 Kms and Batteries 02 years

(VI) Batteries purchase with buy back offer.

(VII) payment will be made to the credit of firms account through recognized bank.

(VIII) No advance payment will be made to firm.

(IX) All spare parts, expendable items , tools and fitments items rates should be including GST.

7

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---