



Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण				
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-01-2025 17:00:00			
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-01-2025 17:30:00			
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)			
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Civil Aviation			
Department Name/विभाग का नाम	Airports Authority Of India (aai)			
Organisation Name/संगठन का नाम	Airports Authority Of India			
Office Name/कार्यालय का नाम	Airports Authority Of India Bhubaneswar Airport			
Total Quantity/कुल मात्रा	274			
ltem Category/मद केटेगरी	Cat 6 Patch Panel (V2) (Q3) , Fibre Patch Panel (LIU) (Q2) , Cat 6 Patch cord (Q2) , Fiber Optic Patch Cord (Q3) , Polyethylene Pipes for Water Supply (Q4)			
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	1 Lakh (s)			
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)			
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes			
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes			
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			

Bid D	etails/बिड विवरण
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
ITC available to buyer/क्रेता के लिए उपलब्ध आईटीसी	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Cat 6 Patch Panel (V2)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	225203
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Ε.			. 1
	Required/आवश्यकता	No	
L			

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	ICICI
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	39

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

AIRPORT DIRECTOR Airports Authority of India (AAI), Ministry of Civil Aviation, BPI Airport, Bhubaneshwar - 751020 (Airports Authority Of India)

Reserved for Make In India products

Reserved for Make In India products	Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have guoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Cat 6 Patch Panel (V2) (8 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
Constructional	Material of patch panel	Cold Rolled Steel	
	Modular plug fitting (RJ 45)	Individual ports for loaded	
	Dust protection for information outlet	Yes	
Generic	Patch panel suitability for (Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair)	CAT 6 U/UTP	
	Height of patch panel	10	
	No. of ports (RJ 45)	24 Ports Loaded	
	Cable Management (Rear side)	With	

Additional Specification Parameters - Cat 6 Patch Panel (V2) (8 pieces)

Bid Requirement (Allowed Values)
Phosphor Bronze with Nickel Plating
ISO/IEC 11801, ANSI/TIA-568-B.2 or latest
1. 180 Degree Punch Down 2. Both front and rear

	Name	rameter	В	id Require	ment (Allowed	Values)
1. Make in Certificate		lid Verified	1. Yes 2. Yes			
Warranty 3 Years						
	-	·	y with the additional s গ্র্ভিट(आईटीसी) and/ तथा			tioned above. र्स प्रभार (आरसीएम) Details
ITO	C on GST/	जीएसटी पर इन	ापुट कर क्रेडिट	ІТС	on GST Cess/जी	एसटी उपकर कर क्रेडिट
		100%			NA	A Contraction of the second se
S.No./क्र. सं.	Con: Reportin परेषिती	signee ng/Officer/ i/रिपोर्टिंग धेकारी	iरेषिती/रिपोर्टिंग अधिकारी 		Quantity/मात्रा	Delivery Days/डिलीवरी वे दिन
1	Srinivas Behera		751020,AIRPORTS AUTHORITY OF INDIA, B.P.I.AIRPORT, BHUBANESWAR-751020		8	30
		I (LIU) (6	-	na oc Close		
4inimum echnical S	50% Loca Specificat	ll Content r :ions/तकनीकी	equired for qualifyi	-	s 1 Local Suppli	er)
Minimum echnical ९ .जेम केटेगरी	50% Loca Specificat <u>বিशিष্टि</u> के उ	al Content r tions/तकनीकी अनुसार / As ।	required for qualifyin ি বিशিष्टियाँ per GeM Category Sp	ecification		
Minimum echnical ९ .जेम केटेगरी	50% Loca Specificat	al Content r tions/तकनीकी अनुसार / As ।	required for qualifyin ি বিशিष्टियाँ	ecification	quirement/बिड वं	er) के लिए आवश्यक (Allowed भनुमत मूल्य
Minimum echnical ९ जेम केटेगरी Specifi	50% Loca Specificat বিशিष্टি के उ ication	al Content r tions/तकनीकी अनुसार / As ।	required for qualifyin ি বিशিष्टियाँ <u>Der GeM Category Sp</u> ution Name/ विशिष्टि কা	ecification Bid Re	quirement/बिड वं	े लिए आवश्यक (Allowed भनुमत मूल्य
Minimum echnical ९ जेम केटेगरी Specifi	50% Loca Specificat বিशিष্टি के उ ication	al Content r tions/तकनीकी अनुसार / As p Specifica	required for qualifyin ি বিशিष्टियाँ <u>Der GeM Category Sp</u> ution Name/ विशिष्टि কা	ecification Bid Re 43.6, 44.0	quirement/बिड वं Values)/3	े लिए आवश्यक (Allowed भनुमत मूल्य
Minimum echnical ९ जेम केटेगरी Specifi	50% Loca Specificat বিशিष্टি के उ ication	al Content r tions/तकनीकी अनुसार / As p Specifica Height	required for qualifyin ি বিशিष्टियाँ <u>Der GeM Category Sp</u> ution Name/ विशिष्टि কা	ecification Bid Re 43.6, 44.0 482.6, 483	quirement/बिड वं Values)/3 , 44.3 (millimete	े लिए आवश्यक (Allowed भनुमत मूल्य er)
Minimum echnical ९ जेम केटेगरी Specifi Dimension Design &	50% Loca Specificat বিংশিষ্ট ক র ication	al Content r tions/तकनीकी अनुसार / As p Specifica Height Width	required for qualifyin ি বিशিष्टियाँ <u>Der GeM Category Sp</u> ution Name/ विशिष्टि কা	ecification Bid Re 43.6, 44.0 482.6, 483	quirement/बिड वे Values)/उ , 44.3 (millimeter) 3.0 (millimeter) able numeric val	े लिए आवश्यक (Allowed भनुमत मूल्य er)
Minimum echnical ९ जेम केटेगरी Specifi Dimension Design &	50% Loca Specificat বিংশিষ্ট ক র ication	al Content r tions/तकनीकी अनुसार / As p Specifica Height Width Depth	required for qualifyin ि विशिष्टियाँ per GeM Category Sp ntion Name/विशिष्टि का नाम	ecification Bid Re 43.6, 44.0 482.6, 483 Any applic	quirement/बिड वे Values)/उ , 44.3 (millimeter) 3.0 (millimeter) able numeric val	े लिए आवश्यक (Allowed भनुमत मूल्य er)
Minimum echnical ९ जेम केटेगरी Specifi Dimension Design &	50% Loca Specificat বিংশিষ্ট ক র ication	al Content r tions/तकनीकी अनुसार / As p Specifica Height Width Depth Liu Type Lan catrgo	required for qualifyin ि विशिष्टियाँ per GeM Category Sp ntion Name/विशिष्टि का नाम	ecification Bid Re 43.6, 44.0 482.6, 483 Any applic Rock Mour	quirement/बिड वे Values)/उ , 44.3 (millimeter) 3.0 (millimeter) able numeric val	े लिए आवश्यक (Allowed भनुमत मूल्य er)
Minimum echnical ९ .जेम केटेगरी	50% Loca Specificat বিংশিষ্ট ক র ication	al Content r tions/तकनीकी अनुसार / As p Specifica Height Width Depth Liu Type Lan catrgo	required for qualifyin Taिशिष्टियाँ Der GeM Category Sp Intion Name/विशिष्टि का नाम ory f Patch Panel	Bid Re 43.6, 44.0 482.6, 483 Any applic Rock Mound Cat6	quirement/बिड वे Values)/उ , 44.3 (millimeter) 3.0 (millimeter) able numeric val	े लिए आवश्यक (Allowed भनुमत मूल्य er)
Minimum echnical ९ जेम केटेगरी Specifi Dimension Design &	50% Loca Specificat বিংশিষ্ট ক র ication	al Content r tions/तकनीकी अनुसार / As r Specifica Height Width Depth Liu Type Lan catrgo	required for qualifyin Taिशिष्टियाँ Der GeM Category Sp Intion Name/विशिष्टि का नाम ory f Patch Panel	Bid Re 43.6, 44.0 482.6, 483 Any applic Rock Mound Cat6 1U	quirement/बिड वे Values)/उ , 44.3 (millimeter) 3.0 (millimeter) able numeric val	े लिए आवश्यक (Allowed भनुमत मूल्य er)
Minimum echnical ९ जेम केटेगरी Specifi Dimension Design &	50% Loca Specificat বিংশিষ্ট ক র ication	al Content r tions/तकनीकी अनुसार / As r Specifica Height Width Depth Liu Type Lan catrgo Height Of Number of	required for qualifyin Taिशिष्टियाँ Der GeM Category Sp Intion Name/विशिष्टि का नाम ory f Patch Panel	Bid Re 43.6, 44.0 482.6, 483 Any applic Rock Mound Cat6 1U 12	quirement/ঝিs ব Values)/র , 44.3 (millimeter) 3.0 (millimeter) able numeric val	े लिए आवश्यक (Allowed भनुमत मूल्य er)

Specif	ication	Specification Name/विशिष्टि का नाम		Bid Re	-	h लिए आवश्यक (Allowed अनुमत मूल्य
dditional	Specificat	ion Param	eters - Fibre Patch I	Panel (LIU) (6 pieces)	
Specifi	cation Par Name	ameter	Ві	d Require	ment (Allowed	Values)
Warranty			3 Years			
Make in In	dia		YES			
Splice Tray	/		ABS Polymer/Alumini	um powder	coated with splic	e holder
cable entro sealing 2.0	grommets a y point for t Cable glands choring of ir	ight s for	1. YES 2. YES			
Features	eatures Removable front an protects cable, and			ommet allo	ws for pre-termin	to interior of LIU, ated fiber trunk instillatior
nput Tax (Credit(ITC))/इनपुट कर व्रे	y with the additional s जडिट(आईटीसी) and/ तथा पुट कर क्रेडिट	Reverse (Charge(RCM)/रिव	itioned above. र्स प्रभार (आरसीएम) Details एसटी उपकर कर क्रेडिट
		100%			NA	N
onsignee S.No./क्र. सं.	Cons Reportin परेषिती	ng Officer/प ignee g/Officer/ ⁄रिपोर्टिंग कारी	रेषिती/रिपोर्टिंग अधिकारी ; Address/पत		uantity/मात्र Quantity/मात्र	Delivery Days/डिलीवरी वे दिन
		ehera	751020,AIRPORTS AU OF INDIA, B.P.I.AIRPO		6	30

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP		
	Patch cord colour	Blue, Red, Yellow		
	Length of Patch cord (Mtrs)	0.5		
CONSTRUCTIONAL	Termination type / Connection type	Insulation Piercing Connection (IPC)		
	Cable jacket material	Low Smoke zero halogen (LSZH)		
	Storage temperature range	-20 deg.C to +60 deg.C		
	Operating temperature range	-20 deg.C to +60 deg.C		
CERTIFICATIONS	UL Marking on Cable	Yes		

Additional Specification Parameters - Cat 6 Patch Cord (200 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Bend relief compliant boots	Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट		
100%	NA		

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1 Srinivas Behera		751020,AIRPORTS AUTHORITY OF INDIA, B.P.I.AIRPORT, BHUBANESWAR-751020	200	30

Fiber Optic Patch Cord (10 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CONSTRUCTION	Connector Insertion loss, Max. (in dB)	0.3
	Connector Return loss , Min. (in dB)	50
	Material of Ferrule	Zirconia Ceramic, PreRadiused and pre polished
	Durability	200 Mating cycle, 500 Mating cycle, 1000 Mating cycle
GENERIC	Description of item	Fiber Optic Patch Cord for Optical Fiber Cabling
	Connector type, Connector End A	LC
	Connector type, Connector End B	LC
	Cable type	Duplex
	Fiber type	Single Mode 9/125 micron
	Cable Size, Outer dia (in mm)	0.9
	Cord Length (in m)	1
	Jacket material (Sheath material)	LSZH
	Cable color	Yellow, Orange, Aqua, Blue, Green, Brown, Red, White, Black
	Operating temprature	-10 deg.C to +60 deg C

Additional Specification Parameters - Fiber Optic Patch Cord (10 pieces)

	Specification Parameter Name	Bid Requirement (Allowed Values)	
	Durability	Greater than or Equal to 1000 Mating Cycle	
* Bidders offering must also comply with the additional specification parameters mentioned above.			

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट		
100%	NA		

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	न् रोज १ (२२) प्र Address/पता		Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1			10	30

Polyethylene Pipes For Water Supply (50 meter)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
Governing Specifications	Governing Specifications	Generally conforming to IS 4984 : 2016		
Material, Design &	Material Grade	PE 80, PE 100		
Dimension	Pressure Rating of Pipe	PN 6, PN 8, PN 10, PN 12.5, PN 16, PN 20		
	Nominal Diameter (mm)	32, 40, 50		
Supply Conditions	Supply Condition of Pipe	Coil		

Additional Specification Parameters - Polyethylene Pipes For Water Supply (50 meter)

Specific	cation Parameter Name	Bid Requirement (Allowed Values)			
ISI Marked		Yes			
* Bidders offering must also comply with the additional specification parameters mentioned above.					
Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details					
ітс	C on GST/जीएसटी पर इन	पुट कर क्रेडिट	ІТС	on GST Cess/जੀਾ	रसटी उपकर कर क्रेडिट
100% NA					
Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा					
S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Dfficer/ រាំ៍ខែំរា វិ រ 751020,AIRPORTS AUTHORITY		Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Srinivas Behera			50	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

5. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.

2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.

3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

6. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.

ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.

iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.

iv) The Seller becomes bankrupt or goes into liquidation.

v) The Seller makes a general assignment for the benefit of creditors.

vi) A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Laying of 250 mtrs OFC cable in also under current scope of work. However, OFC cable s hall be provided by AAI.

2. Laying of OFC cable inside building to be done in good quality HDPE pipes or PVC p ipes through existing walls/ducts/cable trays etc. along with supply of all accessories including PVC pipes etc. required for the laying work.

3. Laying of OFC cable outdoor shall be done through HDPE pipe in soft soil & In conc rete /road cutting area (approx. 10 mtrs.), it shall be laid in GI pipe of minimum diam eter 35 mm, which will be provided by the bidder.

4. Laying must be aesthetically good looking as per Satisfaction of AAI Official.

Hence, the bidder shall ensure the cost of laying of OFC cable to be included while quoting price in financial bid.

9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के विडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---