



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5718966  
Dated/दिनांक : 01-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	22-01-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	22-01-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Labour And Employment
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	Employees State Insurance Corporation (esic)
Office Name/कार्यालय का नाम	Esic Medical College & Hospital, Gulbarga
Total Quantity/कुल मात्रा	76823
Item Category/मद केटेगरी	BIO RAD ABD GEL CARDS FORWARD and REVERSE , BIO RAD LISS ID DILUENT SOLUTION 500 ml , Rapid PAPTMM Biofix spray Micro anatomy spray fixative , RIA tubes 12 x 75 mm , Non Ionic Contrast Media for Contrast CT study IOHEXOL , Glass Cuvettes for MISPA Clinia Fully automated chemistry analyser , TOTAL TRIIODOTHYRONINE TT3 CLIA , TOTAL THYROXINE TT4 CLIA , THYROID STIMULATING HORMONE TSH CLIA , Cardiac Troponin I , WASH BUFFER CLIA , WS WASH BUFFER CLIA , CHEMILUMINESCENCE IMMUNOASSAY CIM 2 CL , CHEMILUMINESCENCE IMMUNOASSAY CIM 1 CL , CARDIAC MARKER CONTROL LEVEL 1 CLIA , CARDIAC MARKER CONTROL LEVEL 2 CLIA , SUBSTRATE BUFFER CLIA , i180 REACTION CUVVETTES
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	ABD GEL CARDS (FORWARD & REVERSE)-BIO RAD, LISS ID DILUENT SOLUTION -Bio rad ( 500 ml), Rapid-PAPTMM Biofix spray (Micro anatomy spray fixative), RIA tubes (12x75mm), Non-Ionic Contrast Media for Contrast CT study (IOHEXOL), Glass Cuvettes for MISPA Clinia Fully automated chemistry analyser, TOTAL TRIIODOTHYRONINE (TT3) CLIA for MISPA i1000 (i180) Clia, THYROID STIMULATING HORMONE(TSH) CLIA for MISPA i1000 (i180) Clia, Cardiac Troponin I for MISPA i1000 (i180) Clia, WASH BUFFER CLIA for MISPA i1000 (i180) Clia, WS WASH BUFFER CLIA for MISPA i1000 (i180) Clia, CHEMILUMINESCENCE IMMUNOASSAY (CIM 2) CL for MISPA i1000 (i180) Clia, CHEMILUMINESCENCE IMMUNOASSAY (CIM 1) CL for MISPA i1000 (i180) Clia, CARDIAC MARKER CONTROL LEVEL 1 CLIA for MISPA i1000 (i180) Clia, CARDIAC MARKER CONTROL LEVEL 2 CLIA for MISPA i1000 (i180) Clia, SUBSTRATE BUFFER CLIA for MISPA i1000 (i180) Clia, i180 REACTION CUVVETTES for MISPA i1000 (i180) Clia, TOTAL THYROXINE (TT4) CLIA for MISPA i1000 (i180) Clia

Bid Details/बिड विवरण	
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> ABD GEL CARDS (FORWARD &amp; REVERSE)-BIO RAD</p> <p>Gel Card Centrifuge, Gel Card Incubator</p> <p><b>Searched String:</b> LISS ID DILUENT SOLUTION -Bio rad ( 500 ml)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Rapid-PAPTM Biofix spray (Micro anatomy spray fixative)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> RIA tubes (12x75mm)</p> <p>Steel Tubes, Cleaning Duster (V2), Silicone Tubes, centrifuge tubes, microcentrifuge tubes, PCR Tubes, Sleeve Tubes (BHEL), Laboratory Vials (V2), Endotracheal Tubes (V2), Classroom Chairs</p> <p><b>Searched String:</b> Non-Ionic Contrast Media for Contrast CT study (IOHEXOL)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Glass Cuvettes for MISPA Clinia Fully automated chemistry analyser</p> <p>Fully Automatic Biochemistry Analyzer (V2), Semi Automatic Bio Chemistry Analyser</p> <p><b>Searched String:</b> TOTAL TRIIODOTHYRONINE (TT3) CLIA for MISPA i1000 (i180) Clia</p> <p>Kerosene oil fired bukhari complete with exhaust pipes (MHA), Protective Eye Goggles (MHA), Immunoassay Analyzer Reagents, Activity Book (Preschool Kit)</p> <p><b>Searched String:</b> THYROID STIMULATING HORMONE(TSH) CLIA for MISPA i1000 (i180) Clia</p> <p>Immunoassay Analyzer Reagents</p> <p><b>Searched String:</b> Cardiac Troponin I for MISPA i1000 (i180) Clia</p> <p>Safety Footwear as per IS 15298, Protective Eye Goggles (MHA), Point of Care Rapid Test Kits (V2), Drop Arm Barrier (Boom Barrier) (MHA), White LED Based Solar Street Lighting System for Model (I, II, III And IV), Dry Military Compass (MHA), HELIBORNE EQUIPMENTS (MHA), Sonic Defenders - Hearing Protection Device (MHA), Blocking Bollard (MHA), Kerosene oil fired bukhari complete with exhaust pipes (MHA)</p> <p><b>Searched String:</b> WASH BUFFER CLIA for MISPA i1000 (i180) Clia</p> <p>Safety Footwear as per IS 15298</p> <p><b>Searched String:</b> WS WASH BUFFER CLIA for MISPA i1000 (i180) Clia</p>

<b>Bid Details/बिड विवरण</b>	Safety Footwear as per IS 15298
	<p><b>Searched String:</b> CHEMILUMINESCENCE IMMUNOASSAY (CIM 2) CL for MISPA i1000 (i180) Clia</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> CHEMILUMINESCENCE IMMUNOASSAY (CIM 1) CL for MISPA i1000 (i180) Clia</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> CARDIAC MARKER CONTROL LEVEL 1 CLIA for MISPA i1000 (i180) Clia</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> CARDIAC MARKER CONTROL LEVEL 2 CLIA for MISPA i1000 (i180) Clia</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> SUBSTRATE BUFFER CLIA for MISPA i1000 (i180) Clia</p> <p>Safety Footwear as per IS 15298</p> <p><b>Searched String:</b> i180 REACTION CUVVETTES for MISPA i1000 (i180) Clia</p> <p>Safety Footwear as per IS 15298, White LED Based Solar Street Lighting System for Model (I, II, III And IV), Protective Eye Goggles (MHA), Drop Arm Barrier (Boom Barrier) (MHA), Dry Military Compass (MHA), HELIBORNE EQUIPMENTS (MHA), Sonic Defenders - Hearing Protection Device (MHA), Blocking Bollard (MHA), Kerosene oil fired bukhari complete with exhaust pipes (MHA), Algaecides and Biocide for Cooling Water treatment</p> <p><b>Searched String:</b> TOTAL THYROXINE (TT4) CLIA for MISPA i1000 (i180) Clia</p> <p>Immunoassay Analyzer Reagents, Activity Book (Preschool Kit), Alphabet Block Set / Number Block Set (Preschool Kit), Polymer Ball with Jhanjari / Polymer Rubber Ring (Preschool Kit)</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Blood Sample Collection Tubes</li> <li>• Immunoassay Analyzer Reagents</li> <li>• Papanicolaou (PAP) Stain Kit</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	Procurement of Consumables and Biochemistry reagents
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	15 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	30 Lakh (s)

<b>Bid Details/बिड विवरण</b>	
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	1 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	10 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Glass Cuvettes for MISPA Clinia Fully automated chemistry analyser
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Group wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

#### **EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
BIO RAD ABD GEL Cards & LISS ID Diluent EMD Amount/ईएमडी राशि (In INR)	12936
Biofix spray & RIA Tubes EMD Amount/ईएमडी राशि (In INR)	7200

Non Ionic Contrast Media for contrast CT study EMD Amount/ईएमडी राशि (In INR)	4500
Biochemistry reagents of Make: AGAPPE Model: MISPA clinia & i1000 (i180) Clia EMD Amount/ईएमडी राशि (In INR)	112595

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

The Dean

Esic Medical College & Hospital, Gulbarga, NA, Employees State Insurance Corporation (ESIC), Ministry of Labour and Employment

(Esic Fund Account No. One)

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility

for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and

based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

#### Evaluation Method ( Group Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee /Reporting Officer	Consignee Address	Quantity
BIO RAD ABD GEL Cards & LISS ID Diluent	Bio Rad Abd Gel Cards Forward And Reverse	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	120
	Bio Rad Liss Id Diluent Solution 500 MI	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	16
Biofix spray & RIA Tubes	Rapid Paptm Biofix Spray Micro Anatomy Spray Fixative	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	300
	Ria Tubes 12 X 75 Mm	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	75000
Non Ionic Contrast Media for contrast CT study	Non Ionic Contrast Media For Contrast Ct Study Iohexol	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	150
	Glass Cuvettes For Mispa Clinia Fully Automated Chemistry Analyser	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	1
	Total Triiodothyronine Tt3 Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	270
	Total Thyroxine Tt4 Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	270

Biochemistry reagents of Make: AGAPPE Model: MISPA clinia & i1000 (i180) Clia

Thyroid Stimulating Hormone Tsh Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	270
Cardiac Troponin I	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	6
Wash Buffer Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	270
Ws Wash Buffer Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	9
Chemiluminescence Immunoassay Cim 2 Cl	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	9
Chemiluminescence Immunoassay Cim 1 Cl	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	9
Cardiac Marker Control Level 1 Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	9
Cardiac Marker Control Level 2 Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	9
Substrate Buffer Clia	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	60
i180 Reaction Cuvettes	Shushan Shweta	ESIC Medical College and Hospital ,Sedam Road GULBARGA 585106	45

### BIO RAD ABD GEL CARDS FORWARD And REVERSE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	120	180

**BIO RAD LISS ID DILUENT SOLUTION 500 MI**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	16	180

**Rapid PAPTM Biofix Spray Micro Anatomy Spray Fixative**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	300	180

**RIA Tubes 12 X 75 Mm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	75000	180

**Non Ionic Contrast Media For Contrast CT Study IOHEXOL**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	150	180

**Glass Cuvettes For MISPA Clinia Fully Automated Chemistry Analyser**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	1	180

### TOTAL TRIIODOTHYRONINE TT3 CLIA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	270	180

### TOTAL THYROXINE TT4 CLIA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	270	180

**THYROID STIMULATING HORMONE TSH CLIA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	270	180

**Cardiac Troponin I**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	6	180

**WASH BUFFER CLIA**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	270	180

### WS WASH BUFFER CLIA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	9	180

### CHEMILUMINESCENCE IMMUNOASSAY CIM 2 CL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	9	180

**CHEMILUMINESCENCE IMMUNOASSAY CIM 1 CL**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	9	180

**CARDIAC MARKER CONTROL LEVEL 1 CLIA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)



**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	9	180

**CARDIAC MARKER CONTROL LEVEL 2 CLIA**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	9	180

### SUBSTRATE BUFFER CLIA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	60	180

### I180 REACTION CUVVETTES

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shushan Shweta	585106,ESIC Medical College and Hospital ,Sedam Road GULBARGA	45	180

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**3. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

**4. Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

**5. Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- The Seller fails to comply with any material term of the Contract.
- The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- The Seller becomes bankrupt or goes into liquidation.
- The Seller makes a general assignment for the benefit of creditors.
- A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

## 6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

### 1.

**1. It is mandatory for all the bidders who are willing to participate in the bids (Biofix spray & RIA Tubes, Non Ionic Contrast Media CT study IOHEXOL) needs to send advance sample (1 No.) before Technical Evaluation for sample evaluation by the Technical Evaluation Committee members nominated by the Competent Authority at the time of technical evaluation of the bid for qualifying in the bid or else will be liable for rejection. The recommendation of the Technical Evaluation Committee will be binding to qualify technically.**

**2. The supplied Biochemistry reagents should be mandatorily compatible with CHEMILUMINESCENCE IMMUNOASSAY ANALYZER of i1000 (i180) CLIA (Make: AGAPPE).**

**3. The supplied Cuvettes should be mandatorily compatible with MISPA CLINIA FULLY AUTOANALYZER (Make: AGAPPE).**

**4. It is mandatory to upload all documents as per the Bid requirements. Failure to do so will make the bid liable for rejection.**

**5. It is mandatory for the participating bidders to submit OEM CERTIFICATE or a VALID AUTHORIZATION CERTIFICATE FROM THE OEM for the distributors.**

**6. The validity of this bid will be for a period of 180 days on the same terms & condition**

**7. Quantity mentioned is tentative and The Purchaser reserves the right to increase or decrease the quantity to be ordered during the validity of the bid. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.**

**8. The stocks to be supplied as per the days mentioned in staggered manner with the shelf life of minimum 12 months for the goods.**

**9. The Quantity/items mentioned in the bid may or may not be fully utilized within the contract period.**

**10. The Purchase Orders will be communicated via e-mail to the vendor in three installments (ordered on or before 5th, 90th, 160th days) based on the stock position and requirements by the user department. The delivery should be done within 10 days of issuance of the issuance of the purchase order. Delayed delivery will attract late delivery charges as per the GeM policy.**

**11. The vendor shall NOT SUPPLY any Products/Items WITHOUT INTIMATION/CONSULTATION from this office/hospital.**

**12. The payments shall be made in the GeM portal only for the supplied reagents w.r.t the invoice uploaded for the stocks supplied and stocks received.**

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

