



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5767300
Dated/दिनांक : 31-12-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-01-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-01-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of School Education And Literacy
Organisation Name/संगठन का नाम	Navodaya Vidyalaya Samiti
Office Name/कार्यालय का नाम	Jawahar Navodaya Vidyalaya Mandya
क्रेता ईमेल/Buyer Email	buyer1.mhrd.ktk@gembuyer.in
Total Quantity/कुल मात्रा	169

Bid Details/बिड विवरण**Item Category/मद केटेगरी**

Screw driver set , Soldering Wire 100 Gms , Soldering Gun 25 Watts , Soldering Wax Paste 30 GMS , Wire DCC 15 Mtrs coil of 100 Gms 22 Swg , Thread Roll , Drawing Pins Bush Pin Type Pkt of 50 Nos , OHMS Law apparatus with built in DC power supply model 651 , Voltmeter with Desk stand rectangular DC 10 Bolts , Ammeter with Desk stand rectangular DC 1 Amps , Ammeter with Desk stand rectangular DC 3 Amps , Galvanometer 30 hyphen 0 hyphen 30 DC with mount moving coil 20 UA , Resistance Box Magnin Coil 1 hyphen 500 OHMS 1 by 2 Blocks A , Resistance Bix Magnin Coil 10000 OHMS 1 by 2 Block A Grade Export Quality , Lens Convex 2 5 CMS FI hyphen 10 CMS , Lens Concave 2 5 CMS FI hyphen 10 CMS , Mirror Convex 2 50 mm Focal Length 10 Export Quality , Mirror Concave 2 50 mm Focal Length 10 Export Quality , PN Junction Diode Semi Conductor Diode Characteristic Appt mtrs , Battery Eliminator 2 hyphen 12 Volts 2 Amps DC Rotary Type Heavy Duty , Rheostat 200 mm 55 OHMS 1 point 8 AMPS Square Rod Export Quality , Rheostat 200 mm 135 OHMS 1 point 2 hyphen AMPS Square Rod Export Quality , Wheat Stone Bridge Meter Bridge 18 MM wooden bed copper , Magnet Bar alnico 50 mm extra strength Parco type export quality , Magnet Horse shoe alnico 50 mm 2 inches Superior Quality , Magnetic Compass Both Side Glass 19 mm , Lens Reading Magnifier with bakelite handle brass frame 75 mm 3 FL 20 Superior Quality , Battery cell 9 Volts hyphen 6F22 Square , Battery cell 1 point 5 volts hyphen C size Eveready , Battery cell 1 point 5 volts hyphen AAA duracell , LED Different Colours red green yellow and White , Iron Metal Filings CP 100 GM , Multimeter Analog , Resistance Coil 5 OHMS Magnin Coil A Grade , Resistance Coil 10 OHMS Magnin Coil A Grade , L D R Different Colours , Plug Key 1 way Heavy Superior , Wire Nichorme 100 Gms , Wire Eureka Constantan 26 G 100 Gms approx 50 Mtrs

Bid Details/बिड विवरण

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

Screw driver set, Soldering Wire 100 Gms, Soldering Gun 25 Watts, Soldering Wax (Paste) 30 GMS, Wire DCC (15 Mtrs) coil of 100 Gms, 22 Swg, Thread Roll, Drawing Pins Bush Pin Type (Pkt of 50 Nos), OHMS Law apparatus with built in DC power supply (model 651), Voltmeter with Desk stand rectangular DC 10 Bolts, Ammeter with Desk stand rectangular DC 1 Amps, Ammeter with Desk stand rectangular DC 3 Amps, Galvanometer 30-0-30 DC with mount moving coil 20 UA, Resistance Box (Magnin Coil) 1-500 OHMS 1/2 Blocks A-Grade (Export Quality), Resistance Bix (Magnin Coil) 10000 OHMS 1/2 Block A Grade (Export Quality), Lens Convex 2/5 CMS Fl-10 CMS, Lens Concave 2/5 CMS Fl-10 CMS, Mirror Convex 2/50 mm Focal Length-10, Export Quality, Mirror Concave 2/50 mm Focal Length-10, Export Quality, PN Junction Diode/Semi Conductor Diode Characteristic Appt @ mtrs, Battery Elimnator 2-12 Volts 2 Amps DC-Rotary Type Heavy Duty Copper Wound & A grade Lamination, Export Quality, Rheostat 200 mm (55-OHMS/1.8 AMPS) Square Rod Export Quality, Rheostat 200 mm (135-OHMS/1.2-AMPS) Square Rod Export Quality), Wheat Stone Bridge (Meter Bridge) 18 MM wooden bed, copper strips 18 SWG with Brass heavy terminal Eleven with six pehlu brass heavy washed, meter scale hardwood superior brass pencil jockey heavy wit wire (export quality), Magnet Bar alnico 50 mm (extra strength) Parco type export quality, Magnet Horse shoe alnico 50 mm, 2inches, Superior Quality, Magnetic Compass Both Side Glass 19 mm, Lens Reading (Magnifier) with bakelite handle brass frame 75 mm/ 3 FL-20 Superior Quality, Battery (cell) 9 Volts-6F22 (Square), Battery (cell)1.5 volts-C size (Eveready), Battery (cell)1.5 volts-AAA (duracell), LED Different Colours (red, green, yellow & White), Iron Metal Filings CP (100 GM), Multimeter Analog, Resistance Coil 5 OHMS (Magnin Coil) A-Grade, Resistance Coil 10 OHMS (Magnin Coil) A Grade, L D R Different Colours, Plug Key 1 way Heavy Superior, Wire Nichorme (100 Gms), Wire Eureka (Constantan) 26 G (100 Gms) approx 50 Mtrs

Searched String: Screw driver set
Bit Driver Set with Screw driver Bits

Searched String: Soldering Wire 100 Gms
Electric Soldering Iron

Searched String: Soldering Gun 25 Watts
Electric Soldering Iron

Searched String: Soldering Wax (Paste) 30 GMS
Soft Solder - IS 193

Searched String: Wire DCC (15 Mtrs) coil of 100 Gms, 22 Swg
Category not available on GeM for the text string uploaded by the buyer

Searched String: Thread Roll
Thread sealant

Bid Details/लॉट विवरण	Searched String: Drawing Pins Bush Pin Type (Pkt of 50 Nos)
	<p>Round Head Fasteners - Drawing Board Pin as per IS 5205</p> <p>Searched String: OHMS Law apparatus with built in DC power supply (model 651)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Voltmeter with Desk stand rectangular DC 10 Bolts</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Ammeter with Desk stand rectangular DC 1 Amps</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Ammeter with Desk stand rectangular DC 3 Amps</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Galvanometer 30-0-30 DC with mount moving coil 20 UA</p> <p>Online UPS (V2)</p> <p>Searched String: Resistance Box (Magnin Coil) 1-500 OHMS 1/2 Blocks A-Grade (Export Quality)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Resistance Bix (Magnin Coil) 10000 OHMS 1/2 Block A Grade (Export Quality)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Lens Convex 2/5 CMS FI-10 CMS magnifying glass</p> <p>Searched String: Lens Concave 2/5 CMS FI-10 CMS</p> <p>Analgesiometer</p> <p>Searched String: Mirror Convex 2/50 mm Focal Length-10, Export Quality</p> <p>Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2)</p> <p>Searched String: Mirror Concave 2/50 mm Focal Length-10, Export Quality</p> <p>Double sided tape</p> <p>Searched String: PN Junction Diode/Semi Conductor Diode Characteristic Appt @ mtrs</p> <p>Category not available on GeM for the text string uploaded</p>

Bid Details/बिड विवरण	by the buyer
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Battery Eliminator 2-12 Volts 2 Amps DC-Rotary Type Heavy Duty Copper Wound & A grade Lamination, Export Quality</p> <p>PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1)</p> <p>Searched String: Rheostat 200 mm (55-OHMS/1.8 AMPS) Square Rod Export Quality</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Rheostat 200 mm (135-OHMS/1.2-AMPS) Square Rod Export Quality)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wheat Stone Bridge (Meter Bridge) 18 MM wooden bed, copper strips 18 SWG with Brass heavy terminal Eleven with six pehlu brass heavy washed, meter scale hardwood superior brass pencil jockey heavy wit wire (export quality)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Magnet Bar alnico 50 mm (extra strength) Parco type export quality</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Magnet Horse shoe alnico 50 mm, 2inches, Superior Quality</p> <p>Horse shoe magnets for experimental use in schools</p> <p>Searched String: Magnetic Compass Both Side Glass 19 mm</p> <p>Sprinkler Irrigation Unit as per IS 12232</p> <p>Searched String: Lens Reading (Magnifier) with bakelite handle brass frame 75 mm/ 3 FL-20 Superior Quality</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Battery (cell) 9 Volts-6F22 (Square)</p> <p>Button Cell or Coin Cell Battery</p> <p>Searched String: Battery (cell)1.5 volts-C size (Eveready)</p> <p>Button Cell or Coin Cell Battery</p> <p>Searched String: Battery (cell)1.5 volts-AAA (duracell)</p> <p>Button Cell or Coin Cell Battery</p> <p>Searched String: LED Different Colours (red, green, yellow & White)</p> <p>Emergency Light Unit (V2)</p>

Bid Details/बिड विवरण	<p>Searched String: Iron Metal Filings CP (100 GM)</p>
	<p>Classroom Stools</p> <p>Searched String: Multimeter Analog</p> <p>Analog Oscilloscope</p> <p>Searched String: Resistance Coil 5 OHMS (Magnin Coil) A-Grade</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Resistance Coil 10 OHMS (Magnin Coil) A Grade</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: L D R Different Colours</p> <p>Revolving Chair (V4)</p> <p>Searched String: Plug Key 1 way Heavy Superior</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wire Nichorme (100 Gms)</p> <p>Sprinkler Irrigation Unit as per IS 12232</p> <p>Searched String: Wire Eureka (Constantan) 26 G (100 Gms) approx 50 Mtrs</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Bit Driver Set with Screw driver Bits
BOQ Title/बीओक्यू शीर्षक	PHYSICS
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Bidder Turnover,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No

Bid Details/बिड विवरण	
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Screw driver set
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide

eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

Screw Driver Set

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Soldering Wire 100 Gms

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Soldering Gun 25 Watts**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Soldering Wax Paste 30 GMS**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Wire DCC 15 Mtrs Coil Of 100 Gms 22 Swg

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Thread Roll

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Drawing Pins Bush Pin Type Pkt Of 50 Nos**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

OHMS Law Apparatus With Built In DC Power Supply Model 651

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Voltmeter With Desk Stand Rectangular DC 10 Bolts

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Ammeter With Desk Stand Rectangular DC 1 Amps**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	3	15

Ammeter With Desk Stand Rectangular DC 3 Amps**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	3	15

Galvanometer 30 Hyphen 0 Hyphen 30 DC With Mount Moving Coil 20 UA

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Resistance Box Magnin Coil 1 Hyphen 500 OHMS 1 By 2 Blocks A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	3	15

Resistance Bix Magnin Coil 10000 OHMS 1 By 2 Block A Grade Export Quality**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	3	15

Lens Convex 2 5 CMS FI Hyphen 10 CMS

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	10	15

Lens Concave 2 5 CMS FI Hyphen 10 CMS

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	10	15

Mirror Convex 2 50 Mm Focal Length 10 Export Quality**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	10	15

Mirror Concave 2 50 Mm Focal Length 10 Export Quality**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	10	15

PN Junction Diode Semi Conductor Diode Characteristic Appt Mtrs

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Battery Eliminator 2 Hyphen 12 Volts 2 Amps DC Rotary Type Heavy Duty

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Rheostat 200 Mm 55 OHMS 1 Point 8 AMPS Square Rod Export Quality**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Rheostat 200 Mm 135 OHMS 1 Point 2 Hyphen AMPS Square Rod Export Quality

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	3	15

Wheat Stone Bridge Meter Bridge 18 MM Wooden Bed Copper

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	2	15

Magnet Bar Alnico 50 Mm Extra Strength Parco Type Export Quality**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	6	15

Magnet Horse Shoe Alnico 50 Mm 2 inches Superior Quality**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	3	15

Magnetic Compass Both Side Glass 19 Mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Lens Reading Magnifier With Bakelite Handle Brass Frame 75 Mm 3 FL 20 Superior Quality

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Battery Cell 9 Volts Hyphen 6F22 Square**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Battery Cell 1 Point 5 Volts Hyphen C Size Eveready

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Battery Cell 1 Point 5 Volts Hyphen AAA Duracell

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

LED Different Colours Red Green Yellow And White**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	15	15

Iron Metal Filings CP 100 GM**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Multimeter Analog

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Resistance Coil 5 OHMS Magnin Coil A Grade

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	10	15

Resistance Coil 10 OHMS Magnin Coil A Grade**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	10	15

L D R Different Colours

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Plug Key 1 Way Heavy Superior

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	5	15

Wire Nichorme 100 Gms**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419,PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Wire Eureka Constantan 26 G 100 Gms Approx 50 Mtrs**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Maniyamma	571419, PRINCIPAL, JAWAHAR NAVODAYA VIDYALA VIDYAPEETA, BESAGARAHALLI POST MADDUR TALUK	1	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---