



Bid Number/बोली क्रमांक (बिड संख्या)<sup>:</sup> GEM/2025/B/5792456 Dated/दिनांक : 08-01-2025

## Bid Document/ बिड दस्तावेज़

Did Dataile & Com-		
Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	व/समय 27-01-2025 09:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	27-01-2025 09:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Bihar	
Department Name/विभाग का नाम	Urban Development And Housing Department	
Organisation Name/संगठन का नाम	Urban Development And Housing Department	
Office Name/कार्यालय का नाम	Nagar Panchayat Saur Bazaar	
क्रेता ईमेल/Buyer Email	buycon170.udhd.bh@gembuyer.in	
Total Quantity/कुल मात्रा	12	
ltem Category/मद केटेगरी	High Mast Lighting Tower for large area with LED Flood Lighting System (Q3)	
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	45 Lakh (s)	
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	180 Lakh (s)	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No	
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No No	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	

Bid Details/बिंड विवरण		
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No	
Past Performance/विगत प्रदर्शन	10 %	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes	
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation	
Arbitration Clause	No	
Mediation Clause	No	

## EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	25000

## ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

## Beneficiary/लाभार्थी :

EXECUTIVE OFFICER
NAGAR PANCHAYAT SAUR BAZAAR
(Executive Officer)

## MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No	
MII Purchase Preference/एमआईआई खरीट वरीयता		

#### MII Purchase Preference/एमआइआइ खराद वरायत

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

- 1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## High Mast Lighting Tower For Large Area With LED Flood Lighting System (12 pieces)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Height of High Mast Tower (in Meters)	16	
	Installation and commissioning (Installation and commissioning work at multiple locations shall follow as per the guidelines of State/Central Govt rules and regulations as applicable)	Yes. Including Civil work at site	
	Onsite warranty (in Years)	2	
High mast System	No of sections	2	
	Effective length of each section (in m)	8.5	
	Material construction: The mast shall be manufactured using special steel plates, conforming to	355 gradeasper BSEN10 025	
	Bottom diameter (in mm) - Minimum	540	
	Plate thickness for Middle (in mm) - Minimum	4	
	Plate thickness for Bottom (in mm) - Minimum	5	
	No of longitudinal welds / section (in Nos)	1	
	Diameter of base plate (in mm) - Minimum	740	
	Thickness of base plate (in mm) - Minimum	25	
Wind Load	Maximum Wind load	50 m/sec	
Door Opening	Size of opening and closing door at base compartment of high mast (in mm) - Minimum	1200 x 250	
Junction Box	Ingress protection for Junction Box i.e. IP Class (as per IS/IEC:60529:2001 latest) Test Report from Central Government lab/NABL/ILAC accrediated lab and report shall furnish to buyer on demand	IP 55	
No of core		3	
	Cable category	FR	
	Size of cable (in Sq mm)	1.5	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Conductor material shall be	Copper	
Winch	The winch shall have provision for manual operation in case of failure of the motor	Yes	
Stainless Steel Wire Rope	The breaking load of each rope shall be at full load as per the relevant standard	>/=2400 Kg	
Electrical System, Cable and Cable	No. of cores	5	
Connections	Cable shall be	Armoured	
	Conudctor material shall be	Copper	
	Cable Category	1	
	Incoming power cable from feeder panel to base compartment of mast and cable shall conforming to	IS:7098 (Part 1):1988 latest	
Feeder pillar Panel	Feeder pillar panel for each mast	Yes	
	Feeder panel shall be suitable for	415 V, 3 phase, 4 wire, 50 Hz, AC	
	The control panels shall be	Stand mounted	
	Ingress protection for feeder pillar panel i.e IP Class (as per IS/IEC:60529:2001 latest).Test Report shall furnish from Central Government lab/NABL/ILAC accrediated lab to buyer on demand	IP 55	
	It shall be fabricated out of	14 SWG CRCA sheet steel	
	Thickness of sheet (in mm)	2	
pre-treatment and powder coated and color shall be  The stand shall be painted in  Cable entry shall be at the  The panels shall have  Laminated circuit diagram shall be pasted		Grey	
		Black color	
		Bottom	
		knock outs of the required cable	
		inside of the door	
		Yes	
	Earth terminal	12 mm dia. Bolts	

Panel shall have a sloping cover to avoid accumulation of dust  Panel shall be provided with incoming & outgoing MCCB / MCB of appropriate rating and in desired quantity depending on total no of circuits in use  Timer for automatic ON & OFF of lights with pilot lamps shall be provided  Bus bars material Yes. Copper  No of Cores 3  Size of cable (in Sq.mm) 2.5  Cable Shall be Armoured  The conductor material copper shall be cable category 1  LED FLOOD LIGHT LUMINAIRE  LED Rating/System Wattage/Rated Power (in Nos)  LED Rating/System Wattage/Rated Power for each luminaire  Luminaire System Efficacy (Lumen/watt)  Ingress Protection (IP Rating) as per 15:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage 230 V AC 50 Hz  Colour temperature 6000K (+/- 500K)  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature -20 deg C to +50 deg C	Specification	pecification Specification Name/विशिष्टि का Bid Requirement/बिंड के लिए 3 Values)/अनुमत म्		
with incoming & outgoing MCCB / MCB of appropriate rating and in desired quantity depending on total no of circuits in use  Timer for automatic ON & OPF of lights with pilot lamps shall be provided  Bus bars material Yes. Copper  No of Cores 3 Size of cable (in Sq.mm) 2.5  Cable Shall be Armoured  The conductor material shall be  cable category 1  LED FLOOD LIGHT LUMINAIRE  No. of Luminaires for each high mast lighting tower (in Nos)  LED Rating/System Wattage/Rated Power for each luminaire  Luminaire System Efficacy (Lumen/watt)  Ingress Protection (IP Rating) as per 15:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage 230 V AC 50 Hz  Colour temperature 6000K (+/- 500K)  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature		cover to avoid accumulation	Yes	
OFF of lights with pilot lamps shall be provided  Bus bars material Yes. Copper  No of Cores 3 Size of cable (in Sq.mm) 2.5 Cable Shall be Armoured  The conductor material copper shall be cable category 1  LED FLOOD LIGHT LUMINAIRE  No. of Luminaires for each high mast lighting tower (in Nos)  LED Rating/System Wattage/Rated Power for each luminaire  Luminaire System Efficacy (Lumen/watt)  Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage 230 V AC 50 Hz  Colour temperature 6000K (+/- 500K)  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature -20 deg C to +50 deg C range		with incoming & outgoing MCCB / MCB of appropriate rating and in desired quantity depending on total	yes	
No of Cores   3		OFF of lights with pilot	Yes	
Size of cable (in Sq.mm)   2.5		Bus bars material	Yes. Copper	
Cable Shall be  The conductor material shall be  cable category  I  LED FLOOD LIGHT LUMINAIRE  No. of Luminaires for each high mast lighting tower (in Nos)  LED Rating/System Wattage/Rated Power for each luminaire  Luminaire System Efficacy (Lumen/watt)  Ingress Protection (IP Rating) as per 15:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage  Colour temperature  Colour temperature  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature  range  -20 deg C to +50 deg C		No of Cores	3	
The conductor material shall be  cable category  I  LED FLOOD LIGHT LUMINAIRE  No. of Luminaires for each high mast lighting tower (in Nos)  LED Rating/System Wattage/Rated Power for each luminaire  Luminaire System Efficacy (Lumen/watt)  Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage  Colour temperature  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature  -20 deg C to +50 deg C  range		Size of cable (in Sq.mm)	2.5	
Shall be   Cable category   1		Cable Shall be	Armoured	
LED FLOOD LIGHT LUMINAIRE    No. of Luminaires for each high mast lighting tower (in Nos)   200W		II I	Copper	
LUMINAIRE    high mast lighting tower (in Nos)		cable category	1	
Wattage/Rated Power for each luminaire  Luminaire System Efficacy (Lumen/watt)  Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage  Colour temperature  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature  -20 deg C to +50 deg C	III	high mast lighting tower (in	12	
(Lumen/watt)  Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage  Colour temperature  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature  -20 deg C to +50 deg C		Wattage/Rated Power for	200W	
Rating) as per IS:10322 (Part 1):1982 latest  Mounting brackets (included)  Input operating Voltage range and frequency  Rated voltage  Colour temperature  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature  -20 deg C to +50 deg C			>/= 100 Lm/Watt	
(included)  Input operating Voltage range and frequency  Rated voltage  Colour temperature  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature  -20 deg C to +50 deg C		Rating) as per IS:10322	IP66	
range and frequency  Rated voltage 230 V AC 50 Hz  Colour temperature 6000K (+/- 500K)  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature range -20 deg C to +50 deg C			Adjustable	
Colour temperature 6000K (+/- 500K)  Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature range -20 deg C to +50 deg C			90 to 300 Volts AC at 50Hz+/-2Hz	
Optic lense material (UV stabilised) (Write NA for without optic lense supply)  Operating temperature range -20 deg C to +50 deg C	Rated voltage		230 V AC 50 Hz	
stabilised) (Write NA for without optic lense supply)  Operating temperature range -20 deg C to +50 deg C		Colour temperature	6000K (+/- 500K)	
range		stabilised) (Write NA for	Poly carbonate lense	
			-20 deg C to +50 deg C	
The luminaire shall be protected against surges and transients( Internal)		protected against surges	>/=5KV	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of electronic control gear per luminaire (power supplies)	4 Nos.
	Length of ISI marked three core wire (shall be provided along with supply of material)	100 cm

# Additional Specification Parameters - High Mast Lighting Tower For Large Area With LED Flood Lighting System ( 12 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	
Specification Attached in ATC	Specification Attached in ATC	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhiraj Kumar	852221,, NAGAR PANCHAYAT SAURBAZAR,Urban Development & Housing Department Bihar, Urban Development and Housing Department,	12	90

# Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

## 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 4. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 5. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## 6. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

## 7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 8. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### 9. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 10. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

## 11. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---