



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/5792882
Dated/दिनांक : 08-01-2025

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 18-01-2025 12:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 18-01-2025 12:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 15 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Bihar |
| Department Name/विभाग का नाम | Rural Development Department Bihar |
| Organisation Name/संगठन का नाम | Rural Development Department |
| Office Name/कार्यालय का नाम | Block Development Office Belchhi Patna |
| क्रैता ईमेल/Buyer Email | buycon2767.rdd.bh@gembuyer.in |
| Total Quantity/कुल मात्रा | 8 |
| Item Category/मद केटेगरी | Twister - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 4 Lakh (s) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 2 Year (s) |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

Bid Details/बिड विवरण

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | Yes |
| Past Performance/विगत प्रदर्शन | 40 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| RCM Applicable/लागू आरसीएम | Yes |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Leg Press - Outdoor Gym Equipments |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|-------------------------------------------|----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | No |
|-------------------------------------------|----|

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--------------------------------------------|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--------------------------------------------|----|

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

Twister - Outdoor Gym Equipment (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------------|----------------------------------------------|-----------------------------------------------------------------------|
| TYPE | Type | Triple Twister (Three standing) |
| CAPACITY | Maximum User Weight (Kg) | 100.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 210 |
| | Standing/ Sitting Twister Frame Pipe | 32 mm Nominal Bore G.I. Pipe |
| | Standing/ Sitting Twister Frame Pipe, Class as per IS 1239 | Heavy |
| | Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade Material as per table 2 IS 1161 | YSt 210 |
| | Rotating Disk Support Pipe at Bottom Pipe | 100 mm Nominal Bore G.I. Pipe |
| | Rotating Disk Support Pipe, Class as per IS 1239 | Heavy |
| | Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | Handle Frame Pipe | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness |
| | Grade Material per table 2 of IS 1161 | YSt 210 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|---------------------------------------------------|----------------------------------------------------------------|
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | LDPE |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|-------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Chest Press - Outdoor Gym Equipments (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------------------|------------------------------------------------------------------|-----------------------------------------------------------------------|
| TYPE | Type | Chest Press Double |
| CAPACITY | Maximum User Weight (Kg) | 100.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Seat Frame | 32mm Nominal Bore G.I. Pipe |
| | Seat Frame Pipe, Class as per IS 1239 | Heavy |
| | Connecting Links | 32mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | Foot Rest Pipe | 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| Seat and Back Rest | 3mm thick, HDPE with uniform bending radius to avoid sharp edges | |
| Bearings | Ball Bearing | |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|-------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|--------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Leg Press - Outdoor Gym Equipments (1 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|-----------------------------------------|----------------------------------------------------------------|
| TYPE | Type | Leg Press Double |
| CAPACITY | Maximum User Weight (Kg) | 100.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | No |
| | Main Central Pipe | 80mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Medium |
| | Moving Frame Pipe | 32mm Nominal bore G.I. pipe |
| | Moving Frame Pipe, Class as per IS 1239 | Medium |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|----------------------------------------------------------|----------------------------------------------------------------------|
| | Foot Rest Frame/ Foot Rest Hinging Pipe | 25mm Nominal Bore G.I. Pipe |
| | Foot Rest Frame Pipe, Class as per IS 1239 | Medium |
| | Connecting Links | 25mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Medium |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Bearings | Ball Bearing |
| | Seat and Back Rest | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|-------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Air Walker / Stroller - Outdoor Gym Equipment (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| TYPE | Type | Single |
| CAPACITY | Maximum User Weight (Kg) | 100.0, 110.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | No, Yes |
| | Main Frame | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium, Heavy |
| | leg movement frame | 40mm Nominal Bore G.I. Pipe |
| | Leg Movement Frame Pipe, Class as per IS 1239 | Medium |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium, Heavy |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic, HDPE |
| | MS Foundation Plate Thickness | 10.0, 12.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm |
| Foundation Pipe, Class as per IS 1239 | Medium, Heavy | |
| OTHER REQUIREMENTS | Installation | Included |

| | | |
|----------------------|----------------------------------------------------------|-----------------------------------------------------------------------|
| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|-------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| | | |
|----------------------|---------------------------------------------|-----------------------------------------------------------------------|
| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
| TYPE | Type | Three Wheel |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|--------------------------------------------------------|----------------------------------------------------------------|
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe construction | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Ring (Wheel) | 32mm Nominal Bore G.I. Pipe |
| | Ring (Wheel) Pipe, Class as per IS 1239 | Heavy |
| | Pipe of Spokes of Wheel | 15mm Nominal bore G.I. pipe |
| | Pipe of Spoke of Wheel , Class as per IS 1239 | Heavy |
| | Connector Pipe (between Main Central Pipe and Wheel) | 32 mm Nominal bore G.I. pipe |
| | Connector Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| | | | | | | |
|----------------------------------------------|-----------------------------------------------|-----------------------------------|------------------------------------------------------|---------------------------------------------------------------------|------------------------------|--------------------------------------------|
| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|----------------------------------------------------------------|-----------------------------------------------------------|------------------------|-------------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Surf Board - Outdoor Gym Equipment (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| TYPE | Type | Single |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | Not Applicable |
| | Movement (Paddle) Frame | 40mm Nominal Bore G.I. Pipe |
| | Movement (Paddle) Frame Pipe, Class as per IS 1239 | Heavy |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| | Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 40 mm NB with 2.9 mm Thickness |
| | Grade Material as per table 2 IS 1161 | Not Applicable |
| | Connecting Links | 25 mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | Not Applicable |
| | Handle Frame | 25mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness |
| | Grade Material per table 2 of IS 1161 | Not Applicable |
| | Foundation Pipes with anchoring | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | Not Applicable |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | Fibre Reinforced Plastic |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|-------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Parallel Bar - Outdoor Gym Equipment (1 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Material | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Vertical / Standing Pipes | 100 mm Nominal Bore G.I. Pipe |
| | Vertical/ Standing Pipes, Class as per IS 1239 | Heavy |
| | Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness | 100 mm NB with 3.6 mm Thickness |
| | Horizontal Pipe | 32 mm Nominal Bore G.I. Pipe |
| | Horizontal Pipe, Class as per IS 1239 | Heavy |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| | Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 210, Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100 mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 3.2 mm Thickness, 100 mm NB with 3.6 mm Thickness |
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| | Bearings | Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic |
| Other Requirements | Installation | Included |
| Certification | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| Warranty | Warranty (years) | 3.0, 2.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|-------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Sit Up Board - Outdoor Gym Equipment (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-----------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------------------------------|
| TYPE | Type | Double Station |
| MATERIAL | Type of Back Rest | Perforated Sheet |
| | Material of Back Rest | Galvanized Iron(GI) |
| | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Frame/Central Pipe | 100 mm Nominal Bore G.I. Pipe |
| | Main Frame/Central Pipe, Class as per IS 1239 | Heavy |
| | Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade of Material as per table 2 of IS 1161 | YSt 210 |
| | Foot Rest Pipe | 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe , Class as per IS 1239 | Heavy |
| | Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 32 mm NB with 3.2 mm Thickness |
| | Grade of Material as per table 2 IS 1161 | YSt 210 |
| | Back Rest Frame Pipe and Connecting Links | 40 mm Nominal Bore G.I. Pipe |
| Back Rest Frame Pipe and Connecting Links, Class as per IS 1239 | Heavy | |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| | Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 25 mm NB with 3.2 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210 |
| | Leg Support Pipe | 40 mm Nominal bore G.I. pipe |
| | Leg Support Pipe , Class as per IS 1239 | Heavy |
| | Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade of Material per table 2 of IS 1161 | YSt 210 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210 |
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 3.0 (year) |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|----------------------------------------|----------------------------|-----------------------------------------------|--------------------------------------------------------------|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | 9% | 9 (INR) - Per Unit | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|-----------------------------------------------------------|-----------------|------------------------------|
| 1 | Raja Paswan | 803110,BLOCK OFFICE BELCHHI, BELCHHI, PATNA, BIHAR-803110 | 1 | 15 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

4. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

5. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of

documentary evidence of having Functional Service Centre.

6. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

7. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

10. **Sample Clause**

For clothing and allied items, if pre-dispatch Inspection clause has been selected in the Bid, the Inspection Agency shall forward sample from the accepted lot duly identified/ sealed by it, as Reference Sample to each consignee (one reference sample per consignee) for comparing the lot received at consignee end with such reference sample. Such reference samples will be treated as part of supplied quantity from the lot and cost shall be borne by the Buyer.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---