



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5793245  
Dated/दिनांक : 09-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-01-2025 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-01-2025 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Bihar
Department Name/विभाग का नाम	Panchayat Raj Department Bihar
Organisation Name/संगठन का नाम	Panchayati Raj Department
Office Name/कार्यालय का नाम	Arihana Panchayat Bhawan
क्रैता ईमेल/Buyer Email	ps.ktr.aza.shitalpur@bihar.gov.in
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	High end Office Table / Desk Furniture Set / Suit (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No

<b>Bid Details/बिड विवरण</b>	
<b>RCM Applicable/लागू आरसीएम</b>	Yes
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of

cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

### High End Office Table / Desk Furniture Set / Suit ( 1 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Warranty periods</b>	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years
MAIN TABLE	<b>Design / Shape</b>	Semi circular, Rectangular, Rectangular and taper inside at both side ends
	<b>Under structure of main table</b>	Gable end modesty panel, Gable end modesty panel and Legs, Gable end only, Modesty panel only, With Aluminum anodized access flap (for electrical provision)
	<b>Table top material</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, MDF with venner coating with high gloss polyester finish, combination marine ply and corian with polyester coated profiled decorative venner on top side with backing laminate on bottom, combination of MDF particle board and solid wood with top venner face coated with clear lacquer, MDF with high grade membrane finish & balancing laminate on unexposed face
	<b>Gable end material</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, N.A, Combination of MDF particle board and solid wood with top venner face coated with clear lacquer, Pre-laminated MDF board
	<b>Modesty panel material</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, N.A, Particle board with venner face coated with clear lacquer, Prelaminated MDF board (with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degree C with hot melt glue on special)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Leg material</b>	MDF and venner with PU coating, MDF board as per IS: 12406 with pigmented PU coating on both sides, N.A, MS Clad with strips of MDF, As per requirement
	<b>Number of buffer provided</b>	Four numbers at bottom, Six numbers at bottom, Eight numbers at bottom
	<b>Length of table top ± 20 mm</b>	1800 mm, 2100 mm, 2400 mm, 3600 mm
	<b>Depth of table top ±10 mm</b>	900 mm, 1050 mm, 1080 mm, 1110 mm, 1200 mm, 750 mm
	<b>Height of table top ± 10 mm</b>	730 mm, 750 mm
	<b>Dimension of leg ± 2 mm</b>	25 mm X 25 mm, 50 m X 50 mm, 60 mm X 60 mm, NA
	<b>Thickness of table top ± 2 mm</b>	36 mm, 40 mm, 48 mm, 60 mm, 68 mm, 72 mm, 90 mm
	<b>Thickness of gable end ± 2 mm</b>	18 mm, 25 mm, 36 mm, N.A, 60 mm
	<b>Thickness of modesty panel ± 1 mm</b>	8 mm, 18 mm, 25 mm, 36 mm, N.A, 16 mm
	<b>Material of keyboard tray and right angle L-Type supporting bracket</b>	CRC sheet conforming to commercial quality designation CR-I grade 140 of IS 513/latest, Plastic PVC sheet of standard quality, Stainless steel of grade SS 202, Stainless steel of grade SS 304, Other wood of standard quality, Flat single layer MDF board of grade SBG-II of IS 12406/latest, N.A
	<b>Finish of exposed edges of keyboard tray</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, To be painted with black in colour with powder coating 40-50 microns thickness, N.A
EXTENDED RETURN UNIT	<b>Number of storage unit</b>	2 numbers, 3 numbers, 4 numbers, 1 number, N.A, Side unit with 5 numbers storage unit (combination of 2 drawer + 1 filing and two openable shutter - Under structure made up of 18 mm thick pre-laminated MDF board - all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6 mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Storage with shutter</b>	1 number, 2 numbers, 3 numbers, 4 numbers, N.A, 1 filing and two openable shutter
	<b>Number of drawers</b>	1 number, 2 numbers, 3 numbers, 4 numbers, N.A
	<b>Size of small drawers ± 5 mm</b>	162 mm (H) X 465 mm(W) X 480 mm(D), 150 mm (H) X 465 mm(W) X 470 mm(D), N.A, As per size of unit
	<b>Size of medium drawers ± 5 mm</b>	324 mm(H) X 465 mm(W) X 480 mm(D), 300 mm(H) X 465 mm(W) X 470 mm(D), N.A, As per size of unit
	<b>Number of lockable castors at bottom</b>	4 numbers, 6 numbers, 8 numbers, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Size of lockable castors ± 2 mm</b>	Diameter 40 mm and height 55 mm, Diameter 30 mm and height 50 mm, Diameter 50 mm and height 60 mm, N.A
	<b>Provision of storage lock system</b>	Central locking system, Independent lock, N.A, Proper locking arrangement
	<b>Material of top</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Particle board with venner face coated with clear lacquer, N.A, MDF with Table matching high grade membrane profile
	<b>Material of modesty panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Prelaminated particle board with venner and PU coating finish, Particle board with venner face coated with clear lacquer, N.A, Prelaminated MDF board. (all exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Material of side panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Prelaminated particle board with venner and PU coating finish, Particle board with venner face coated with clear lacquer, N.A, Prelaminated MDF board. (all exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Thickness of top panel ± 2 mm</b>	19 mm, 25 mm, 36 mm, 22 mm, 40 mm, N.A
	<b>Thickness of other panel ± 2 mm</b>	18 mm, 25 mm, N.A
	<b>Thickness of drawer base ± 1 mm</b>	8 mm, 10 mm, 18 mm, N.A
	<b>Width of unit ± 20 mm</b>	1500 mm, 1800 mm, 1910 mm, 2020 mm, 1200 mm, 1400 mm, N.A, 900 mm
	<b>Depth of unit ± 5 mm</b>	450 mm, 480 mm, 520 mm, 550 mm, 440 mm, 580 mm, N.A
	<b>Height of unit ± 5 mm</b>	530 mm, 550 mm, 750 mm, 650 mm, 690 mm, N.A
	<b>Overall height of storage unit ± 5 mm</b>	480 mm, 490 mm, 650 mm, 690 mm, N.A, 750 mm
PEDESTAL STORAGE UNIT	<b>Type of unit</b>	Two drawers, Three drawers, Four drawers, N.A, Combination of openable shutter & three drawer pedestal

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Size of drawers ± 2 mm</b>	162 mm (H) x 640 mm (D) x 480 mm (W), 243 mm (H) x 640 mm (D) x 480 mm (W), N.A, As per size of unit
	<b>Each drawers fixed with</b>	On telescopic channel of 400 mm length with average weight of 0.6 Kg per set having average thickness of 1 mm steel member of channel, On telescopic channel of 250 mm length with average weight of 0.5 Kg per set having average thickness of 1 mm steel member of channel, On telescopic channel of 200 mm length with average weight of 0.3 Kg per set having average thickness of 1 mm steel member of channel, N.A
	<b>Provision of lock system</b>	Central locking system, Independent lock, N.A, Proper locking arrangement - as per requirement
	<b>Material of top panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Particle board with venner face coated with clear lacquer, N.A, MDF with Table matching high grade membrane profile
	<b>Material of other panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Prelaminated particle board with venner and PU coating finish, Particle board with venner face coated with clear lacquer, N.A, Pre-laminated MDF board (all exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6 mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Thickness of top panel ± 1 mm</b>	19 mm, 25 mm, 22 mm, N.A
	<b>Thickness of other panel ± 1 mm</b>	18 mm, 25 mm, N.A
	<b>Number of lockable castors at bottom pedestal storage unit</b>	4 numbers, 6 numbers, N.A
	<b>Size of lockable castors for pedestal storage unit ± 2 mm</b>	Diameter 40 mm and height 55 mm, Diameter 30 mm and height 50 mm, Diameter 50 mm and height 60 mm, N.A
	<b>Width of pedestal unit ± 5 mm</b>	480 mm, 500 mm, 440 mm, N.A, 2400 mm
	<b>Depth of pedestal unit ± 5 mm</b>	620 mm, 640 mm, 510 mm, N.A, 400 mm
	<b>Height of pedestal unit ± 5 mm</b>	550 mm, 580 mm, 635 mm, N.A, 750 mm
WOODEN BOOK CASE	<b>Total Number of shelf</b>	3 numbers, 4 numbers, 5 numbers, 1 number, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Top panel material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, Particle board with venner face coated with clear lacquer, MDF board with natural veneer coated with high gloss polyster, MDF board, pigmented black & coated with melamine, N.A
	<b>Side panel material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, Particle board with venner face coated with clear lacquer, MDF board with natural veneer coated with high gloss polyster, MDF board, pigmented black & coated with melamine, N.A
	<b>Shelf material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, Particle board with venner face coated with clear lacquer, MDF board, pigmented black & coated with melamine, N.A
	<b>Full Door panel material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, N.A, Particle board with venner face coated with clear lacquer, MD batons with veneer coating
	<b>Upper door panel made up of</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, N.A, Particle board frame with tempered glass, MD batons with veneer coating
	<b>Lower door panel made up of</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, N.A, Particle board with venner face coated with clear lacquer, MD batons with veneer coating
	<b>Thickness of top panel material <math>\pm 1</math> mm</b>	18 mm, 25 mm, 22 mm, N.A
	<b>Thickness of side panel material <math>\pm 1</math> mm</b>	16 mm, 18 mm, 25 mm, N.A
	<b>Thickness of shelf panel material <math>\pm 1</math> mm</b>	18 mm, 22 mm, 25 mm, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of door panel (full size) material $\pm 1$ mm	18 mm, 25 mm, N.A, 16 mm
	Thickness of upper door panel made up of $\pm 1$ mm	5 mm thick glass, N.A
	Thickness of lower panel made up of $\pm 1$ mm	18 mm, 25 mm, N.A, 16 mm
	Material for buffer	Plastic, Nylon, Polyvinyl, Rubber, N.A
	Width of book case $\pm 10$ mm	900 mm, 1000 mm, 1100 mm, 2210 mm, 1850 mm, N.A
	Depth of book case $\pm 5$ mm	450 mm, 480 mm, 500 mm, 410 mm, 580 mm, N.A
	Height of book case $\pm 20$ mm	1900 mm, 2040 mm, 2100 mm, 2000 mm, 680 mm, 1880 mm, N.A
	Size of medium shelf	1 number, 2 numbers, N.A
CERTIFICATION	Product having BIFMA certification	Yes, No
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes, No

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rohit Kumar Ram	855113,PANCHYAT BHAWAN ARIHANA, BLOCK, AZAMNAGAR, KATI HAR, BIHAR	1	45

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- PAN , UID SELF ATTESTE
- Similar Work Experience Certificate need.
- Turnover certificate need last 3 years
- Authorization Certificate.
- Sample Provide before last date of bid (mandatory).
- ISO Certificate need
- 7. Preference will be given to the nearest dealer for the purpose of repair or 2 years warranty**
- All the goods will have to be shown physically in the Panchayat. The agency will come, they will be selected only after assessing their eligibility
- Bank Mandate signed By Bank authorities for e-payment
- GST Return current year & Current file GSTR- 3B
- 11. Notarized Affidavit regarding that the firm is not blacklisted after Bid Publication**
- ITR for assessment year -2021-22,2022-23,2023-24 and audit report by CA
- Details of items catalogue colorful must be submitted by the bidder.
- Previous 5 Work completion certificate by the purchaser/CARC Certificate.

### INCLUDING THIS MATERILS

SL. NO.	NAME OF MATERIALS	QUNTITY
1	BOOK SELF	3

2	LIBRARY DESK	6
3	LIBRARY CHAIR	12
4	OFFICE CHAIR	2
5	DESKTOP TABLE	1
6	DESKTOP HP	1
7	PRINTER & SCANNER	1
8	WI FI SET-UP	1
9	PAN DRIVE	2
10	CELLING FAN	2
11	WALL CLOCK	1
12	CARPET	1
13	PHOTOS OF EMINENT PERSONALITIES	10
14	CURTAINS FOR DOORS & WINDOW	10
15	FLOWER POTS	10

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**