



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5796149  
Dated/दिनांक : 09-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-01-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-01-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	175 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Bihar
Department Name/विभाग का नाम	Urban Development & Housing Department Bihar
Organisation Name/संगठन का नाम	Urban Development And Housing Department
Office Name/कार्यालय का नाम	Nagar Parishad Nawada
क्रेता ईमेल/Buyer Email	buycon159.udhd.bh@gembuyer.in
Total Quantity/कुल मात्रा	22
Item Category/मद केटेगरी	Drinking Water ATM / Water Vending Machine (Version 2) (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	20 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	300 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

**Bid Details/बिड विवरण**

<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	10 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	70000

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	2.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service

Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

EXECUTIVE OFFICER

NAGAR PARISHAD NAWADA, Urban Development & Housing Department Bihar, Urban Development and Housing Department,

(Executive Officer, Nawada, Bihar)

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**Reserved for Make In India products**

Reserved for Make In India products	Yes
-------------------------------------	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

7. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## Drinking Water ATM / Water Vending Machine (Version 2) ( 22 pieces )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Coin / Card Acceptor / Quantity of Dispensing Water	<b>Number of Dispensing points</b>	3, 4, 5, 6 Or higher
	<b>Water Dispensing using coin acceptor</b>	Yes
	<b>Coins accepted for payment</b>	Re.1, Rs. 2, Rs. 5, Rs.10
	<b>Water Dispensing using RFID/NFC card</b>	No
	<b>Mobile Wallet accepted for payment</b>	Yes
CAPACITY / TYPE / WATER SOURCE / OUTLET WATER QUALITY	<b>Purification Capacity of Water ATM (LPH)</b>	200, 250, 300, 500, 1000, 2000 Or higher
	<b>Type of Operation</b>	Automatic with Multi-Processor Integrated Control System and remotely controlled web based Server system Or higher
	<b>Water Source</b>	Surface Water
TECHNOLOGY	<b>Technology</b>	Reverse Osmosis (RO)
	<b>Anti scalant dosing pump</b>	No
	<b>pH Correction Dosing Pump</b>	No
CONSTRUCTIONAL	<b>Raw water Storage capacity (Indicate '0' for direct connection to continuous Tap Water source)</b>	200, 500, 1000, 2000, 3000, 5000, 8000, 10000 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Raw water Storage Tank Material of Construction</b>	HDPE
	<b>Location of the Raw Water Storage Tank</b>	Inside the ATM Enclosure
	<b>Treated water Storage capacity</b>	201-250, 251-300, 301-350, 351-400, 401-500, 501-600, 601-700, 701-800, 801-1000 Or higher
	<b>Treated water Storage Tank Material of Construction</b>	Stainless Steel 316 Gr, Stainless Steel 304 Gr, HDPE Or higher
	<b>Equipped with an in-built chiller unit for providing continuous cold water of temperature around 15 degree Celcius</b>	Yes
	<b>In-built Chiller Tank Capacity (Liter)</b>	21-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-500, 501-600, 601-700, 701-800, 801-1000 Or higher
	<b>Chiller Tank Material of Construction</b>	Stainless Steel 316 Gr, Stainless Steel 304 Gr Or higher
	<b>Number of Filtration steps</b>	5
	<b>Provided with suitable vending place for filling container of 20 liters capacity</b>	No
DISPLAY	<b>Display of water purity parameters</b>	Yes, No
	<b>Display Type</b>	LED, LCD, TFT, NA Or higher
	<b>Backlit Display</b>	Yes, No
	<b>Touch Screen Display</b>	Yes, No
	<b>Display Size (Characters x Lines)</b>	4 x 2 (4 Ch x 2 lines), 8 x 2 (8 Ch x 2 lines), 16 x 2 (16 Ch x 2 lines), 20 x 2 (20 Ch x 2 lines), 7" Tablet, NA
	<b>Display of outlet water TDS level</b>	Yes, No
	<b>Display of outlet water pH level</b>	Yes, No
	<b>Display of outlet water Temperature</b>	Yes, No
Inlet / Feed Pump to feed water from raw water storage tank to filter	<b>Inlet / Feed Pump Type</b>	Horizontal Centrifugal
	<b>Number of Inlet / Feed Pumps</b>	1
Multi Media Filter Vessels for First stage filtration for suspended particles	<b>Material Of Construction for Multi Media Filter Vessels</b>	FRP, Steel Or higher
	<b>Number of Multi Media Filter Vessels</b>	2, 1 Or higher

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
Multi-Port Valve to control filtration and backwash for media filter having sand & carbon	<b>Type of Multi-Port Valve</b>	Automatic
	<b>Multi-Port Valve Material of Construction</b>	ABS
	<b>Number of Multi-Port Valves</b>	2
Anti scalent Dosing Pump to inhibit scaling of hardness salt and silica on RO Membranes, doze pH and Cl as per water quality	<b>Type of Anti scalent Dosing Pump</b>	NA
	<b>Material Of Construction for Anti scalent Dosing Pump</b>	NA
	<b>Number of Anti scalent Dosing Pumps</b>	NA
pH Correction Dosing Pump & Dosing Tank to dilute water with dosing chemicals	<b>Type of pH Correction Pump</b>	NA
	<b>Material Of Construction for pH Correction Dosing Pump</b>	NA
	<b>Number of pH Correction Dosing Pumps</b>	NA
	<b>Dosing Tank Material of Construction</b>	NA
High Pressure Pump to develop required pressure for Reverse Osmosis on RO Membranes	<b>Type of High Pressure Pump</b>	NA
	<b>Material Of Construction for High Pressure Pump</b>	NA
	<b>Number of High Pressure Pumps</b>	NA Or higher
	<b>Low pressure switch for Protection of HP pump from burn-out</b>	NA
RO Pressure Vessel	<b>Type of RO Pressure Vessel</b>	Membrane housing mounted on skid - End port type
	<b>Material Of Construction for RO Pressure Vessel</b>	FRP
	<b>Number of RO Pressure Vessels</b>	4 Or higher
Ultra Violet (UV) System to disinfect water, kill bacteria and micro-organisms	<b>Material Of Construction for UV System</b>	SS
	<b>Number of UV Systems</b>	1, 2 Or higher
	<b>Number of UV Lights</b>	1, 2, 3, 4, 5, 6 Or higher
	<b>Total UV Power</b>	16 Watts
CIP (Clean-In-Place)Tank to mix / Dilute chemicals for membrane cleaning and permeate back wash	<b>CIP Tank</b>	No
	<b>CIP Tank Material of Construction</b>	NA
	<b>Number of CIP Tanks</b>	NA Or higher

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
Power Source	<b>Power Source</b>	AC & DC (for dispensing only) Power Supply
	<b>Power Supply</b>	230 ±10 V AC
	<b>Battery back-up time (Hours)</b>	6, 8, 10, 12, 14, 16, 18, 20, 22, 24 Or higher
Water ATM - Enclosure	<b>Structure</b>	Rigid structure made of SS frame(3), Or higher
	<b>Thickness of the frame of structure (mm)</b>	2.5, 2 Or higher
	<b>Material of Construction of Side Panels of Water ATM</b>	Stainless Steel Sheet Or higher
	<b>Side Panel Sheet Thickness (mm)</b>	1, 1.2 Or higher
	<b>PUF insulation of Side Panels of Water ATM</b>	With, Without Or higher
	<b>PUF insulation of the door of Water ATM</b>	With, Without Or higher
	<b>Provision for in-built litter space</b>	Yes
	<b>Covered area of treatment plant enclosure (Square Foot)</b>	5.1-10, 10.1-15, 15.1-20, 20.1-30, 30.1-40, 40.1-50, 50.1-60, 60.1-70, 70.1-80, 80.1-90, 90.1-100, 100.1-110, 110.1-120 Or higher
	<b>Shape of the Water ATM housing</b>	Cuboidal
	<b>Top Canopy of the Water ATM housing</b>	Sloped
	<b>Headroom for the Water ATM enclosure (Foot)</b>	7.1-8.0, 8.1-9.0, 9.1-10.0 Or higher
	<b>Floor area around the Water ATM enclosure covered with anti-skid tiles</b>	Yes
<b>Water ATM enclosure protected with enclosed MS grill / mesh</b>	No	
Installation & Commissioning / Warranty	<b>Trial Run and Training provided (inclusive in the Scope of Supply) (Days)</b>	5, 10 Or higher
	<b>Warranty for storage Tanks (Year)</b>	3, 4, 5 Or higher
	<b>Warranty for electrical motors (Year)</b>	1, 2, 3 Or higher
	<b>Warranty for the filters (Year)</b>	1, 2, 3 Or higher
	<b>Warranty for the system (Year)</b>	1, 2, 3 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Test Reports	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

**Additional Specification Parameters - Drinking Water ATM / Water Vending Machine (Version 2) ( 22 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
WATER SOURCE	COMPLETE WATER SOURCE AND SUPPLY UNIT
FOUNDATION AND FINISHING	LABELLING FLOOR FOR MOUNTING MACHINE, STRUCTURE FOR WATER TANK
POWER SOURCE	ELECTRIC SUPPLY UNIT FOR MACHINE OPERATION AND WATER SOURCE
FABRICATION	FABRICATION WORK FOR SETUP SAFETY
WATER TANK STORAGE CAPACITY	500 LTR OR ABOVE

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satendra Ram	805110,SBI HEAD BRANCH, KACHAHRI ROAD, NAWADA	22	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the



contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Work Scope for Installation of Water ATM at Nagar Parishad Nawada (Bihar)**

<b>Sl. no</b>	<b>Details of Work</b>	<b>Remarks</b>
<b>01</b>	<b>Water ATM Complete With Installation</b>	
<b>02</b>	<b>power supply with each Water ATM</b>	
<b>03</b>	<b>Submersible Motor 1.5HP</b>	
<b>04</b>	<b>Starter up to 2.5HP</b>	
<b>05</b>	<b>Electrical &amp; Fittings As required.</b> <b>Check Valve, Easy Tie Adapters. Clamps, Heat Shrink Splice Kits, Torque Arrestor, Safety rope, Pump cable, Cable Guards, Cable Ties, GI Pole 6mtr. Height , Pitless Adapters, Rope Hangers, Well Caps, Insert Adapters, Flow Control Valves, Tank Tees, Pressure switch, Pressure Gauges, Relief Valves, Drain Valves, Ball Valves, Sediment filter etc.</b>	
<b>06</b>	<b>Bore well up to 180-200 foot. Depth from ground level.</b>	
<b>07</b>	<b>Casing pipe PVC 05" 40-60Mtr</b>	
<b>08</b>	<b>Water tank 500 Ltr for raw water storage.</b>	
<b>09</b>	<b>Water tank stand minimum height 8 foot.</b>	
<b>10</b>	<b>Base 2.5 foot height (according to water ATM)</b>	
<b>11</b>	<b>Shed for Safety of Water ATM (according to water ATM)</b>	
<b>12</b>	<b>Civil work, Installation &amp; commissioning Work</b>	
<b>13</b>	<b>ATM Machine storage capacity minimum 200 ltr.</b>	
<b>14</b>	<b>Water ATM Filter capacity minimum 200 lph</b>	
<b>15</b>	<b>Water ATM Function with RMO &amp; UV</b>	
<b>16</b>	<b>Power supply point at the site shall be provided by Buyer</b>	
<b>Scope of Supply</b>		

01	For Smooth Supply & Installation of Water ATM will be done in Five Phases. 20% of Total Ordered Qty Of Water ATM & its related Components will Supply in Each Phases. Total time will be given to installation of each phases is 02 month only.	
<b>Payment Terms &amp; Conditions</b>		
01	Bill may be submitted for Payment after completion and installation will finishing of each machine.	

-

**Instructions to Bidders:-**

- 01. 02% of total Bid Value will be deposit as Bid security money. (Which will returned to bidders after completion of Bid process.)**
- 02. 02 % of L-1 Amount Performance Security money (DD/FDR/Bank Guarantee ) will be deposit to user department in favour of Executive Officer, Nagar Parishad, Nawada with validity of 01Year.**
- 03. After Completion of total work & 01 year Warranty period deposited Performance Security Money will returned.**

**ATC Terms & Condition:**

- The Bidder should have GEM star rating compulsorily 4.00 or above.
- Availability of Service Centers: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service centre is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre(Service Centre Prof. to be Attached , Agreement/GST Certificate).
- Type of Water Purification-RO+UV . Product Catalogue must be attached.
- OEM/ Bidder should have Experience in BIHAR for Water Storage Cooler Cum Purifier category in Government Supplies for more than 10 Years. (Government /PSU order must be attached).

- Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.(Details of Minimum two Service Person with Emp code to be attached ).
- Bidder/OEM should Successfully supplied, installed commissioned and maintained similar items/ equipment against single work order of Minimum 25 Units and above in state from any Government /PSU during Last Five years (copy of work order , Installation & Commissioning Reports , Maintenance Order/ Report to be attached).
- Bidder will submit an undertaking and affidavit on non-judicial stamp paper of 100 (that the firm has not been debarred/ blacklisted for any other Central/ State Govt. Dept/ University/ PSU etc..
- Bidder / OEM must have active service centre / local service executive in consignee district, details to be furnished on bidder letterhead..
- Escalation Matrix for Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support..
- Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- Product Performance Certificate of the Quoted Product/ Higher Range of Similar Product from any Govt/ PSU should be attached.
- The OEM should have ISO9001, 14001, GE ,IGBC Certification

\*S

Service center must be located within consignee district.

\* Only top 5 brand offering will be entertained.

Declaration of MII(50% and above)

\*Dedicated authorization.

### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाही का आधार होगा।

---Thank You/धन्यवाद---