



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5801078  
Dated/दिनांक : 09-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-01-2025 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-01-2025 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	15 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Odisha
Department Name/विभाग का नाम	Law Department Odisha
Organisation Name/संगठन का नाम	District Judge, Mayurbhanj
Office Name/कार्यालय का नाम	Northern Zone
क्रेता ईमेल/Buyer Email	sdjm.rairangpur-od@indiancourts.nic.in
Total Quantity/कुल मात्रा	4
Item Category/मद केटेगरी	High end Office Table / Desk Furniture Set / Suit (Q3)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	2 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
RCM Applicable/लागू आरसीएम	Yes

<b>Bid Details/बिड विवरण</b>	
<b>Type of Bid/बिड का प्रकार</b>	Single Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered

product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

### Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme) will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

### High End Office Table / Desk Furniture Set / Suit ( 4 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Warranty periods</b>	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years
MAIN TABLE	<b>Design / Shape</b>	Semi circular, Rectangular, Rectangular and taper inside at both side ends
	<b>Under structure of main table</b>	Gable end modesty panel, Gable end modesty panel and Legs, Gable end only, Modesty panel only, With Aluminum anodized access flap (for electrical provision)
	<b>Table top material</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, MDF with venner coating with high gloss polyester finish, combination marine ply and corian with polyester coated profiled decorative venner on top side with backing laminate on bottom, combination of MDF particle board and solid wood with top venner face coated with clear lacquer, MDF with high grade membrane finish & balancing laminate on unexposed face
	<b>Gable end material</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, N.A, Combination of MDF particle board and solid wood with top venner face coated with clear lacquer, Pre-laminated MDF board

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Modesty panel material</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, N.A, Particle board with venner face coated with clear lacquer, Prelaminated MDF board (with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Leg material</b>	MDF and venner with PU coating, MDF board as per IS: 12406 with pigmented PU coating on both sides, N.A, MS Clad with strips of MDF, As per requirement
	<b>Number of buffer provided</b>	Four numbers at bottom, Six numbers at bottom, Eight numbers at bottom
	<b>Length of table top ± 20 mm</b>	1800 mm, 2100 mm, 2400 mm, 3600 mm
	<b>Depth of table top ±10 mm</b>	900 mm, 1050 mm, 1080 mm, 1110 mm, 1200 mm, 750 mm
	<b>Height of table top ± 10 mm</b>	730 mm, 750 mm
	<b>Dimension of leg ± 2 mm</b>	25 mm X 25 mm, 50 m X 50 mm, 60 mm X 60 mm, NA
	<b>Thickness of table top ± 2 mm</b>	36 mm, 40 mm, 48 mm, 60 mm, 68 mm, 72 mm, 90 mm
	<b>Thickness of gable end ± 2 mm</b>	18 mm, 25 mm, 36 mm, N.A, 60 mm
	<b>Thickness of modesty panel ± 1 mm</b>	8 mm, 18 mm, 25 mm, 36 mm, N.A, 16 mm
	<b>Material of keyboard tray and right angle L-Type supporting bracket</b>	CRC sheet conforming to commercial quality designation CR-I grade 140 of IS 513/latest, Plastic PVC sheet of standard quality, Stainless steel of grade SS 202, Stainless steel of grade SS 304, Other wood of standard quality, Flat single layer MDF board of grade SBG-II of IS 12406/latest, N.A
	<b>Finish of exposed edges of keyboard tray</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, To be painted with black in colour with powder coating 40-50 microns thickness, N.A
EXTENDED RETURN UNIT	<b>Number of storage unit</b>	2 numbers, 3 numbers, 4 numbers, 1 number, N.A, Side unit with 5 numbers storage unit (combination of 2 drawer + 1 filling and two openable shutter - Under structure made up of 18 mm thick pre-laminated MDF board - all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6 mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Storage with shutter</b>	1 number, 2 numbers, 3 numbers, 4 numbers, N.A, 1 filing and two openable shutter

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Number of drawers</b>	1 number, 2 numbers, 3 numbers, 4 numbers, N.A
	<b>Size of small drawers ± 5 mm</b>	162 mm (H) X 465 mm(W) X 480 mm(D), 150 mm (H) X 465 mm(W) X 470 mm(D), N.A, As per size of unit
	<b>Size of medium drawers ± 5 mm</b>	324 mm(H) X 465 mm(W) X 480 mm(D), 300 mm(H) X 465 mm(W) X 470 mm(D), N.A, As per size of unit
	<b>Number of lockable castors at bottom</b>	4 numbers, 6 numbers, 8 numbers, N.A
	<b>Size of lockable castors ± 2 mm</b>	Diameter 40 mm and height 55 mm, Diameter 30 mm and height 50 mm, Diameter 50 mm and height 60 mm, N.A
	<b>Provision of storage lock system</b>	Central locking system, Independent lock, N.A, Proper locking arrangement
	<b>Material of top</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Particle board with venner face coated with clear lacquer, N.A, MDF with Table matching high grade membrane profile
	<b>Material of modesty panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Prelaminated particle board with venner and PU coating finish, Particle board with venner face coated with clear lacquer, N.A, Prelaminated MDF board. (all exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Material of side panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Prelaminated particle board with venner and PU coating finish, Particle board with venner face coated with clear lacquer, N.A, Prelaminated MDF board. (all exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Thickness of top panel ± 2 mm</b>	19 mm, 25 mm, 36 mm, 22 mm, 40 mm, N.A
	<b>Thickness of other panel ± 2 mm</b>	18 mm, 25 mm, N.A
	<b>Thickness of drawer base ± 1 mm</b>	8 mm, 10 mm, 18 mm, N.A
	<b>Width of unit ± 20 mm</b>	1500 mm, 1800 mm, 1910 mm, 2020 mm, 1200 mm, 1400 mm, N.A, 900 mm
	<b>Depth of unit ± 5 mm</b>	450 mm, 480 mm, 520 mm, 550 mm, 440 mm, 580 mm, N.A
	<b>Height of unit ± 5 mm</b>	530 mm, 550 mm, 750 mm, 650 mm, 690 mm, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Overall height of storage unit <math>\pm</math> 5 mm</b>	480 mm, 490 mm, 650 mm, 690 mm, N.A, 750 mm
PEDESTAL STORAGE UNIT	<b>Type of unit</b>	Two drawers, Three drawers, Four drawers, N.A, Combination of openable shutter & three drawer pedestal
	<b>Size of drawers <math>\pm</math> 2 mm</b>	162 mm (H) x 640 mm (D) x 480 mm (W), 243 mm (H) x 640 mm (D) x 480 mm (W), N.A, As per size of unit
	<b>Each drawers fixed with</b>	On telescopic channel of 400 mm length with average weight of 0.6 Kg per set having average thickness of 1 mm steel member of channel, On telescopic channel of 250 mm length with average weight of 0.5 Kg per set having average thickness of 1 mm steel member of channel, On telescopic channel of 200 mm length with average weight of 0.3 Kg per set having average thickness of 1 mm steel member of channel, N.A
	<b>Provision of lock system</b>	Central locking system, Independent lock, N.A, Proper locking arrangement - as per requirement
	<b>Material of top panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Particle board with venner face coated with clear lacquer, N.A, MDF with Table matching high grade membrane profile
	<b>Material of other panel</b>	MDF and venner with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, 2 MDF batons with natural veneer, Prelaminated particle board with venner and PU coating finish, Particle board with venner face coated with clear lacquer, N.A, Prelaminated MDF board (all exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6 mm edge banding tape pressed at 200 degree C with hot melt glue on special)
	<b>Thickness of top panel <math>\pm</math> 1 mm</b>	19 mm, 25 mm, 22 mm, N.A
	<b>Thickness of other panel <math>\pm</math> 1 mm</b>	18 mm, 25 mm, N.A
	<b>Number of lockable castors at bottom pedestal storage unit</b>	4 numbers, 6 numbers, N.A
	<b>Size of lockable castors for pedestal storage unit <math>\pm</math> 2 mm</b>	Diameter 40 mm and height 55 mm, Diameter 30 mm and height 50 mm, Diameter 50 mm and height 60 mm, N.A
<b>Width of pedestal unit <math>\pm</math> 5 mm</b>	480 mm, 500 mm, 440 mm, N.A, 2400 mm	
<b>Depth of pedestal unit <math>\pm</math> 5 mm</b>	620 mm, 640 mm, 510 mm, N.A, 400 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Height of pedestal unit ± 5 mm</b>	550 mm, 580 mm, 635 mm, N.A, 750 mm
WOODEN BOOK CASE	<b>Total Number of shelf</b>	3 numbers, 4 numbers, 5 numbers, 1 number, N.A
	<b>Top panel material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, Particle board with venner face coated with clear lacquer, MDF board with natural veneer coated with high gloss polyster, MDF board, pigmented black & coated with melamine, N.A
	<b>Side panel material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, Particle board with venner face coated with clear lacquer, MDF board with natural veneer coated with high gloss polyster, MDF board, pigmented black & coated with melamine, N.A
	<b>Shelf material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, Particle board with venner face coated with clear lacquer, MDF board, pigmented black & coated with melamine, N.A
	<b>Full Door panel material</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, N.A, Particle board with venner face coated with clear lacquer, MD batons with veneer coating
	<b>Upper door panel made up of</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, N.A, Particle board frame with tempered glass, MD batons with veneer coating
	<b>Lower door panel made up of</b>	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest, MDF board as per IS 12406 with pigmented PU coating on both side, Made up of MDF pigmented black and glass panels of float glass diamond cut polished, N.A, Particle board with venner face coated with clear lacquer, MD batons with veneer coating
	<b>Thickness of top panel material ± 1 mm</b>	18 mm, 25 mm, 22 mm, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of side panel material $\pm 1$ mm	16 mm, 18 mm, 25 mm, N.A
	Thickness of shelf panel material $\pm 1$ mm	18 mm, 22 mm, 25 mm, N.A
	Thickness of door panel (full size) material $\pm 1$ mm	18 mm, 25 mm, N.A, 16 mm
	Thickness of upper door panel made up of $\pm 1$ mm	5 mm thick glass, N.A
	Thickness of lower panel made up of $\pm 1$ mm	18 mm, 25 mm, N.A, 16 mm
	Material for buffer	Plastic, Nylon, Polyvinyl, Rubber, N.A
	Width of book case $\pm 10$ mm	900 mm, 1000 mm, 1100 mm, 2210 mm, 1850 mm, N.A
	Depth of book case $\pm 5$ mm	450 mm, 480 mm, 500 mm, 410 mm, 580 mm, N.A
	Height of book case $\pm 20$ mm	1900 mm, 2040 mm, 2100 mm, 2000 mm, 680 mm, 1880 mm, N.A
	Size of medium shelf	1 number, 2 numbers, N.A
CERTIFICATION	Product having BIFMA certification	Yes, No
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes, No

**Additional Specification Parameters - High End Office Table / Desk Furniture Set / Suit ( 4 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Material of the Table	Leg of the table made up of Iron metal and having colour coted and Top of the table is made up of Ply Wood (Table size 5ft x 3ft)
Drawer	on the table 2 Drawer will be provided having lock facility on the right side
Warranty	Min 6 Month Warranty and if any damage happened until delivery the seller will be responsible for the damage (LOCAL SUPPORT MUST BE PROVIDED)

\* Bidders offering must also comply with the additional specification parameters mentioned above.



**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	18%	NA	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	NIRMALYA BHOL	757043,At- Civil Court Complex, Rairangpur, PO/PS-Rairangpur, Dist- Mayurbhanj, Pin-757043.	4	45

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Bid Specific Terms and Conditions****Installation :**

Installation, Commissioning, Testing, Configuration, Training (if any - whichever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorized Reseller.

**Availability of Service Centres:**

Bidder/OEM must have a Functional Service Centre within 80Kms from the Consignee's location. Payments shall be released only after submission of documentary evidence of having Functional Service Centre. An undertaking in this regard is to be submitted along with the documents, failing which the bid will be cancelled.

**Experience criteria:**

Documents to be furnished indicating experience of at least 3 years in similar works. Signed copies of the same to be uploaded.

**Certifications:**

OEM /Should present ISO 9001:2015 with IAF, certification.

OEM authorization/Manufacturer authorization certificate is mandatory.

#### **Misc Mandatory Compliance:**

- OEM and bidder should not be blacklisted or discontinued from any Government Organization. The Bidder should submit the non-black list affidavit on Rs 100 stamp paper.
- Bidder/OEM must have dedicated toll free number for service support.
- Bidder/ OEM must provide Escalation Matrix to log service calls.
- Bidder/OEM Should provide Past performance Certificates.
- Payment released only after satisfactory installation completion.
- The competent authority has discretionary power to accept/reject of any/all bidder without any reason thereof during the bid validity period.
- All the documents provided by the bidder should be signed and sealed by the signing authority of the bidder.
- PAN, GST registration and annual turnover certificate copy to be provided by the bidder.
- Specification compliance with no deviation statement to be provided by the signed letter head of the bidder.

#### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**