



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5805340  
Dated/दिनांक : 10-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-01-2025 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-01-2025 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Bihar
Department Name/विभाग का नाम	Panchayat Raj Department Bihar
Organisation Name/संगठन का नाम	Panchayati Raj Department
Office Name/कार्यालय का नाम	Haripur Amour Purnia
क्रैता ईमेल/Buyer Email	buycon253.prd.bh@gembuyer.in
Total Quantity/कुल मात्रा	5552
Item Category/मद केटेगरी	Swachh Bharat Waste Container Set (Q3) , Outdoor Twin Waste Bin (Q3) , Safety Equipment Tool Kit for Labours (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No

<b>Bid Details/बिड विवरण</b>	
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Swachh Bharat Waste Container Set
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of

cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Swachh Bharat Waste Container Set ( 5526 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Product Description</b>	Swachh Bharat, 3 x 15 liter (minimum) Waste container set, Swachh Bharat 10-12 litres waste container set
	<b>Number of containers</b>	Set consisting of 3 Containers, Set of 2 Containers
	<b>Identification on the containers</b>	2 Silver stickers on the 1/3rd of the lower portion of the containers. (Urban Local Body (ULB) LOGO (to be provided by ULB) on one side and Swachh Bharat LOGO on the other side)
	<b>Instructions on the containers</b>	Dry Waste on Blue, Wet Waste on Green and E-Waste on White by Stickers, Dry Waste on Blue Container and Wet Waste on Green Container
CONSTRUCTIONAL	<b>Material</b>	Virgin HDPE Conforming to IS 7328 latest, Virgin PPCP Conforming to IS 10951 latest
	<b>Colour of container set</b>	One Green, One Blue and One White, One Green and other Blue
	<b>Shape of the container</b>	Frustum, Round
	<b>Holes at Bottom</b>	1 no. of 10 mm dia with mesh, 4 nos. of 2 mm dia each
	<b>Rib at Bottom</b>	Yes
	<b>Vertical Ribs at the outer surface</b>	Yes
	<b>Containers must be un-breakable, Robust, Reusable and washable</b>	Yes
	<b>Maximum Filler Content (%)</b>	Not more than 2%
	<b>Maximum Ash Content</b>	< 1 % (Conformity test as per Annex D of IS: 14887 (Latest)
	<b>UV Resistance, % of Tensile strength retention after 192 hours exposure as per ASTM D2562 -99 Table 1- Cycle Number 2 (%)</b>	50%
	<b>Lid</b>	without
	<b>Rim at top</b>	Yes
<b>Handle</b>	Without	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CERTIFICATIONS	<b>Conformance to the Drop test</b>	as per clause no 3 (10) of IS 3730 (latest) filled with 15 Kg sand in place of water for drop test
	<b>Conformance to falling weight impact test</b>	as per IS:2508:2016 latest. Condition: 1 Kg at one and half meter height
	<b>Embossing at outer bottom surface</b>	Manufacturer's Logo, Swachh Bharat Mission Logo and instruction "Not for sale"

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashutosh Ranjan	854315,HARIPUR AMOUR PURNIA	5526	45

### Outdoor Twin Waste Bin ( 10 pieces )

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Capacity of each bin (Liters)</b>	8, 10, 20, 40, 50, 80, 100, 120, 150, 200
	<b>Number of Bins</b>	2
	<b>Material</b>	Stainless Steel, Plastic
	<b>Material Grade</b>	SS 304, SS 202, LLDPE, HDPE
	<b>Pole Mounted</b>	Yes, No
	<b>Material of Pole</b>	Stainless Steel, Mild Steel, NA
	<b>Structure</b>	Standing, Hanging
	<b>Plugged Outlet for Washing and Draining</b>	Yes, No
Shape and Size	<b>Shape of Bin</b>	Cylindrical, Cuboidal
Marking	<b>Types of Waste mark indicated on Bin</b>	Yes, No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashutosh Ranjan	854315,HARIPUR AMOUR PURNIA	10	45

**Safety Equipment Tool Kit For Labours ( 15 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	<b>Confirmity to Standards for Industrial Safety Helmet to be included in the safety kit</b>	IS 2925 with latst amndmt
	<b>BIS Marked</b>	Yes, No
	<b>Confirmity to standards for Filtering half Mask as respiratory protective devices included in the safety kit</b>	IS 9473-2002 with latest amdmnt., EN, NIOSH
	<b>Filtering Half Mask BIS Marked (Please indicate NA if other standards are applicable)</b>	Yes, No, NA(For other standards)
	<b>BIS Marking for boots</b>	Yes, No
	<b>Confirmity to standards for safety Gloves</b>	EN 388 with latest amdmnt for safety Gloves
	<b>Confirmity to CE marking for safety gloves</b>	Yes, No
	<b>Confirming standards for safety Jacket</b>	EN 471 -2003 + A1 2007 with latest amdmnt.
Performance Parameters	<b>Design of Safety Helmet</b>	Nape Type, Strap type
	<b>Ear Muff provided for Safety Helmet</b>	Yes, No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Class of Filtering Half Mask</b>	FFP1(Against Solid Particles only), FFP2(Solid Particles only), FFP2(Both solid and Liquid Particles), FFP3(Solid Particles only), FFP3(Both solid and Liquid Particles), EN 149, N 95(NIOSH), N 99(NIOSH)
	<b>Availability of Valve in Half Filtering Mask</b>	Valveless, With both inhalation and exhalation valave, with inhalation valve only, Exhalation Valve only
	<b>No of valves in Half Filtering Mask</b>	1, 2, Nil
	<b>Head Harness in Half Filtering Mask</b>	Adjustable, Self adjusting/Elastic
	<b>Confirmity to standards for Saftey Boot Provided in the Kit</b>	IS 12254 with latest amndmt, IS 5557-2004 with latest amndmnt.
	<b>Material of the safety boot</b>	PVC, Rubber
	<b>Type of the Safety Boot</b>	PVC industrial ankle boots (IS 12254) Ankle boots, Ankle boots rubber variety 3 type 2 oil resistant (IS 5557), Ankle boots rubber variety 3 type 1 non oil resistant (IS 5557)
Dimensional Parameters	<b>Size of Safety Helmet in mm</b>	520, 530, 540, 550, 560, 570, 580, 590, 600, Asorted Sizes of 520,530,540,550,560,570,580,590, and 600 as per buyer requirement
	<b>Number Size of The Safety Boot offered in the kit</b>	6, 7, 8, 9, 10, Assorted Sizes of 6,7,8,9,and 10 as per Buyer Requirement
	<b>Number Size of Safety Gloves</b>	6, 7, 8, 9, 10, Assorted Sizes of 6,7,8,9,10 as per Buyer Requirement
	<b>Color of Front Side of Safety Gloves</b>	Black, Grey, White, Yellow, Blue, Red
	<b>Color of Back Side of Safety Gloves</b>	Black, Grey, White, Yellow, Blue, Red
	<b>Size of Safety Jacket</b>	Small ( Suitable for person of height 152-160 cm, chest girth 96-102 cms , Waist Girth 76-81 cms ), Medium ( Suitable for person of height 161-168 cm, chest girth 103-107 cms , Waist Girth 82-86 cms ), Large ( Suitable for person of height 169-175 cm, chest girth 108-112 cms , Waist Girth 87-91 cms ), Extra Large ( Suitable for person of height 176-183 cm, chest girth 113-117 cms , Waist Girth 92-97 cms )
	<b>Size of Pocket of safety jacket in mm x mm</b>	125 x 125, 100 x 100
Material Parameters	<b>Material of Safety Helmet Shell</b>	HDPE ( High Density Polyethene), Fibre glass, Polycarbonate plastic, ABS
	<b>Material of Filtering Mask</b>	silicone, Thermoplastic, Elastomeric
	<b>Clothing material of Safety Gloves</b>	Nylon, PU (Polyurethene), Nirile Foam, Spandex

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Width of Retro Reflective Tape of Safety Jackets</b>	Micro prismatic type, white or silver colour certified by the manufacturer of retro reflective material. The retro reflective material should be certified by the manufacturer to withstand 75 wash cycles @ 60 degree C and for Temperature Variation test.
	<b>Sewing Thread in Safety Jackets</b>	100% Spun Polyester 3 ply sewing thread of matching colour of best trade quality shall be used for stitching.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashutosh Ranjan	854315, HARIPUR AMOUR PURNIA	15	45

### Safety Equipment Tool Kit For Labours ( 1 pieces )

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standards	<b>Confirmity to Standards for Industrial Safety Helmet to be included in the safety kit</b>	IS 2925 with latst amndmt
	<b>BIS Marked</b>	Yes, No
	<b>Confirmity to standards for Filtering half Mask as respiratory protective devices included in the safety kit</b>	IS 9473-2002 with latest amdmt., EN, NIOSH
	<b>Filtering Half Mask BIS Marked (Please indicate NA if other standards are applicable)</b>	Yes, No, NA(For other standards)
	<b>BIS Marking for boots</b>	Yes, No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Confirmity to standards for safety Gloves</b>	EN 388 with latest amdmnt for safety Gloves
	<b>Confirmity to CE marking for safety gloves</b>	Yes, No
	<b>Confirming standards for safety Jacket</b>	EN 471 -2003 + A1 2007 with latest amdmnt.
Performance Parameters	<b>Design of Safety Helmet</b>	Nape Type, Strap type
	<b>Ear Muff provided for Safety Helmet</b>	Yes, No
	<b>Class of Filtering Half Mask</b>	FFP1(Against Solid Particles only), FFP2(Solid Particles only), FFP2(Both solid and Liquid Particles), FFP3(Solid Particles only), FFP3(Both solid and Liquid Particles), EN 149, N 95(NIOSH), N 99(NIOSH)
	<b>Availability of Valve in Half Filtering Mask</b>	Valveless, With both inhalation and exhalation valave, with inhalation valve only, Exhalation Valve only
	<b>No of valves in Half Filtering Mask</b>	1, 2, Nil
	<b>Head Harness in Half Filtering Mask</b>	Adjustable, Self adjusting/Elastic
	<b>Confirmity to standards for Saftey Boot Provided in the Kit</b>	IS 12254 with latest amndmt, IS 5557-2004 with latest amndmnt.
	<b>Material of the safety boot</b>	PVC, Rubber
	<b>Type of the Safety Boot</b>	PVC industrial ankle boots (IS 12254) Ankle boots, Ankle boots rubber variety 3 type 2 oil resistant (IS 5557), Ankle boots rubber variety 3 type 1 non oil resistant (IS 5557)
Dimensional Parameters	<b>Size of Safety Helmet in mm</b>	520, 530, 540, 550, 560, 570, 580, 590, 600, Asorted Sizes of 520,530,540,550,560,570,580,590, and 600 as per buyer requirement
	<b>Number Size of The Safety Boot offered in the kit</b>	6, 7, 8, 9, 10, Assorted Sizes of 6,7,8,9,and 10 as per Buyer Requirement
	<b>Number Size of Safety Gloves</b>	6, 7, 8, 9, 10, Assorted Sizes of 6,7,8,9,10 as per Buyer Requirement
	<b>Color of Front Side of Safety Gloves</b>	Black, Grey, White, Yellow, Blue, Red
	<b>Color of Back Side of Safety Gloves</b>	Black, Grey, White, Yellow, Blue, Red
	<b>Size of Safety Jacket</b>	Small ( Suitable for person of height 152-160 cm, chest girth 96-102 cms , Waist Girth 76-81 cms ), Medium ( Suitable for person of height 161-168 cm, chest girth 103-107 cms , Waist Girth 82-86 cms ), Large ( Suitable for person of height 169-175 cm, chest girth 108-112 cms , Waist Girth 87-91 cms ), Extra Large ( Suitable for person of height 176-183 cm, chest girth 113-117 cms , Waist Girth 92-97 cms )



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Size of Pocket of safety jacket in mm x mm	125 x 125, 100 x 100
Material Parameters	Material of Safety Helmet Shell	HDPE ( High Density Polyethene), Fibre glass, Polycarbonate plastic, ABS
	Material of Filtering Mask	silicone, Thermoplastic, Elastomeric
	Clothing material of Safety Gloves	Nylon, PU (Polyurethane), Nirile Foam, Spandex
	Width of Retro Reflective Tape of Safety Jackets	Micro prismatic type, white or silver colour certified by the manufacturer of retro reflective material.The retro reflective material should be certified by the manufacturer to withstand 75 wash cycles @ 60 degree C and for Temperature Variation test.
	Sewing Thread in Safety Jackets	100% Spun Polyester 3 ply sewing thread of matching colour of best trade quality shall be used for stitching.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashutosh Ranjan	854315,HARIPUR AMOUR PURNIA	1	45

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- GST Registration
- GST Return current year & Current file GSTR- 3B

- Pan Card SELF ATTESTED
- UID SELF ATTESTED
- Bank Mandate signed By Bank authorities for e-payment
- Affidavit regarding that the firm is not blacklisted after bid publication (Stamp paper).
- Specification as per LSBA Letter 149, Dated 13.06.2022
- After Technical BID Selected Bidder must be show the Material as a Sample to the District team/Block Team/GPIC Team. If the Sample is not found as per LSBA Specification, Bidder may be disqualified.
- Annual turnover of the bidder should be minimum 20,00,000.00 ( Twenty lac) in last three financial year 2021-22, 2022-23, 2023-24. Last three financial year annual report (from audited CA) showing details of their annual turnover should be submitted
- Manufacturers ISO certificate/CE/FDA certificate approved by govt of india.
- OEM Certificate & OEM Turnover certificate & Authorization Certificate
- ITR for assessment year -2021-22,2022-23, 2023-24 & Turnover certificate this FY
- Details of items catalogue colorful must be submitted by the bidder at GeM portal. Escalation matrix also Required.
- Previous work order for similar items minimum 2 orders, Work completion certificate by the purchaser/CARC Certificate.
- Character certificate of proprietors

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for

[attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---