



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5808413  
Dated/दिनांक : 12-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-02-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-02-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	45 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of School Education And Literacy
Organisation Name/संगठन का नाम	Kendriya Vidyalaya Sangathan
Office Name/कार्यालय का नाम	Regional Office Bhubaneswar
क्रेता ईमेल/Buyer Email	buyer-1148@kvs.gov.in
Total Quantity/कुल मात्रा	3388
Item Category/मद केटेगरी	2MP Full HD IR Network Dome Camera with Audio - 30Mtr. , 2MP Full HD IR Network Bullet Camera with Audio - 50Mtr. , 64 Ch. 4K Network Video Recorder , 8 Port PoE , 4 Port PoE , DVR NVR , Cat6 23AWG UTP Cable , TV , 10TB HDD , RJ45 CLIP , WIRELESS MOUSE , HDMI CABLE TO HDMI CABLE , 5X5 PVC BOX , 25MM PVC PIPE , 20MM PVC PIPE , 25MM FLEXI PIPE ROLL , 20MM FLEXI PIPE ROLL , 25MM C-CLIP , 20MM C-CLIP , Installation
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	2MP Full HD IR Network Dome Camera with Audio - 30Mtr. , 2MP Full HD IR Network Bullet Camera with Audio - 50Mtr. , 64 Ch. 4K Network Video Recorder, 8 Port PoE with 2 10/100/1000 Mbps Uplink, 4 Port PoE with 2 10/100/1000 Mbps Uplink, 4U DVR/ NVR Network Rack, Cat6 23AWG UTP Cable, UHD TV 43"inch, 10TB HDD, RJ45 CLIP (100 NOS), WIRELESS MOUSE, HDMI CABLE (5MTR), 5X5 PVC BOX, 25MM PVC PIPE, 20MM PVC PIPE, 25MM FLEXI PIPE ROLL, 20MM FLEXI PIPE ROLL, 25MM C-CLIP (100NOS), 20MM C- CLIP (100NOS), Installation & Commissioning Etc.
	<b>Searched String:</b> 2MP Full HD IR Network Dome Camera with Audio - 30Mtr.  Full High Definition (HD) Arthroscopy System, Football Shoes, HF RFID Integrated Reader  <b>Searched String:</b> 2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.  HF RFID Integrated Reader, Combination of Shower and Eye Wash as per IS 10592, Portable Voice Recorder, Drip - Leg

**Bid Details/बिड विवरण**

Drain

**Searched String:** 64 Ch. 4K Network Video Recorder

Video Recorder for CCTV System (V2), Video Recorder for CCTV System (V3), Combination of Shower and Eye Wash as per IS 10592, Portable Voice Recorder

**Searched String:** 8 Port PoE with 2 10/100/1000 Mbps Uplink

Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124

**Searched String:** 4 Port PoE with 2 10/100/1000 Mbps Uplink

Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124

**Searched String:** 4U DVR/ NVR Network Rack

Video Recorder for CCTV System (V2), Networking / Server Rack, Video Recorder for CCTV System (V3), synthetic web equipment improved version, Stainless Steel Shelf Rack, Stainless Steel Shoe Rack, Fibre Cable for Networking, Smart Rack (V2), Stainless Steel Wire Shelving Rack Or Pot Rack, IP Based KVM Switch

**Searched String:** Cat6 23AWG UTP Cable

Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cat 6 Patch cord, Cables suitable for CCTV System (Accessories), Cat 6 Cable for Indoor Use, All in One PC, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), CAT 6 Cable for Outdoor, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Cat 6 Patch Panel (V2)

**Searched String:** UHD TV 43"inch

Television (TV) (V2), Combination of Shower and Eye Wash as per IS 10592, D and C Set, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Geological compass, HF RFID Integrated Reader, Cyanide Distillation Apparatus, Solar IV Curve Tracer

**Searched String:** 10TB HDD

Internal Storage Device (SSD/HDD), Desktop Computers, Hard disk drives, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), USB Type External Hard Disk Drive (V2), water baths, Combination of Shower and Eye Wash as per IS 10592, Online UPS (V2), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, synthetic web equipment improved version

**Searched String:** RJ45 CLIP (100 NOS)

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Pipe Clamps (V2), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Football Shoes, Cylindrical

Bid Details/As per	Roller Bearing as per IS 6455, D and C Set, Spherical Roller Bearing as per IS 6455, Portable Convection kerosene heater, Squeegee Washer Wiper Mopper (V2), Tapered Bearings as per IS 12102
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String: WIRELESS MOUSE</b></p> <p>Mouse Pad, computer mouse or trackballs, Mouse Trap (V2), Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Wireless Controller, Wireless Bridge, Wireless Access Point (V2), Keyboard and Mouse Combo, synthetic web equipment improved version, Wireless Attendant Calling System</p> <p><b>Searched String: HDMI CABLE (5MTR)</b></p> <p>HDMI Cable, Desktop Computers, HDMI Input Video Capture Card, Portable Voice Recorder, HDMI 8 x 8 Switcher, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Field Telephone Cable (Telecommunication Cable), Cap FS Disruptive (JSS), VGA Cable, Sofas (V2)</p> <p><b>Searched String: 5X5 PVC BOX</b></p> <p>PVC Item (Gujarat Govt), Cleaning Duster (V2), PVC Channel, Cardiovascular Patch, PVC gitti, Executive Computer Table, Tissue box, Resistance Box, Desktop Computers, Pencil box</p> <p><b>Searched String: 25MM PVC PIPE</b></p> <p>Pipe for Gardening Purpose, Executive Computer Table, Pipe Cutter, Connection Pipe with Nuts (V2), Solvent Cement, Metal Shelving Racks as per IS 1883, PVC Channel, Classroom Chairs, PVC gitti, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest)</p> <p><b>Searched String: 20MM PVC PIPE</b></p> <p>Pipe for Gardening Purpose, Executive Computer Table, Pipe Cutter, Connection Pipe with Nuts (V2), Solvent Cement, Cleaning Duster (V2), PVC Channel, Metal Shelving Racks as per IS 1883, PVC gitti, Classroom Chairs</p> <p><b>Searched String: 25MM FLEXI PIPE ROLL</b></p> <p>Passive Networking Flexible Pipe, Classroom Chairs, Black Flexible Rubber Hose Pipe, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Commercial CPVC Pipe Fittings, Flexible Quick Coupling GI Pipe and Fittings as per DGS&amp;D Drawing, Laminators, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Waste Pipe, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String: 20MM FLEXI PIPE ROLL</b></p> <p>Passive Networking Flexible Pipe, Classroom Chairs, Black Flexible Rubber Hose Pipe, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Commercial CPVC Pipe Fittings, Flexible Quick Coupling GI Pipe and Fittings as per DGS&amp;D Drawing, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Laminators, Waste Pipe, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p>

<b>Bid Details/बिड विवरण</b>	<b>Searched String: 25MM C-CLIP (100NOS)</b>
	<p>Classroom Tables, Open / Endoscopic Clip Applicator (V2), Polyethylene Pipes for Water Supply, Football Shoes, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Squeegee Washer Wiper Mopper (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Wooden Lab Stools, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), petri plates or dishes</p> <p><b>Searched String: 20MM C-CLIP (100NOS)</b></p> <p>Classroom Tables, Open / Endoscopic Clip Applicator (V2), Industrial Deep Freezer, Squeegee Washer Wiper Mopper (V2), Polyethylene Pipes for Water Supply, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Wooden Lab Stools, petri plates or dishes, scissors, Battery Secondary Lead Acid MT Type (Defence)</p> <p><b>Searched String: Installation &amp; Commissioning Etc.</b></p> <p>Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Ground Mounted Solar Power Plant Service, Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Roof Top Solar Power Plant Service, Supply, Installation and Commissioning of Liquid Medical Oxygen (LMO) Storage Tank and Supply of Liquid Medical Oxygen (LMO), AR/VR Application Development Including Hardware Installation, Design Installation and Maintenance of Educational Lab, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2)</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Cables suitable for CCTV System (Accessories)</li> <li>• Video Recorder for CCTV System (V2)</li> <li>• Camera for CCTV System (V3)</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	CCTV CAMERA INCLUDING WIRING AND INSTALLATION
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	3 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	20 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes

**Bid Details/बिड विवरण**

<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	30 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	500000
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लभार्थी :**

PRINCIPAL

PM SHRI KENDRIYA VIDYALAYA NO4 BHUBANESWAR , NILADRI VIHAR, SAILASHREE VIHAR, CS PUR, BBSR, KHORDHA, ODISHA,751021

(Vvn Account Kv No 4)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The

buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## **2MP Full HD IR Network Dome Camera With Audio - 30Mtr.**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### **Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	27	15

## 2MP Full HD IR Network Bullet Camera With Audio - 50Mtr.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	9	15

## 64 Ch. 4K Network Video Recorder

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	1	15

**8 Port PoE**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	4	15

**4 Port PoE**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	1	15

**DVR NVR**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	4	15

### Cat6 23AWG UTP Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	2745	15

### TV

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	1	15

**10TB HDD**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	2	15

**RJ45 CLIP**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	100	15

**WIRELESS MOUSE**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	1	15

### HDMI CABLE TO HDMI CABLE

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	5	15

### 5X5 PVC BOX

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	36	15

**25MM PVC PIPE**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	220	15

**20MM PVC PIPE**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	120	15

**25MM FLEXI PIPE ROLL**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	50	15

## 20MM FLEXI PIPE ROLL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	50	15

## 25MM C-CLIP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	7	15

**20MM C-CLIP**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	4	15

**Installation**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Dhirendra Kumar Jha	751021,PM Shri Kendriya Vidyalaya No. 4, Neeladri Vihar, P. O. Shailshree Vihar, Bhubaneswar, Odisha, 751021	1	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

PM SHRI KENDRIYA VIDYALAYA NO4 BHUBANESWAR  
KV MARG  
NILADRI VIHAR  
SAILASHREE VIHAR  
BHUBANESWAR,751021

**3. Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the

market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

#### 4. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 5. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

OEM Criteria	
1	OEM Should be ISO 9001, ISO 14001, ISO 27001 Certified.
2	The OEM of the CCTV equipment should not be debarred/banned/blacklisted or imposed sanctions by any Country or Government institution globally. OEM declaration to be submitted.
3	OEM should have been established in India at least for 5 years, its presence should be supported with brand registration certificates like TM, COI, etc.
4	OEM Should Comply BIS for most part of active components, BIS Certificate should be supply.
5	Bidder shall submit the detailed BOM, Brochure of the equipment offered duly verified and certified by the respective OEM and the same model should be displayed on the OEM website.
6	Any representation through a Dealer/ Distributor/ Joint Venture/ consortium shall not be treated as OEM. It should be supported with required statutory documents and undertakings on OEM letterhead.
7	All Cameras, Lense, Housing, and Solution should be of Single OEM.
8	The OEM of CCTV Component should have General Data Protection Regulation (GDPR) and Waste Electrical and Electronic Equipment (WEEE) Certification. OEM needs to submit the certificates with technical bid.
9	OEM should have a full time member of ONVIF and should not have suspended its support to the camera OEM.
10	The OEM of Camera & NVR should have its own company registered in India, under Incorporation of Companies Act, 1956/2013 since last 5 year. Any representation through a Dealer/Distributor/Subsidiary/Consortium shall not be treated as OEM. This has to be supported by necessary statutory documents. CCTV OEM should have manufacturing in India since last five years and Foreign CCTV OEM should have manufacturing unit globally from last 5 years. Documentary evidence should be submitted.
11	OEM should have listed with Ministry of Skill Development & Entrepreneurship/National Skill Development Corporation (NSDC) to provide skilled manpower through their SI/Self to cater buyer requirement.
12	OEM should have Service & Repairing centre in Odisha in their own name. This is to be supported with documentary evidence at least 5 years
13	As per GeM GTC Clause 26 regarding Restrictions on procurement from a bidder of a country that shares a land border with India, the bidder must Submit a Compliance Letter on OEM's and Bidder's letterhead with Quoted Make and Model List in the prescribed format. Non-submission of the same or any false declaration and non-compliance of this would be a ground for disqualification/immediate termination of the contract and further legal action in accordance with the laws.

<b>BIDDER CRITERIA</b>	
	<b>(A) Bidder will have to submit OEM Authorization on OEM letterhead with bid number for Quoted Product.</b>
	<b>(B) Last year ITR Documents.</b>
	<b>(C) Bidder must provide GST certificate, last year GST filed document.</b>
	(D) All cost of installation must be included in the bid and further no charges will be paid. The quantity of accessories may increase or decrease, the L1 quoted rate is final irrespective of items/accessories required and fixed. Therefore quote your price after site/ school visit.
	(E) Bidder must not be debarred from any state govt. or central govt. department. A Self Declaration has to be submitted in Prescribed format available on GeM. Bid Security Declaration.
	(F) Bidder must have Local Office/Service Center at Odisha for quick and better service whenever required.
	(G) Satisfactory Work Completion Report shall be considered for determining the work experience of the bidder
	<b>(H) Bidders are requested to Visit Vidyalaya from 2:00 PM to 3:00 PM on working days to know the details scope of works before submitting the Bid.</b>

#### **Camera and Accessories Installation Details**

<b>SL NO</b>	<b>Particulars</b>	<b>Qty</b>	<b>Location Selected By Mr. B C Behera Sir.</b>
1	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom VI-A
2	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom VI-B
3	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom VII-A
4	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom VII-B
5	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom III-A
6	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom IV-A
7	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom IV-B
8	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom V-A
9	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom V-B

10	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	2nd Floor Classroom III-B
11	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom I-B
12	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom I-A
13	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom II-A
14	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom II-B
15	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom IX-B
16	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom IX-A
17	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom VIII-B
18	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	1st Floor Classroom VIII-A
19	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	Ground Floor Classroom X-A
20	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	Ground Floor Classroom X-B
21	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	Ground Floor Classroom XI-B
22	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	Ground Floor Classroom XII-A
23	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	1	Ground Floor Classroom XII-B
24	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Main Gate Entrance Outside View
25	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Main Gate Entrance Inside View Near Pole Parking Area
26	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	2nd Main Gate Outside View
27	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	2nd Main Gate Inside View towards Principal House
28	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Play Ground Pole (1) Principal House
29	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Play Ground Pole (1) Towards Boundry Wall Road Side View
30	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Play Ground Pole (2) Towards Boundry Wall Road Side View

31	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Play Ground Pole (2) Towards Cycle Stand View
32	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	1	Play Ground Pole (2) Towards Play Ground View
33	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	4	To be decided later
34	32 Ch. 4K Network Video Recorder	1	Principal Office Room
35	8 Port PoE with 2 10/100/1000 Mbps Uplink	1	2nd Floor in 4U Rack
36	4 Port PoE with 2 10/100/1000 Mbps Uplink	1	2nd Floor in 4U Rack
37	8 Port PoE with 2 10/100/1000 Mbps Uplink	1	1st Floor in 4U Rack
38	8 Port PoE with 2 10/100/1000 Mbps Uplink	1	Ground Floor in 4U Rack
39	8 Port PoE with 2 10/100/1000 Mbps Uplink	1	Ground Floor in 4U Rack
40	4U DVR/ NVR Network Rack	1	2nd Floor Near by Any Corridor
41	4U DVR/ NVR Network Rack	1	1st Floor Near by Any Corridor
42	4U DVR/ NVR Network Rack	1	Ground Floor Near by Any Corridor
43	4U DVR/ NVR Network Rack	1	Ground Floor Near by Any Corridor
44	Cat6 23AWG UTP Cable	2745 mtr	As per Camera Connectivity
45	UHD TV 43"inch	1	Principal Office Room
46	10TB HDD	2	In NVR
47	RJ45 CLIP (100 NOS)	1	As per Camera Connectivity
48	WIRELESS MOUSE	1	Principal Office Room to Control NVR
49	HDMI CABLE (5MTR)	1	Principal Office Room (NVR to TV Connection)
50	5X5 PVC BOX	32	Camera Box
51	25MM PVC PIPE	220	As per Camera and Cat6 cable Connectivity
52	20MM PVC PIPE	120	As per Camera and Cat6 cable Connectivity
53	25MM FLEXI PIPE ROLL	50 mtr.	As per Camera and Cat6 cable Connectivity
54	20MM FLEXI PIPE ROLL	50 mtr.	As per Camera and Cat6 cable Connectivity
55	25MM C-CLIP (100NOS)	7	As per Camera and Cat6 cable Connectivity
56	20MM C-CLIP (100NOS)	4	As per Camera and Cat6 cable Connectivity

## Details of Item List

SL NO	Particulars	QTY	Unit
1	2MP Full HD IR Network Dome Camera with Audio - 30Mtr.	27	Pieces
2	2MP Full HD IR Network Bullet Camera with Audio - 50Mtr.	9	Pieces
3	64 Ch. 4K Network Video Recorder	1	Pieces
4	8 Port PoE with 2 10/100/1000 Mbps Uplink	4	Pieces
5	4 Port PoE with 2 10/100/1000 Mbps Uplink	1	Pieces
6	4U DVR/ NVR Network Rack	4	Pieces
7	Cat6 23AWG UTP Cable	2745	Mtr.
<b>Additional :</b>			
8	UHD TV 43"inch	1	Nos
9	10TB HDD	2	Pieces
10	RJ45 CLIP (100 NOS)	100	Nos
11	WIRELESS MOUSE	1	Nos
12	HDMI CABLE (5MTR)	5	Mtr.
13	5X5 PVC BOX	36	Pieces
14	25MM PVC PIPE	220	Nos
15	20MM PVC PIPE	120	Nos
16	25MM FLEXI PIPE ROLL	50	Mtr.
17	20MM FLEXI PIPE ROLL	50	Mtr.
18	25MM C-CLIP (100NOS)	7	Packtes
19	20MM C-CLIP (100NOS)	4	Packtes
20	Installation & Commissioning Etc.	1	Pieces

## Bid Security Declaration Form

(Company Letterhead signed and stamped by the authorized signatory)

Date: \_\_\_\_\_

Tender No. \_\_\_\_\_

To

The Principal

PM SHRI Kendriya Vidyalaya No.4

Bhubaneswar (Odisha)

I/We. The undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a Bid Securing Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We

a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or

b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or refuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders

I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.

Signed: (insert signature of person whose name and capacity are shown)

in the capacity of (insert legal capacity of person signing the Bid Securing Declaration)

n)

Name: (insert complete name of person signing the Bid Securing Declaration)

Duly authorized to sign the bid for an on behalf of (insert complete name of Bidder)

Dated on \_\_\_\_\_ day of \_\_\_\_\_ (insert date of signing)

Corporate Seal (where appropriate)

(Note: in case of a Joint Venture, the Bid Security Declaration must be in the name of all partners to the Joint Venture that submits the Bid)

## Self-declaration Certificate

(Company Letterhead signed and stamped by the authorized signatory)

**Date:**

**“It is certified that the firm M/s..... has not been blacklisted by any Central/State Govt. Organization/ DGS&D/ NICS/PSU during last three years.”**

Yours faithfully,

For and on behalf of M/s\_\_\_\_\_ (Name of the Bidder)

Signature :

Name :

Designation :

Address :

## 7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 8. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

## 9. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

VVN ACCOUNT KV NO 4

Account No.

588902010006326

IFSC Code

UBIN0558893

Bank Name

UNION BANK OF INDIA

Branch address

UBI OMFED SQUARE BHUBANESWAR

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

## 10. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---