



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/5811029
Dated/दिनांक : 11-01-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-01-2025 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-01-2025 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Bihar
Department Name/विभाग का नाम	Panchayat Raj Department Bihar
Organisation Name/संगठन का नाम	Panchayati Raj Department
Office Name/कार्यालय का नाम	Gram Panchayat Harparsad
क्रेता ईमेल/Buyer Email	gpharprasad-br@panchayat.gov.in
Total Quantity/कुल मात्रा	30
Item Category/मद केटेगरी	Modular Table (V2) (Q2) , Revolving Chair (V4) (Q2) , Steel Shelving Cabinets (Adjustable Type) confirming to IS 3312 (V3) (Q2) , Office Chair (V3) (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	1 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No

Bid Details/बिड विवरण	
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
RCM Applicable/लागू आरसीएम	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Revolving Chair (V4)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
-------------------------------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--------------------------------------------	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document

before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

Modular Table (V2) (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Understructure	Material Type of Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type of Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Thickness of Table Top Edge (Tolerance ±5 mm)	25 mm, 36 mm, 45 mm, 50 mm, NA
	Table Top Edges	Straight, Round, Post-Formed, Chamfered, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Pedestal	Availability of Pedestal / Storage Unit	Yes, No
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	9%	9 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjan Kumar	844505,gram panchayat harprasad	1	45

Revolving Chair (V4) (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back, Mid Back, Low Back
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type, Designed with revolving type with auto return
	Pedestal base	Glass filled nylon, Mild steel powder coated, Mild steel chrome plated, Mild steel with wooden clad, Stainless steel, Aluminium die cast, Teller base with foot ring MS powder coated, Teller base with foot ring MS chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1 - 6 (millimeter)
SEAT	Seat material	Moulded PU, PU foam, Mesh
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450<=500, >500
	Depth of seat (mm)	<=400, >400<=450, >450<=500, >500
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support, Fixed lumber support, Contoured back / Without lumber support
	Backrest base frame material	Mild steel frame, Hot pressed plywood, Wood, Injection moulded plastic, Aluminium die cast
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450<=500, >500
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
ARMREST	Armrest type and arm movement	Adjustable (up and down), Adjustable (left and right), Adjustable (Up and Down, Front and Back), Adjustable (left, right, up, down, front, back), Swivel (left, right, up, down), Adjustable (left, right, up, down, front, back, swivel), Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	9%	9 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjan Kumar	844505,gram panchayat harprasad	6	45

Steel Shelving Cabinets (Adjustable Type) Confirming To IS 3312 (V3) (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312
GENERIC	Types of Shelving Cabinets	Small, Large
DIMENSIONS AND TOLERANCES	Overall Dimension of Shelving Cabinets excluding pedestal height (Format: Height X Width X Depth) (Tolerance: ± 10 mm)	1150 mm X 760 mm X 430 mm, 1855 mm X 910 mm X 480 mm

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	9%	9 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjan Kumar	844505,gram panchayat harprasad	1	45

Office Chair (V3) (20 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest, Non-revolving and non-tilting chair without armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever, Legs

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Understructure material	ERW tube conforming to IS : 1161 latest, Aluminium pipe (hollow Section) conforming to IS: 1285 latest, Stainless steel (SS 202), Stainless steel (SS 304), Stainless steel (SS 316), Mild steel, Solid wood
	The shape of tubular section of understructure	Round, Square, Rectangular, Elliptical, NA
	Section Size (Diameter/Sides) of understructure	19 mm, 22 mm, 25 mm, 30 mm, 19x19 mm, 25x25 mm, 30x30 mm, 25x15 mm, 30x12 mm, 30x15 mm, 30x20 mm, 45x19 mm, 35x15 mm, 38x20 mm, NA
	Understructure wall thickness (mm)	1, 1.2, 1.6, 2, 2.5, 3, NA for wood
	Castor	Yes, No
SEAT	Seat material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450
	Depth of seat (mm)	<=400, >400<=450, >450
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
BACKREST	Backrest base frame material	Mild steel frame, Hot pressed plywood, Solid wood, Injection moulded plastic
	Backrest material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
ARMREST	Armrest type	Overhanging armrest, Continuous armrest, Moulded armrest continuously fitted with seat and back, Moulded T armrest fitted with seat bottom, Moulded Armrest mounted to Frame, Without Armrest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Armrest movement	Adjustable, Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	9%	9 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjan Kumar	844505,gram panchayat harprasad	20	45

Revolving Chair (V4) (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back, Mid Back, Low Back
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type, Designed with revolving type with auto return
	Pedestal base	Glass filled nylon, Mild steel powder coated, Mild steel chrome plated, Mild steel with wooden cladded, Stainless steel, Aluminium die cast, Teller base with foot ring MS powder coated, Teller base with foot ring MS chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1 - 6 (millimeter)
SEAT	Seat material	Moulded PU, PU foam, Mesh
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450<=500, >500
	Depth of seat (mm)	<=400, >400<=450, >450<=500, >500
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support, Fixed lumber support, Contoured back / Without lumber support
	Backrest base frame material	Mild steel frame, Hot pressed plywood, Wood, Injection moulded plastic, Aluminium die cast
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450<=500, >500
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ARMREST	Armrest type and arm movement	Adjustable (up and down), Adjustable (left and right), Adjustable (Up and Down, Front and Back), Adjustable (left, right, up, down, front, back), Swivel (left, right, up, down), Adjustable (left, right, up, down, front, back, swivel), Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	9%	9 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjan Kumar	844505,gram panchayat harprasad	2	45

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

- The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
- Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
- In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
- Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---