



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5812869  
Dated/दिनांक : 13-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-01-2025 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-01-2025 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Department Of Space
Department Name/विभाग का नाम	Department Of Space
Organisation Name/संगठन का नाम	Indian Space Research Organization
Office Name/कार्यालय का नाम	Satish Dhawan Space Centre Shar
क्रेता ईमेल/Buyer Email	buyer204.isro.ap@gembuyer.in
Total Quantity/कुल मात्रा	20
Item Category/मद केटेगरी	Revolving Chair (V4) (Q2) , Office Chair (V3) (Q2) , High end Office Table / Desk Furniture Set / Suit (Q3)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Revolving Chair (V4)

**Bid Details/बिड विवरण**

<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

GODREJ INTERIO Revolving Chair with Knee tilt Synchronic mechanism  
ADMIN.BUILDING- SCF ACCOUNTS Satish Dhawan Space Centre SHAR, Department of Space, Indian space research organization, SRIHARIKOTA 524124  
(The Sr. Accounts Officer)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--------------------------------------------	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
-------------------------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the

"OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

## Revolving Chair (V4) ( 2 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Type of chair</b>	Mid Back
UNDERSTRUCTURE	<b>Tilt mechanism</b>	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	<b>Locking mechanism</b>	4 Position locking, 5 Position locking, Multi position locking Or higher
	<b>Seat depth adjustment</b>	Adjustable, Fixed type Or higher
	<b>Revolving mechanism</b>	Designed with 360 degree-revolving type
	<b>Pedestal base</b>	Glass filled nylon
	<b>Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair</b>	2.0 - 6.0 Or higher (millimeter)
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	>40<=50

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>500
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support
	Backrest base frame material	Injection moulded plastic
	Density of PU used in backrest (kg per cubic meter)	NA
	Thickness of PU used in backrest (mm)	NA
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>550
	Backrest upholstery material	Mesh fabrics
ARMREST	Armrest type and arm movement	Adjustable (up and down)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dorai Yamini	524124,Keepakam, Satish Dhawan Space Centre, ISRO Sriharikota	2	45

**Office Chair (V3) ( 10 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
GENERAL REQUIREMENT	<b>Chair type</b>	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	<b>Chair understructure type</b>	Cantilever
	<b>Understructure material</b>	ERW tube conforming to IS : 1161 latest
	<b>The shape of tubular section of understructure</b>	Round
	<b>Section Size (Diameter/Sides) of understructure</b>	25 mm
	<b>Understructure wall thickness (mm)</b>	2
	<b>Castor</b>	No
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	>40<=50
	<b>Thickness of PU used in seat (mm)</b>	>30<=40
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	>450
	<b>Depth of seat (mm)</b>	>450
	<b>Seat upholstery material</b>	Polyester fabric
BACKREST	<b>Backrest base frame material</b>	Mild steel frame
	<b>Backrest material</b>	Mesh
	<b>Density of PU used in backrest (kg per cubic meter)</b>	NA
	<b>Thickness of PU used in backrest (mm)</b>	NA
	<b>Width of backrest (mm)</b>	>450
	<b>Backrest height from the seat level</b>	>550
	<b>Backrest upholstery material</b>	Mesh fabrics
ARMREST	<b>Armrest type</b>	Overhanging armrest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dorai Yamini	524124,Keepakam, Satish Dhawan Space Centre, ISRO Sriharikota	10	45

**High End Office Table / Desk Furniture Set / Suit ( 2 pieces )**

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Warranty periods	1 - Year
MAIN TABLE	Design / Shape	Rectangular
	Under structure of main table	Gable end modesty panel
	Table top material	MDF and venner with PU finish having scratch resistance of 2H
	Gable end material	MDF and venner with PU finish having scratch resistance of 2H
	Modesty panel material	MDF and venner with PU finish having scratch resistance of 2H
	Leg material	N.A
	Number of buffer provided	Four numbers at bottom
	Length of table top $\pm$ 20 mm	1800 mm
	Depth of table top $\pm$ 10 mm	900 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Height of table top ± 10 mm</b>	750 mm
	<b>Dimension of leg ± 2 mm</b>	NA
	<b>Thickness of table top ± 2 mm</b>	36 mm
	<b>Thickness of gable end ± 2 mm</b>	25 mm
	<b>Thickness of modesty panel ± 1 mm</b>	25 mm
	<b>Material of keyboard tray and right angle L-Type supporting bracket</b>	N.A
	<b>Finish of exposed edges of keyboard tray</b>	N.A
EXTENDED RETURN UNIT	<b>Number of storage unit</b>	4 numbers
	<b>Storage with shutter</b>	1 number
	<b>Number of drawers</b>	3 numbers
	<b>Size of small drawers ± 5 mm</b>	162 mm (H) X 465 mm(W) X 480 mm(D)
	<b>Size of medium drawers ± 5 mm</b>	324 mm(H) X 465 mm(W) X 480 mm(D)
	<b>Number of lockable castors at bottom</b>	N.A
	<b>Size of lockable castors ± 2 mm</b>	N.A
	<b>Provision of storage lock system</b>	Independent lock
	<b>Material of top</b>	MDF and venner with PU finish having scratch resistance of 2H
	<b>Material of modesty panel</b>	MDF and venner with PU finish having scratch resistance of 2H
	<b>Material of side panel</b>	MDF and venner with PU finish having scratch resistance of 2H
	<b>Thickness of top panel ± 2 mm</b>	19 mm
	<b>Thickness of other panel ± 2 mm</b>	18 mm
	<b>Thickness of drawer base ± 1 mm</b>	18 mm
	<b>Width of unit ± 20 mm</b>	1200 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of unit $\pm$ 5 mm	480 mm
	Height of unit $\pm$ 5 mm	690 mm
	Overall height of storage unit $\pm$ 5 mm	690 mm
PEDESTAL STORAGE UNIT	Type of unit	Three drawers
	Size of drawers $\pm$ 2 mm	162 mm (H) x 640 mm (D) x 480 mm (W)
	Each drawers fixed with	On telescopic channel of 200 mm length with average weight of 0.3 Kg per set having average thickness of 1 mm steel member of channel
	Provision of lock system	Central locking system
	Material of top panel	MDF and venner with PU finish having scratch resistance of 2H
	Material of other panel	MDF and venner with PU finish having scratch resistance of 2H
	Thickness of top panel $\pm$ 1 mm	19 mm
	Thickness of other panel $\pm$ 1 mm	18 mm
	Number of lockable castors at bottom pedestal storage unit	4 numbers
	Size of lockable castors for pedestal storage unit $\pm$ 2 mm	Diameter 30 mm and height 50 mm
	Width of pedestal unit $\pm$ 5 mm	480 mm
	Depth of pedestal unit $\pm$ 5 mm	400 mm
	Height of pedestal unit $\pm$ 5 mm	635 mm
WOODEN BOOK CASE	Total Number of shelf	N.A
	Top panel material	N.A
	Side panel material	N.A
	Shelf material	N.A
	Full Door panel material	N.A
	Upper door panel made up of	N.A
	Lower door panel made up of	N.A
	Thickness of top panel material $\pm$ 1 mm	N.A



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of side panel material $\pm 1$ mm	N.A
	Thickness of shelf panel material $\pm 1$ mm	N.A
	Thickness of door panel (full size) material $\pm 1$ mm	N.A
	Thickness of upper door panel made up of $\pm 1$ mm	N.A
	Thickness of lower panel made up of $\pm 1$ mm	N.A
	Material for buffer	N.A
	Width of book case $\pm 10$ mm	N.A
	Depth of book case $\pm 5$ mm	N.A
	Height of book case $\pm 20$ mm	N.A
	Size of medium shelf	N.A
CERTIFICATION	Product having BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dorai Yamini	524124,Keepakam, Satish Dhawan Space Centre, ISRO Sriharikota	2	45

## High End Office Table / Desk Furniture Set / Suit ( 4 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Warranty periods	2 - Years
MAIN TABLE	Design / Shape	Rectangular
	Under structure of main table	Gable end modesty panel and Legs
	Table top material	combination of MDF particle board and solid wood with top venner face coated with clear lacquer
	Gable end material	MDF and venner with PU finish having scratch resistance of 2H
	Modesty panel material	MDF and venner with PU finish having scratch resistance of 2H
	Leg material	MDF board as per IS: 12406 with pigmented PU coating on both sides
	Number of buffer provided	Eight numbers at bottom
	Length of table top $\pm 20$ mm	1800 mm
	Depth of table top $\pm 10$ mm	750 mm
	Height of table top $\pm 10$ mm	750 mm
	Dimension of leg $\pm 2$ mm	NA
	Thickness of table top $\pm 2$ mm	36 mm
	Thickness of gable end $\pm 2$ mm	18 mm
	Thickness of modesty panel $\pm 1$ mm	18 mm
	Material of keyboard tray and right angle L-Type supporting bracket	N.A
	Finish of exposed edges of keyboard tray	N.A
EXTENDED RETURN UNIT	Number of storage unit	4 numbers
	Storage with shutter	2 numbers
	Number of drawers	3 numbers
	Size of small drawers $\pm 5$ mm	162 mm (H) X 465 mm(W) X 480 mm(D)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Size of medium drawers ± 5 mm</b>	As per size of unit
	<b>Number of lockable castors at bottom</b>	N.A
	<b>Size of lockable castors ± 2 mm</b>	N.A
	<b>Provision of storage lock system</b>	Central locking system
	<b>Material of top</b>	MDF and venner with PU finish having scratch resistance of 2H
	<b>Material of modesty panel</b>	Prelaminated particle board with venner and PU coating finish
	<b>Material of side panel</b>	Prelaminated particle board with venner and PU coating finish
	<b>Thickness of top panel ± 2 mm</b>	25 mm
	<b>Thickness of other panel ± 2 mm</b>	18 mm
	<b>Thickness of drawer base ± 1 mm</b>	8 mm
	<b>Width of unit ± 20 mm</b>	1400 mm
	<b>Depth of unit ± 5 mm</b>	450 mm
	<b>Height of unit ± 5 mm</b>	690 mm
	<b>Overall height of storage unit ± 5 mm</b>	650 mm
PEDESTAL STORAGE UNIT	<b>Type of unit</b>	Three drawers
	<b>Size of drawers ± 2 mm</b>	162 mm (H) x 640 mm (D) x 480 mm (W)
	<b>Each drawers fixed with</b>	On telescopic channel of 250 mm length with average weight of 0.5 Kg per set having average thickness of 1 mm steel member of channel
	<b>Provision of lock system</b>	Central locking system
	<b>Material of top panel</b>	MDF and venner with PU finish having scratch resistance of 2H
	<b>Material of other panel</b>	Prelaminated particle board with venner and PU coating finish
	<b>Thickness of top panel ± 1 mm</b>	25 mm
	<b>Thickness of other panel ± 1 mm</b>	18 mm
	<b>Number of lockable castors at bottom pedestal storage unit</b>	4 numbers

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Size of lockable castors for pedestal storage unit <math>\pm 2</math> mm</b>	Diameter 40 mm and height 55 mm
	<b>Width of pedestal unit <math>\pm 5</math> mm</b>	480 mm
	<b>Depth of pedestal unit <math>\pm 5</math> mm</b>	620 mm
	<b>Height of pedestal unit <math>\pm 5</math> mm</b>	550 mm
WOODEN BOOK CASE	<b>Total Number of shelf</b>	N.A
	<b>Top panel material</b>	N.A
	<b>Side panel material</b>	N.A
	<b>Shelf material</b>	N.A
	<b>Full Door panel material</b>	N.A
	<b>Upper door panel made up of</b>	N.A
	<b>Lower door panel made up of</b>	N.A
	<b>Thickness of top panel material <math>\pm 1</math> mm</b>	N.A
	<b>Thickness of side panel material <math>\pm 1</math> mm</b>	N.A
	<b>Thickness of shelf panel material <math>\pm 1</math> mm</b>	N.A
	<b>Thickness of door panel (full size) material <math>\pm 1</math> mm</b>	N.A
	<b>Thickness of upper door panel made up of <math>\pm 1</math> mm</b>	N.A
	<b>Thickness of lower panel made up of <math>\pm 1</math> mm</b>	N.A
	<b>Material for buffer</b>	N.A
	<b>Width of book case <math>\pm 10</math> mm</b>	N.A
	<b>Depth of book case <math>\pm 5</math> mm</b>	N.A
	<b>Height of book case <math>\pm 20</math> mm</b>	N.A
	<b>Size of medium shelf</b>	N.A
CERTIFICATION	<b>Product having BIFMA certification</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dorai Yamini	524124,Keepakam, Satish Dhawan Space Centre, ISRO Sriharikota	4	45

**Revolving Chair (V4) ( 2 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Type of chair</b>	High Back
UNDERSTRUCTURE	<b>Tilt mechanism</b>	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	<b>Locking mechanism</b>	4 Position locking, 5 Position locking, Multi position locking Or higher
	<b>Seat depth adjustment</b>	Adjustable, Fixed type Or higher
	<b>Revolving mechanism</b>	Designed with 360 degree-revolving type
	<b>Pedestal base</b>	Glass filled nylon
	<b>Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair</b>	2.0 - 6.0 Or higher (millimeter)

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
SEAT	<b>Seat material</b>	PU foam
	<b>Density of PU used in seat (kg per cubic meter)</b>	>40<=50
	<b>Thickness of PU used in seat (mm)</b>	>40<=50
	<b>Minimum seat height from floor surface (mm)</b>	>400<=500
	<b>Width of seat (mm)</b>	>450<=500
	<b>Depth of seat (mm)</b>	>500
	<b>Seat upholstery material</b>	Polyester fabric
BACKREST	<b>Backrest type</b>	Flexi back Or higher
	<b>Backrest height</b>	Fixed, Adjustable Or higher
	<b>Backrest support type</b>	Adjustable lumber support
	<b>Backrest base frame material</b>	Injection moulded plastic
	<b>Density of PU used in backrest (kg per cubic meter)</b>	NA
	<b>Thickness of PU used in backrest (mm)</b>	NA
	<b>Width of backrest (mm)</b>	>400<=450
	<b>Backrest height from the seat level</b>	>550
	<b>Backrest upholstery material</b>	Mesh fabrics
ARMREST	<b>Armrest type and arm movement</b>	Adjustable (up and down)
WARRANTY	<b>Warranty period in number of years</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dorai Yamini	524124,Keepakam, Satish Dhawan Space Centre, ISRO Sriharikota	2	45

**Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)**

1.

**Special Terms and Conditions**

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

**Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)**

1.

**Special Terms and Conditions**

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**3. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

#### 4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. All terms & conditions are as per ATC documents
- 2.. Bidder shall comply all the terms & conditions of ATC
3. Bidder shall submit all the documents mentioned in the ATC, failing to submission of which, your offer s hall be rejected summarily.
4. Items shall be delivered on all working days Mon - FRI 10.00 Hrs. to 16.00 hrs, except on public holidays , Saturdays & Sundays.
5. Performance Security (e-PBG): After placement of Order, Supplier shall submit Performance Bank Guarantee for 3% of order value within 15 days of issuance of Contract as per GeM GTC valid till delivery period including Installation & commissioning plus Warranty period plus 60 days

Mail ID for further communication: [dileepkumar@shar.gov.in](mailto:dileepkumar@shar.gov.in)

### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.



Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**