



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5824188  
Dated/दिनांक : 16-01-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-02-2025 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-02-2025 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Rajasthan
Department Name/विभाग का नाम	Lsg (local Self Government) Rajasthan
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Directorate
क्रैता ईमेल/Buyer Email	buycon14.llsgr.rj@gembuyer.in
Total Quantity/कुल मात्रा	47160
Item Category/मद केटेगरी	Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2) (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	25 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	200 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

**Bid Details/बिड विवरण**

<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	50 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2)
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Item wise evaluation/
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	1.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Executive Officer  
Rawatbhata Nagar Palika, Chittorgarh, Rajasthan

(Mukesh Nagar)

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule.

The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	30
Schedule 2	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	330
Schedule 3	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	330
Schedule 4	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	330
Schedule 5	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	115
Schedule 6	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	215
Schedule 7	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	445
Schedule 8	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	6800
Schedule 9	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	10000
Schedule 10	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	10000
Schedule 11	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	300
Schedule 12	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	10000
Schedule 13	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	500
Schedule 14	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	7425
Schedule 15	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	330
Schedule 16	Lighting Pole Or Post And Hardware - Tubular Street Light Poles (v2)	10

### Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 30 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 30 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Copper Earthing	Plate Earthing as per IS:3043 with copper Earth plate of purity >95% of size 600mm x 600mm x 3.0mm by embodying 3 mtr. below the ground level with 20 mm dia. G.I. 'B' class watering Pipe, including all accessories like nut, bolts, reducer, nipple, wire meshed funnel, and Heavy-duty weather proof polypropylene earth pit chamber with lockable Jam free lid suitable for safe working load 5000 Kg or more of size Top Dia.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	30	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Earth Wire	Supply & Laying following size earth wire in horizontal or vertical run in ground/surface/ recess including riveting, soldering, saddles, making connection with GI/Cu purity >95% thimble etc. as required. All as per pre approved by Engineer in-charge. For additional technical parameters of products/ work, refer Annexure A Attached with this BSR 6 swg copper wire.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	330	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Octagonal pole 9 mtr.	Supply and erection of Galvanized Iron pole with galvanizing done in single dipping (Average coating thickness Minimum 65 Microns) continuously tapered poles having Octagonal / Circular cross sections designed to withstand the maximum wind speed as per IS 875, The pole shaft shall be made from sheet steel (HT Steel Conforming to grade S355JO) and confirming to BSEN 10025 and shall be continuously tapered with single longitudinal welding.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	330	90

### Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

#### Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)



Specification Parameter Name	Bid Requirement (Allowed Values)
Foundation of pole	Providing and Laying RCC Foundation for Octagonal / Conical Street Light poles, High mast Poles as per Drawing attach at Table P-4 with Following Procedure & All as per pre approved by Engineer in-charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR. A) Excavation of Pit for Foundation Size up to required depth from Ground level B) Dressing of Pit and Dry stone pitching 200 mm thick including.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	330	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 115 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 115 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Over hang arm of pole single	Supply and Fixing of Pole OEM fabricated hot dipped galvanised M.S. Overhang (48.3 X 3.25 mm) with cap (400 x 88.9/114.3 x 3.25 mm) over the existing poles. All as per pre approved by Engineer-In-charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR Double arm overhang

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	115	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 215 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 215 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Over hang arm of pole double	Supply and Fixing of Pole OEM fabricated hot dipped galvanised M.S. Overhang (48.3 X 3.25 mm) with cap (400 x 88.9/114.3 x 3.25 mm) over the existing poles. All as per pre approved by Engineer In-charge. For additional technical parameters of products/work, refer Annexure "A" attached with this BSR single arm overhang.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	215	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 445 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 445 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SITC of LED lights	Providing & Fixing of IK08, IP 66 protected LED Street Light Luminaire on existing bracket/pole. Fixture made of powder coated single piece pressure die cast aluminium material with heat dissipation fins on housing with UV stabilized PC (UV stabilization report submitted for UV cover)/ Toughened Glass cover and secondary lens on each LED & should be SMD type of 3 to 5 watt each. The System.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	445	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 6800 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 6800 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SITC of PVC copper wire	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor as per PWD specification for electrical Works with ISI marked (IS:694) and as per IS 8130: 2013 of 1.1 kV grade. Wire should be made from 99.90% purity copper, class 5 stranding in acc. to IS:8130/IEC 60228 for lower watt loss, oxygen free for less chances of oxidization, insulation PVC type A/C/ D, flame retardant as per IS 10810-53, better amperage rating as per IS:3961 part 5, in existing surface or.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	6800	90

### Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10000 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

#### Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10000 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Excavation for cable lane	Add Extra for Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade direct in ground including excavation of trench of size 75 cm (Depth) x 35 cm(Width), with procedure as per following points: (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	10000	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10000 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10000 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and laying of cable 16X4	Providing & Laying P.V.C. XLPE insulated & P.V.C. sheathed Armoured Aluminium cable confirming to IS:1554 P-I/IS:7098 P-I of 1.1 KV with H4 Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6%, round / flat strip armoring of cables, Inner outer sheath confirming to IS:5831 in existing RCC/Hume / Stoneware / PVC pipe/ open duct/cable trench/Cable tray(with cable tie) including testing etc.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	10000	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 300 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80



**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 300 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and laying of cable 25X3.5	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Armoured Aluminium cable confirming to IS:1554 P-1/IS:7098 P-1 of 1.1 KV with H4-Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6%, round / flat strip armoring of cables, Inner/outer sheath confirming to IS:5831 in existing RCC/Hume / Stoneware / PVC pipe/ open duct/cable trench/Cable tray(with cable tie) including testing etc. as required of following size. OEM must have it's .....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	300	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10000 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10000 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and laying HDPE pipe 63 Mm for cable	P/L of Double wall corrugated HDPE pipe confirming to IS: 16205 P-24, Stiffness Class 750 N, Externally cor- rugated and having smooth surface inside with HDPE Coupler, Elbow, Tee at required Depth below the ground for laying cable of following Nominal Outer dia. MFR Test report from NABL accredited is to be submitted. (Excavation of Earth & Backfilling to be paid Extra) All as approved by Engineer In-charge.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	10000	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 500 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 500 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and laying GI pipe 50 Mm for cable	Supply & Laying following size' B' class, G.I. Pipe confirming to IS: 1239 P-1(2004) with accessories like bend, socket etc. for laying earth conductor/ strip/cable in ground/ surface/ recess as required. All as per pre approved by Engineer in-charge. (Earth Excavation will be Paid Extra) All as per pre approved by Engineer in- charge.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	500	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 7425 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 7425 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and laying 6SWG GI earth wire	Supply & Laying following size earth wire in horizontal or vertical run in ground/surface/ recess including riveting, soldering, saddles, making connection with GI/Cu purity >95% thimble etc. as required. All as per approved by Engineer in-charge. For additional technical parameters of products / work, refer Annexure Attached with wire.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	7425	90

### Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

#### Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 330 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
SITC of SP MCB	Providing & Fixing of 240/415 V AC MCB with positive isolation of 10 kA breaking capacity (B/C/D tripping characteristic as per type of load and site requirement) 4 KV impulse withstand voltage, ISI marked IS 8828(1996)/conforming to IEC 60898-1 2002, IEC 60947-2, low watt losses, trip free mechanism, energy limiting of class 3 as per IEC, minimum phase termination capacity of 35sq.mm. conductor line load.....

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	330	90

**Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Coating on the tubular steel poles</b>	Galvanised min. Mass of Zinc coating 360 Gms. sq. Mtr., Bitumen coated as per clause 13.1 of IS:2713 part 1/1980
	<b>Length of Tubular steel poles (Metre)</b>	7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14.50, 16, 3
	<b>Designation of Tubular steel poles as per table 2 of IS 2713/80 Part-2 with amdt No 1</b>	410SP-1, 410SP-2, 410SP-3, 410SP-4, 410SP-5, 410SP-6, 410SP-7, 410SP-8, 410SP-9, 410SP-10, 410SP-11, 410SP-12, 410SP-13, 410SP-14, 410SP-15, 410SP-16, 410SP-17, 410SP-18, 410SP-19, 410SP-20, 410SP-21, 410SP-22, 410SP-23, 410SP-24, 410SP-25, 410SP-26, 410SP-27, 410SP-28, 410SP-29, 410SP-30, 410SP-31, 410SP-32, 410SP-33, 410SP-34, 410SP-35, 410SP-36, 410SP-37, 410SP-38, 410SP-39, 410SP-40, 410SP-41, 410SP-42, 410SP-43, 410SP-44, 410SP-45, 410SP-46, 410SP-47, 410SP-48, 410SP-49, 410SP-50, 410SP-51, 410SP-52, 410SP-53, 410SP-54, 410SP-55, 410SP-56, 410SP-57, 410SP-58, 410SP-59, 410SP-60, 410SP-61, 410SP-62, 410SP-63, 410SP-64, 410SP-65, 410SP-66, 410SP-67, 410SP-68, 410SP-69, 410SP-70, 410SP-71, 410SP-72, 410SP-73, 410SP-74, 410SP-75, 410SP-76, 410SP-77, 410SP-78, 410SP-79, 410SP-80

**Additional Specification Parameters - Lighting Pole Or Post And Hardware - Tubular Street Light Poles (V2) ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SITC of street light timer	P & F of IP 55 protected light controlled switch based on infrared sensing and daylight with built in over load protection, timer to switch OFF at preselected time. Switch shall have 7 day power backup without hampering of present time and over ride facility for maintenance purpose Suitable for 15 kw load (three phase) including contactor MCB, cable glands, terminal block and locking arrangement.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukesh Nagar	323305,NAGAR PALIKA RAWATBHATA	10	90

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Rawatbhata  
Nagar  
Palika,  
Chittorgarh,  
Rajasthan

**3. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**4. Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the

date of constitution shall be taken into account for this criteria.

#### 5. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 6. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 7. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 8. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 9. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### 10. **Certificates**


ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 11. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

All the bidder please provide the price separately as per ATC page no 17 to 25 in Sr. No. 1 to 16.

EMD exemption is not allowed and EMD is to be deposited as per government norms 2%/5% in the form of DD and hard copy is mandatory to be submitted to the department for next day in office timing after the last date of bid submission



#### 12. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)



## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

